

Nama : Wildan Ahmad Gifari
NPM : 242310008
Kelas : TI 24 PA2
Matkul : Lab. Pemrograman Perangkat Bergerak

LATIHAN PERTEMUAN 7

Latihan 1: Membuat Halaman Profile yang dapat memperbaharui data pribadi dan avatar pengguna.

```
1 import React, { useState } from "react";
2 import {
3   View,
4   Text,
5   TextInput,
6   Image,
7   TouchableOpacity,
8   ScrollView,
9   StatusBar,
10  Alert,
11  ActivityIndicator,
12 } from "react-native";
13 import { Ionicons } from "@expo/vector-icons";
14 import * as ImagePicker from "expo-image-picker";
15 import { useRouter } from "expo-router";
16 import { styles } from "../styles/StyleApps";
17
18 const DEFAULT_AVATAR =
19   "https://api.dicebear.com/7.x/avataaars/svg?seed=default-user";
20
21 export default function Account() {
22   const router = useRouter();
23
24   // Data profil awal - gantikan dengan data dari API / context user asli
25   const [avatar, setAvatar] = useState(DEFAULT_AVATAR);
26   const [name, setName] = useState("Nama Pengguna");
27   const [email, setEmail] = useState("user@email.com");
28   const [phone, setPhone] = useState("");
29   const [bio, setBio] = useState("");
30
31   const [uploadingAvatar, setUploadingAvatar] = useState(false);
32   const [saving, setSaving] = useState(false);
33
34   // ---- Ganti avatar ----
35   const handlePickAvatar = async () => {
36     const permission = await ImagePicker.requestMediaLibraryPermissionsAsync();
37     if (permission.granted) {
38       Alert.alert(
39         "Izin dibutuhkan",
40         "Aplikasi memerlukan akses galeri untuk mengganti foto profil."
41       );
42       return;
43     }
44
45     const result = await ImagePicker.launchImageLibraryAsync({
46       mediaTypes: ImagePicker.MediaTypeOptions.Images,
47       allowsEditing: true,
48       aspect: [1, 1],
49       quality: 0.8,
50     });
51
52     if (!result.canceled && result.assets?.length > 0) {
53       setUploadingAvatar(true);
54       try {
55         // TODO: upload result.assets[0].uri ke server / storage di sini
56         // const uploadedURL = await uploadAvatar(result.assets[0].uri);
57         setAvatar(result.assets[0].uri);
58       } catch (err) {
59         Alert.alert("Gagal", "Tidak dapat mengunggah foto profil.");
60       } finally {
61         setUploadingAvatar(false);
62       }
63     }
64   };
65
66   // ---- Simpan perubahan profil ----
67   const handleSave = async () => {
68     if (!name.trim()) {
69       Alert.alert("Nama tidak boleh kosong");
70       return;
71     }
72     if (!email.trim() || !email.includes("@")) {
73       Alert.alert("Email tidak valid");
74       return;
75     }
76
77     setSaving(true);
78     try {
79       // TODO: panggil API update profile di sini, misalnya:
80       // await api.put('/profile', { name, email, phone, bio, avatar });
81       await new Promise((resolve) => setTimeout(resolve, 800)); // simulasi request
82       Alert.alert("Berhasil", "Profil kamu telah diperbarui.");
83     } catch (err) {
84       Alert.alert("Gagal", "Terjadi kesalahan saat menyimpan profil.");
85     } finally {
86       setSaving(false);
87     }
88   };
89
90   return (
91     <View style={styles.container}>
92       <StatusBar barStyle="dark-content" />
93       <ScrollView showsVerticalScrollIndicator={false}>
94         <Header />
95         <View style={styles.h_container}>
96           <TouchableOpacity
97             style={[styles.btn_icon, styles.shadow]}
98             onPress={() => router.back()}
99           />
100         <Ionicons name="arrow-back" size={20} color={styles.color_list.black} />
101         </TouchableOpacity>
102         <Text style={styles.title}>Profil Saya</Text>
103         <View style={{ width: 45 }} />
104       </View>
105
106       <Header />
107       <View style={{ alignItems: "center", marginVertical: 20 }}>
108         <Image
109           source={{ uri: avatar }}
110           style={{
111             width: 120,
112             height: 120,
113             borderRadius: 60,
114             backgroundColor: styles.color_list.green_light,
115           }}
116         />
117       </View>
118     </View>
119   );
120 }
```

```
61   setUploadingAvatar(false);
62 }
63 }
64 }
65
66 // ---- Simpan perubahan profil ----
67 const handleSave = async () => {
68   if (!name.trim()) {
69     Alert.alert("Nama tidak boleh kosong");
70     return;
71   }
72   if (!email.trim() || !email.includes("@")) {
73     Alert.alert("Email tidak valid");
74     return;
75   }
76
77   setSaving(true);
78   try {
79     // TODO: panggil API update profile di sini, misalnya:
80     // await api.put('/profile', { name, email, phone, bio, avatar });
81     await new Promise((resolve) => setTimeout(resolve, 800)); // simulasi request
82     Alert.alert("Berhasil", "Profil kamu telah diperbarui.");
83   } catch (err) {
84     Alert.alert("Gagal", "Terjadi kesalahan saat menyimpan profil.");
85   } finally {
86     setSaving(false);
87   }
88 };
89
90 return (
91   <View style={styles.container}>
92     <StatusBar barStyle="dark-content" />
93     <ScrollView showsVerticalScrollIndicator={false}>
94       <Header />
95       <View style={styles.h_container}>
96         <TouchableOpacity
97           style={[styles.btn_icon, styles.shadow]}
98           onPress={() => router.back()}
99         />
100       <Ionicons name="arrow-back" size={20} color={styles.color_list.black} />
101       </TouchableOpacity>
102       <Text style={styles.title}>Profil Saya</Text>
103       <View style={{ width: 45 }} />
104     </View>
105
106     <Header />
107     <View style={{ alignItems: "center", marginVertical: 20 }}>
108       <Image
109         source={{ uri: avatar }}
110         style={{
111           width: 120,
112           height: 120,
113           borderRadius: 60,
114           backgroundColor: styles.color_list.green_light,
115         }}
116       />
117     </View>
118   </View>
119 );
120 }
```

```

119     <uploadingAvatar @& {
120       <View
121         style={{
122           position: "absolute",
123           top: 0,
124           left: 0,
125           width: 120,
126           height: 120,
127           borderRadius: 60,
128           backgroundColor: "rgba(0,0,0,0.35)",
129           justifyContent: "center",
130           alignItems: "center",
131         }}
132       >
133         <ActivityIndicator color={styles.color_list.white} />
134       </View>
135     )}
136     <TouchableOpacity
137       onPress={handlePickAvatar}
138       style={[
139         styles.circle_premium,
140         { width: 36, height: 36, borderRadius: 18, top: undefined, bottom: -4, right: -4 },
141       ]}
142     >
143       <Icon name="camera" size={18} color={styles.color_list.white} />
144     </TouchableOpacity>
145   </View>
146   <text style={{ marginTop: 12, fontSize: 16, fontWeight: "bold", color: styles.color_list.black }}>
147     {name}
148   </Text>
149   <text style={{ color: styles.color_list.gray, fontSize: 13 }}>(email)</Text>
150 </View>
151
152 /* Form */
153 <View style={{ marginTop: 10 }}>
154   <FieldLabel text="Nama Lengkap" />
155   <FieldInput value={name} onChangeText={setName} placeholder="Masukkan nama lengkap" />
156
157   <FieldLabel text="Email" />
158   <FieldInput
159     value={email}
160     onChangeText={setEmail}
161     placeholder="Masukkan email"
162     keyboardType="email-address"
163     autoCapitalize="none"
164   />
165
166   <FieldLabel text="Nomor Telepon" />
167   <FieldInput
168     value={phone}
169     onChangeText={setPhone}
170     placeholder="Masukkan nomor telepon"
171     keyboardType="phone-pad"
172   />
173
174   <FieldLabel text="Bio" />
175   <text input
176     value={bio}
177     onChangeText={setBio}

```

```

178     placeholder="Ceritakan sedikit tentang dirimu"
179     placeholderTextColor="gray"
180     multiline
181     numberOfLines={4}
182     style={{
183       backgroundColor: styles.color_list.white,
184       borderRadius: 15,
185       borderWidth: 1,
186       borderColor: "rgba(0,0,0,0.15)",
187       paddingHorizontal: 15,
188       paddingVertical: 12,
189       fontSize: 14,
190       color: styles.color_list.black,
191       textAlignVertical: "top",
192       minHeight: 80,
193       marginBottom: 10,
194     }}
195   />
196 </View>
197
198 /* Simpan */
199 <TouchableOpacity
200   style={[
201     styles.buttonStarted,
202     {
203       backgroundColor: styles.color_list.green,
204       alignSelf: "center",
205       marginTop: 20,
206       opacity: saving ? 0.7 : 1,
207     },
208   ]}
209   onPress={handleSave}
210   disabled={!saving}
211 >
212   {saving ? (
213     <ActivityIndicator color={styles.color_list.white} />
214   ) : (
215     <
216       <Icon name="checkmark-circle-outline" size={30} color={styles.color_list.white} />
217       <text style={styles.buttonText, { color: styles.color_list.white }}>
218         Simpan Perubahan
219       </Text>
220     </>
221   )}
222 </TouchableOpacity>
223
224 <View style={{ height: 40 }} />
225 </ScrollView>
226 </View>
227
228 // Label field kecil, konsisten dengan gaya sub_title di style.js
229 function FieldLabel({ text }) {
230   return (
231     <text style={{ fontSize: 13, color: "gray", marginBottom: 6, marginTop: 12 }}>
232       {text}
233     </Text>
234   );
235 }

```

```


237 }
238
239 // Input bergaya pill/rounded, senada dengan search bar pada gambar referensi
240 function FieldInput(props) {
241   return (
242     <TextInput
243       placeholderTextColor="gray"
244       style={{
245         backgroundColor: styles.color_list.white,
246         borderRadius: 30,
247         borderWidth: 1,
248         borderColor: "rgba(0,0,0,0.15)",
249         paddingHorizontal: 18,
250         paddingVertical: 12,
251         fontSize: 14,
252         color: styles.color_list.black,
253       }}
254       {...props}
255     />
256   );
257 }

```


03.11

35%

Scanner



Latihan 3: Mengimplementasikan fitur perangkat output audio (speaker) yang tidak perlu meminta izin akses perangkat. Buatlah seperti detail buku seperti dibawah ini: Pada halaman detail buku ini, dapat diubah menjadi audio-book dengan memanfaatkan teknologi text-to-speech. Manfaatkanlah library package expo-speech dalam mengimplementasikan hal ini. Dimana mengubah sebuah text menjadi sebuah audio dan dikeluarkan melalui speaker device. Di halaman ini audio-book dapat di play, pause ataupun stop. Dan memberikan highlight pada text yang sedang dibacakan atau dikonversikan kedalam audio.

```
// offset karakter tempat bacaan terakhir berhenti (dipakai untuk resume)
const resumeOffsetRef = useRef(0);

const tokens = useMemo(
  () => tokenizeWithOffsets(book?.sinopsis,
    [book?.sinopsis]
  );
);

// Hentikan TTS saat komponen unmount / berpindah buku
useEffect(() => {
  return () => {
    Speech.stop();
  };
}, []);

// Reset player kalau buku yang ditampilkan berganti
useEffect(() => {
  Speech.stop();
  setPlayerStatus("idle");
  setCurrentTokenIdx(-1);
  resumeOffsetRef.current = 0;
}, [book?.id]);

const highlightTokenAtGlobalIndex = useCallback(
  (globalIndex) => {
    const idx = tokens.findIndex(
      (t) => t.isWord && globalIndex >= t.start && globalIndex < t.end
    );
    if (idx !== -1) setCurrentTokenIdx(idx);
  },
  [tokens]
);

const speakFrom = useCallback(
  (offset) => {
    if (!book?.sinopsis) return;
    const textToSpeak = book.sinopsis.slice(offset);

    Speech.speak(textToSpeak, {
      language: book?.language || "en-US",
      onStart: () => setPlayerStatus("playing"),
      onBoundary: (event) => {
        // charIndex relatif terhadap textToSpeak, ditambah offset supaya
        // sesuai posisi pada teks sinopsis yang utuh
        const globalIndex = offset + event.charIndex;
        resumeOffsetRef.current = globalIndex;
        highlightTokenAtGlobalIndex(globalIndex);
      },
    });
  },
);
```

```
onDone: () => {
  setPlayerStatus("idle");
  setCurrentTokenIdx(-1);
  resumeOffsetRef.current = 0;
},
onError: () => {
  setPlayerStatus("idle");
},
));
},
[book?.sinopsis, book?.language, highlightTokenAtGlobalIndex]
);

// ---- Play ----
// Kalau statusnya "paused", Lanjutkan dari kata terakhir yang dibacakan.
// Kalau tidak, mulai dari awal.
const handlePlay = () => {
  if (playerStatus === "paused") {
    speakFrom(resumeOffsetRef.current);
  } else {
    resumeOffsetRef.current = 0;
    setCurrentTokenIdx(-1);
    speakFrom(0);
  }
};

// ---- Pause ----
// Speech.pause()/resume() bawaan expo-speech tidak konsisten didukung di
// semua platform (khususnya Android), jadi dipakai pendekatan yang lebih
// andal: stop lalu simpan posisi karakter terakhir untuk dilanjutkan.
const handlePause = () => {
  Speech.stop();
  setPlayerStatus("paused");
};

// ---- Stop ----
const handleStop = () => {
  Speech.stop();
  setPlayerStatus("idle");
  setCurrentTokenIdx(-1);
  resumeOffsetRef.current = 0;
};
```

03:40

BLEACH


0.51

33%

←

♥

🔗



1

BLEACH

Tite Kubo

★ 10 / 5.0

SINOPSIS

□ ▶

Dijeda

The story is set in the futuristic, fortified city of **Tokyo-3**, fifteen years after a global cataclysm known as the Second Impact. The world faces a new threat: mysterious, monstrous beings called Angels. Conventional weaponry is useless against them, leading the special agency NERV to develop giant bio-mechanical humanoids known as Evangelions (Evas). The protagonist, Shinji Ikari, is a 14-year-old boy summoned to Tokyo-3 by his estranged father, Gendo Ikari, the director

📖 Read Book