

Report: Fastqc Raw Reads

Contents




1	Summary	1
2	Per Base Quality	2
3	Per Sequence Quality	3
4	Adapter Content	4
5	Duplication Level	5
6	GC Content	6
7	Sequence Content	7

1 Summary




- // Overall Quality: - Perfect
- // Trimming: - Not necessary, since PHRED-Score > 30 and just a couple outliers at the very end
- // Adapter Removal: - Not necessary, it is perfect
- // Duplicates: - Some Peaks appear at >10 (very strong peak in ABF2 SRR15286162)
- Otherwise no difference between Control and Treatment (quantitatively similar)
- This could align with the expected transcriptional program from the nitrate stress (either control or treatment)
- ABF2 SRR15286162 might be a sample-specific outlier
- // RNA-seq specific: - The A/T and C/G distributions at the beginning of the sequence is not equally distributed, but this is excepted
- Furthermore, sequence content extremely consistent (aligns with biological property)
- GC content distribution shows two stronger peaks, but this should align with the over-expression of certain genes

2 Per Base Quality




- Control



- ABF2




- ABF3




3 Per Sequence Quality


- Control



- ABF2




- ABF3




4 Adapter Content

- Control


SRR15286164



SRR15286164




SRR15286164




- ABF2


SRR15286160



SRR15286161




SRR15286162




- ABF3


SRR15286157



SRR15286158




SRR15286159




distributed

5 Duplication Level


- Control



- ABF2






- ABF3






6 GC Content

- Control



- ABF2



- ABF3

