

VAST 2023 MC1 Data Notes

Data dictionary and nodes for MC1:

Graph Description: The challenge problem KG is generated using Natural Language Processing (NLP) tools extracting entities and relationships from a set of text articles.

- 3721 nodes
- 7422 edges
- Possible Node types are: {person, organization, company, political_organization, location, vessel, event, movement}
- Possible Edge types are: {membership, partnership, ownership, family_relationship}
- This is a directed multi-graph, so multiple edges between the same two nodes are possible
- The graph format is a json format intended to match d3's node-link format and be compatible with `networkx.node_link_graph`. At the root-level, it is a dictionary with graph-level properties specified as keys (`directed` , `multigraph` , `graph`). The nodes and links keys each provide a dictionary of the nodes and links respectively. The nodes entries that must include an `id` key that is unique for each node. The links entries include `source` and `target` keys that refer to node id values. All other keys provided in node and link dictionaries are attributes for that node or link.

Node Attributes:

- `id` – Identifier of the node is also usually the name of the entity. Some nodes have a numeric ID and do not have a name even if they are a person, company, or organization.
- `type`—Type of the node as defined above. It is an optional attribute
- `country`—Country associated with the entity. It is an optional attribute.
- `dataset` – Always 'MC1'

Edge Attributes:

- `source` – ID of the source node
- `target` – ID of the target node
- `type` – Type of the edge as defined above. It is an optional attribute
- `dataset` – Always 'MC1'

Note: all names included in this dataset are fictional. Any resemblance to real persons, companies, or locations are purely coincidental.