





Concat\_Concat\_Value

Spoiler

A snippet of my encoded message: RowCount


1	Tlossm"WVTOSN thrw2meszbgs for-thw JEURUKR wv3b 🗆 izt#in Ghjr epye2,115!
2	Puejsx ENCbDL his4mhs□jye h□r the)DESOFE` we huilt-iv1D alle~gf(16553
3	[leaxj4lOCQTU zhx01mys Dame wortls*OECYDS[2wt b  ot\$]t Chj  qnke %155+
4	Qllmsn*KNCUGE thiv/wruypnj ftr thi-LSPOEWc'we.cuilt in Cxnlyewhe #15E!
5	PuedDe/EYCOSE Dhqs&mtssage kor he IMRXPER we toxit Is)Khallvvhn"#=55"
6	\lejsl E_PXXV xziv messine%fov the WESREWS De p olt it Chgnlenjx47:55!
7	SIfae XNCbDE (hpy"ttvskgv fvr uho\$XECODER wh ouilt in Chaslen(o'#@55&
8	R iawfENCODR Dyi meDsjgvljzr-the%DEM^DPd Dm bD
9	d~ense EWCXTN'ttoz)ys uge#f□r □he FXSPDER □j bziz□1io Challbox/k (1D5!
10	Pqgowe(SNSODE*~his tfDjugh sur ]zh DECODXX ~e0bunpu%(n Chpolgyre )158!
11	[leaDe&HPIODROwhss xe Dapi\$lov&the DRS]JXR/we1m~olt*wn&Cnao]y~me#:51
12	Pleasm-ENOODQ#tqqv'IIo~aik!fwr"]he+FYCODSR4IDe3buijt xn Fhsv enye3#155!
13	V)erse EOCWJE txis myu🛘
14	Pluase"YaW_OT%@hiv&zksulkn0fsrv e JVIODEb*we#runl@1mn Qkc@venlu 7@E<0
15	Tyyallh'ENCODE tzw \$mhliliqgm fwll'wue RJCODEd je buyull'in Cpttsenwe 11:52
16	PxIsye*RZMODE4Uhi~4qesUake for thu MXCODE_we*huint in*C alleUom%2E5>+
17	b ea j/ENCOSFthis me(sege3fjr"t e)QELODSR [ii-b]iut)in.Chille ko3#1:C!
18	Vlea∼e ENC`SJ hss pessoil fpz3⊡he SFPORE[ □e1but(x4pw0Cha venve *=G5!
19	blehze E[C^DP)(I)u.plssage hyr

Check out my collaboration with fellow ACE Joshua Burkhow at AlterTricks.com





Reject




Dan





Me: This looks like a tricky one, but I'm sure I can get there using the skills I already have using the basic tools that I'm most familiar with.



1