


SENTECH
connecting You

BRAND **GUIDELINES.**

CORPORATE
BRAND IDENTITY
STANDARDS.

SENTECH
connecting You

The SENTECH Corporate Identity (CI) Manual has been designed for use by SENTECH staff, external design agencies and trade suppliers. The CI standards ensure the SENTECH brand is maintained and protected and that style, design and colour are used consistently. All SENTECH branded materials must obtain approval from the Corporate Marketing and Communications department.

Please email your brand approval request(s) to
social@sentech.co.za



TABLE OF CONTENTS

BRAND MANUAL

CORPORATE
BRAND IDENTITY
STANDARDS.

01 LOGO 04

logo construction/rationale 05
brand mark 06
word mark 07
clear space 08
logo lockup 09
social media lockup 12
placement 13
logo usage 14
size restrictions 16
co-branding 17

02 COLOURS 19

colour palette 20
corporate colours 21
colour applications 24

03 TYPOGRAPHY 26

primary typeface 28
secondary typeface 29
system typeface 30
type hierarchy 31

04 PHOTOGRAPHY 32

representation 34
infrastructure 35
customer experience 36
innovation 37
image treatment 38

05 BRAND APPLICATION 39

brand assets and graphic devices 40
stationery 45
digital 57
print 72
promotional 80

SENTECH
connecting You

LOGO

logo construction/rationale	05
brand mark	06
word mark	07
clear space	08
logo lockup	09
social media lockup	12
placement	13
logo usage	14
size restrictions	16
co-branding	17



THE SENTECH LOGO

The SENTECH logo is a strong, bold logo, constructed from an brand mark on the left and the word mark and slogan on the right. The brand mark portrays digital signals, similar to the WiFi symbol.

The slogan “connecting You” is aligned to the right. The line that links the brand mark and the slogan is a further visual link between the word mark and the slogan and visually “connects” the two. The fact that “You” is written in title case further affirms the fact that the end user is the most important factor in SENTECH’s business dealings.

SENTECH is an acronym that stands for Sender Technology and as such should always be written in uppercase.



BRAND MARK

Aside from the obvious reflection of the brand name, the synthesis of the wifi signal icon hints at the connecting of the human and digital.


Although most use cases should involve the complete logo lockup (see Page 8), the SENTECH brand mark can at times be used on its own to tell the brand story.

The mark also lends itself to many graphic applications, including patterns and watermarks– resulting in a high-end, contemporary feel for the brand.

01



Brand mark Word mark



WORD MARK

The SENTECH word mark forms part our primary logo, this can only be used together with the brand mark.

The word mark should never be recreated.

Overall, the SENTECH logo is a vital visual identity tool that encapsulates the brand's essence, innovation, and commitment to technology. Its effective design and strategic application help establish a strong brand presence in the marketplace, fostering recognition and trust among customers and stakeholders. Maintaining guidelines for its use ensures that the logo remains consistent, reinforcing the SENTECH brand across all channels.

01



Typeface used:
Widy Bold

SENTECH

Typeface used:
Industria Pro Solid

connecting You

CLEAR SPACE

Clear space is the area around the logo which cannot contain any graphics, images, text or colour whatsoever. Therefore the SENTECH full colour logo should at all times be placed on a white background.

In the case of internal documents or black and white media, the colours of the logo may be inverted (refer to page 17-18), but should only be placed on 100% black or a solid secondary colour which may contain the SENTECH.

The magenta lines indicate the area of isolation. The area of isolation is measured by 1x A which is equivalent to the height of the icon in the SENTECH logo. The area of isolation should never be less than 1x A on either four sides of the logo.



LOGO LOCKUP


The SENTECH logo lockup has a specific arrangement and configuration of a logo and its associated elements, such as the tagline, brand mark and logo mark. It defines how these components work together visually and is crucial for maintaining brand consistency across different applications and platforms.

There only one lockup of the SENTECH logo but this can be used with the secondary colour palette or reversed on a image background.

The brand mark and logo mark should never be stacked up in a vertical position.



Primary logo lockup



Secondary logo lockup

LOGO LOCKUP

Background Control

Contrast is the name of the game when considering placing the logo on any background. The logo should not only be legible, but should also make a clear, strong statement.

On the left are examples on how logo lockup can be used on background images.

It is also important that the logo is displayed in this way on different types of communication to maintain uniformity.






SENTECH Soc Ltd
SENTECH is a South African based digital infrastructure and content delivery company.
Telecommunications · 8K followers
Home
About
Posts
Jobs
People
About
SENTECH is South Africa's premier provider of electronic communications network services in the broadcasting and communications industry. SENTECH was established as a technical division of the SABC, responsible for the corporation's signal distribution services. In 1992, the corporation's signal distribution services were commercialised as SENTECH, a wholly owned subsidiary of the corporation. In 1996, the SENTECH Act (No. 63 of 1996) was amended, converting SENTECH into a public entity, responsible for providing broadcasting signal distribution services as a common carrier to licensed television and radio broadcasters. The Company is wholly owned by the Government of the Republic of South Africa and the Shareholder representative is the Minister of Telecommunications and Postal Services.
SENTECH provides broadcast transmission services to SABC's radio and television stations, eTV, Mnet, and over 150 community radio stations country- wide. SENTECH's infrastructure and data communications platforms also provide services to South Africa's telecommunication sector and mobile providers.
Website
sentech.co.za
Sentech Soc Ltd
788 posts
Sentech Soc Ltd
@SentechLtd
Sentech's broadcasting and broadband infrastructure delivers access to communication services to the furthest and most remote parts of South Africa.
Professional Services
Joined July 2011
South Africa
sentech.co.za
176 Following
2,081 Followers
Not followed by anyone you're following
Follow
Posts
Replies
Media
Sentech Soc Ltd @SentechLtd · Sep 6
Ministerial Outreach in Harry Gwala District
Minister Solly Malatsi and the Executive Mayor, Mr Zwide Nxumalo, paid us a visit at the SENTECH exhibition stand.
The Executive Mayor expressed gratitude to the Sentech leadership for their active presence.

SOCIAL MEDIA LOCKUP


At a minimum, all SENTECH social media pages should use the SENTECH brand mark only and apply reference back to SENTECH on the page's bio. The composite logo can also be used on the social media cover page.



Primary brand mark lockup




Secondary brand mark lockup



PLACEMENT

Wherever possible, the SENTECH logo should be locked to the corner of a page or panel. As a guide, use the "A" as the distance from the edge of the page and the ration of the logo.

On the left are examples of ways in which the SENTECH logo can be placed.



LOGO USAGE

The SENTECH logo may never be reduced vertically or horizontally outside of its intended proportion.

None of the logo elements may be moved or adjusted in any manner. No gradients or any graphic manipulation should be applied to the logo.

No other colours, other than the primary and secondary corporate colours may be used in the logo.

The logo may not be used in any colour combination or on any background other than what is stipulated in the guidelines.

01

LOGO CORRECT USE

Primary logo usage



Full colour logo

Secondary logo usage



Logo reversed on the SENTECH blue



Logo reversed on the black



Grey scale

*(see page 19-25 for detailed colour use and application)

LOGO USAGE

The SENTECH logo may never be reduced vertically or horizontally outside of its intended proportion.

None of the logo elements may be moved or adjusted in any manner. No gradients or any graphic manipulation should be applied to the logo.

No other colours, other than the primary and secondary corporate colours may be used in the logo.

The logo may not be used in any colour combination or on any background other than what is stipulated in the guidelines.

01

LOGO INCORRECT USE



Avoid placing the logo busy background



Do not stretch or distort the logo



Do not use non-approved colours



Do not add a effects such as drop shadows on the logo



Do not re-arrange the logo elements

MINIMUM SIZES


Compressed mark used for small and where applicable.

When significantly reduced, the logo will become illegible. The indicated sizes are smallest size recommend to preserve the quality of the logo.

The full logo smallest size is different to the brand mark only size.



Full logo



Brand mark only

CO-BRANDING

Partnerships
When a corporate partner requires a lockup with the SENTECH logo, the following guidelines should be applied. Logo's are distributed with a single "x" from the word mark on either side of a vertical line.

- x is the height of the S
- y is the height of the brand mark

The partner logo should not exceed the size of the SENTECH logo unless SENTECH is not the main communicator. The partner logo must be aligned to the height of the SENTECH brand mark.

When SENTECH is the main communicator then the SENTECH colours and corporate identity must be applied.



Guideline (SENTECH as main communicator or partner)



Result




Guideline (SENTECH is a secondary partner)



Result

*(co-branding example on the next page)

CO-BRANDING


SENTECH
connecting You
MAIN HEADING
SUB HEADING
telecommunications & postal services
Department: Telecommunications and Postal Services
REPUBLIC OF SOUTH AFRICA


SENTECH
africa tech week
CONFERENCE | AWARDS
MAIN HEADING
SUB HEADING
www.sentech.co.za

COLOURS

colour palette 20
corporate colours 21
colour applications 24



COLOUR PALETTE

The SENTECH colour palette embodies the vibrancy of technology and diversity with a youthful positive energy.



CORPORATE COLOURS

PRIMARY COLOURS

SENTECH blue, SENTECH dark grey and SENTECH light grey are the primary colours of the SENTECH brand.

SENTECH blue should always be used dominantly on all media, where colour permits.

SENTECH dark grey is the preferable colour for body copy.

01.

SENTECH BLUE 80% 60% 40% 20% 10%

Pantone: Reflex Blue | **Process:** C100 M70 Y0 K0 | **Rgb:** R0 G79 B159
Hex: 005baa | **Lab:** L38 A1 B-50

02.

DARK GREY 80% 60% 40% 20% 10%

Pantone: Process Black, 70% | **Process:** C100 M70 Y0 K0 | **Rgb:** R0 G79 B159
Hex: 6d6e71 | **Lab:** L47 A-1 B-2

03.

LIGHT GREY 80% 60% 40% 20% 10%

Pantone: Process Black, 30% | **Process:** C0 M70 Y0 K70 | **Rgb:** R112 G111 B111
Hex: bcbec0 | **Lab:** L77 A-1 B-2

CORPORATE COLOURS

SECONDARY COLOURS

There are five secondary colours of the SENTECH brand. These colours should be applied to all media to bring vibrancy to all SENTECH collateral. This should occur within internal as well as external cases.

These colours may also be used as accent colours and may be introduced through typographic and/or graphic elements.

01.

DARK BLUE 80% 60% 40% 20% 10%

Pantone: 540c | **Process:** C100 M45 Y0 K66 | **Rgb:** R0 G51 B92
Hex: 00335c | **Lab:** L20 A-2 B-30

02.

ORANGE 80% 60% 40% 20% 10%

Pantone: 123c | **Process:** C0 M40 Y100 K0 | **Rgb:** R247 G166 B0
Hex: faa61a | **Lab:** L75 A25 B74

03.

LIME GREEN 80% 60% 40% 20% 10%


Pantone: 376c | **Process:** C51 m150 y100 k0 | **Rgb:** R147 g173 b36
Hex: 8eaf3f | **Lab:** L67 A-25 B51

CORPORATE COLOURS

SECONDARY COLOURS (continued)


02

04.



Pantone: 2995c | **Process:** C100 M0 Y24 K0 | **Rgb:** R0 G156 B190
Hex: 00acc6 | **Lab:** L64 A-31 B-25

05.



Pantone: 186c | **Process:** C0 M100 Y100 K0 | **Rgb:** R197 G19 B21
Hex: ed1c24 | **Lab:** L52 A73 B53

COLOUR APPLICATIONS

BLACK, WHITE AND GREY SCALE APPLICATIONS

The SENTECH logo will always appear in its full corporate colours on printed documents and multimedia applications with the rare exception of selected media and internal documents.

When using the logo in grey scale, the SENTECH blue will be replaced with 100% black and the SENTECH dark grey will remain the same.

In the case of black and white applications, all the corporate colours of the SENTECH brand should be replaced by either solid black or white, dependent on the background.

02



Full colour



Grey scale



Grey scale reversed



Solid black & white



Solid black & white reversed

COLOUR APPLICATIONS

COLOUR APPLICATIONS

Other than white and black, the SENTECH logo may only be placed on a 100% secondary colour background.

02





Pantone Reflex Blue



Pantone 123c



Pantone 376c



Pantone 2995c



Pantone 186c

TYPO -GRAPHY

primary typeface 28
secondary typeface 29
system typeface 30
type hierarchy 31



© SENTECH 2024.

TYPOGRAPHY

Typography plays a crucial role in conveying the brand's personality, values, and message. It encompasses various elements, including font choice, size and spacing, all of which contribute to the overall visual identity of the brand.



PRIMARY TYPEFACE

The Avenir Next font family is the primary typeface for all headings and sub headings of the SENTECH brand.

Avenir Next should be used in all design materials, marketing communications, external advertising and on the web.

03

Font Family

AVENIR NEXT

1234567890

!”§$%&/()=?+*#

Font weights

// Ultra Light // Regular // Medium // **Semi Bold** // **Bold** // **Black**

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRrSsTt
UuVvWwXxYyZz

SECONDARY TYPEFACE

Figtree is a Google font available as a free download here: **https://fonts.google.com/specimen/Figtree.**

Figtree can be used on internal documents and communication such PowerPoint presentations and email communiques.

03

Font Family

FIGTREE

123456789

!”§$%&/()=?+*#

Font weights

// Light // Regular // Medium // Semi Bold // Bold // Black

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRrSsTt
UuVvWwXxYyZz

SYSTEM TYPEFACE

If the primary typeface is not installed or available, use Arial as a suitable replacement. The body of emails and letterheads should be set in Arial.

Arial should be used only on internal documents and communication.

03

Font Family

ARIAL

123456890

!”§$%&/()=?+*#

Font weights

// Regular // **Bold** // *Italic* // ***Bold Italic***

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRrSsTt
UuVvWwXxYyZz

TYPE HIERARCHY

Size is the simplest way to create contrast between different typographic elements in your design.

With 5 levels of typography, the font size generally starts out largest on top (level one; your most important information) and decreases in size as you move down the page.

Layout, for both print and screen, is one of the most important aspects of graphic design.

These fonts should be used in all creative minds communications to project a consistent visual identity.

This includes promotional materials, advertising, digital assets, and printed materials.

03

The quick

H1 / Avenir Next Heavy, 44 pt

brown fox

H2/ Avenir Next Bold, 38 pt

jumps over

H3 / Avenir Next Medium, 24 pt

the lazy

H4 / Avenir Next Regular, 14 pt

DOG

H5 / Avenir Next light,12 pt, uppercase

BASIC TEXT

Ed quate nonsectur, solorum sequiandus recusa de modia di nimagni hillabo rehent harchicae non peritat quatur, volore minus et faceatur soluptas aliteni musam, assunti beriorr.

LISTINGS

- Ed quate nonsectur, solorum sequiandus recusa de modia di nimagni hillabo rehent
- harchicae non peritat quatur, volore minusn Veliasperum labo. Parum harum.

PHOTO -GRAPHY

photography styles	34
infrastructure	35
customer experience	36
innovation	37
image treatment	38



© SENTECH 2024.

PHOTOGRAPHY

Photography is essential for establishing consistent visual identity and reinforcing the brand's values. The structured approach to the photography guidelines in this brand manual ensures that all visual content aligns with your overall brand strategy and enhances audience engagement.



04

REPRESENTATION

It's important that SENTECH imagery is well considered as it has to work hard across multiple formats.

SENTECH photography provides a straight forward and accurate representation of **infrastructure, customer experience, and innovation.**

Photography should be inclusive of all gender and race and be representative of South Africa.

***All photography in this guideline is not owned by the brand but is rather a guide for the brand photography style. No images should be used outside of this document.**

*All photography in this guideline is not owned by the brand but is rather a guide for the brand photography style. No images should be used outside of this document.



Infrastructure



Customer Experience



Innovation

INFRASTRUCTURE

Infrastructure photography showcases the physical structures and systems that make up the SENTECH built environment.

This type of photography plays a crucial role in contextualizing the relationship between society and its infrastructure.









CUSTOMER EXPERIENCE

To illustrate customer experience photography must convey the brand's commitment to connecting people, communities, and businesses through innovative technology to align with the slogan "**connecting You**".

The tone should be vibrant, realistic, aspirational and mood should be innovative, collaborative and user-friendly.











INNOVATION

Innovative photography reinforces SENTECH's commitment to modernity and cutting-edge practices. It is also essential to showcase SENETCH's focus on modernity, creativity, and forward-thinking.












IMAGE TREATMENT


A photographic treatment can helps brands take ownership of images. Treatments could be a color overlay, a gradient, black and white, filters, monotone, or duo tone treatments.

One this page are 3 treatment examples:

- Full colour
- Duo tone
- Black and white/grey scale



Full colour



Duo tone



Black and white/grey scale

BRAND APPLICATION

brand assets and graphic devices	40
stationery	45
digital	57
print	72
promotional	80



© SENTECH 2024.

BRAND ASSETS AND GRAPHIC DEVICES

Our brand assets reinforce our brand identity and message.

When combined with our other brand elements they form a distinct, recognisable brand language.


05

SIGNAL RINGS ASSETS

Single colour signal rings assets may be used in most brand colours taking into account the permitted combinations.

This asset is derived from the SENTECH brand mark and there it is not meant to replace or compete with the logo but rather reinforce the brand identity.







BRAND ASSETS AND GRAPHIC DEVICES

Our brand assets reinforce our brand identity and message.

When combined with our other brand elements they form a distinct, recognisable brand language.

05

DOTS ASSETS

Single colour signal rings assets may be used in most brand colours taking into account the permitted combinations.


This asset is derived from the SENTECH brand mark and there it is not meant to replace or compete with the logo but rather reinforce the brand identity.




DOTS ASSETS

This asset is inspired by the SENTECH slogan "**connect YOU!**".


This asset may also be used in the combination of the brand colours.
I can also be used to as frame to highlight an icon or part of an image.



Graphic device combination on a dark background



Graphic device combination on a white background




Graphic device combination on a light background

BRAND ASSETS AND GRAPHIC DEVICES

Iconography

The SENTECH icons visually echo the other elements of the visual identity through the use of line style icons.

The icons may also be used in the various brand colours.



BRAND ASSETS AND GRAPHIC DEVICES

Illustration

The Johannesburg city skyline illustration is a brand asset that can be applied to various brand elements.

05





STATIONERY



STATIONERY


BUSINESS CARD

Size:
90mm (w) x 50mm(h)


web address:
Avenir Next Regular and bold
Size: 7pt

Name Surname:
Avenir Next Bold
Size: 10.5 pt, leading is 14pt

Job title:
Avenir Next Regular
Size: 10.5 pt, leading is 14pt



Front



Back

STATIONERY


LETTERHEAD

Size:
210mm (w) x 297mm(h)

Contact information:
Avenir Next Regular and Bold
Size: 8pt, leading is 10pt

Body copy:
Arial
Size: 12pt

Director information:
Avenir Next Regular
Size: 5.5 pt, leading is 6pt




STATIONERY

ENEVELOPES - DL

Size (folded:
210mm (w) x 99mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 5.5pt
Leading: 6pt

05



STATIONERY

ENVELOPES - C6 PORTRAIT

Size (folded):
230mm (w) x 325mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 6pt
Leading: 8pt




STATIONERY

ENVELOPES - C6 LANDSCAPE

Size (folded):
325mm (w) x 230mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 6pt
Leading: 8pt



STATIONERY

ENVELOPES - C4

Size (folded):
160mm (w) x 115mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 5.5pt
Leading: 6pt

05




STATIONERY

CORPORATE FOLDER

Size (folded):
228mm (w) x 315mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 9.5pt
Leading: 13pt

05




STATIONERY

NOTEPAD

Size:
148mm (w) x 210mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 9.5pt
Leading: 13pt

05



Cover Inner


STATIONERY

INTERNAL REPORTS (PRIMARY COVER)

Size (folded):
210mm (w) x 297mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 9.5pt
Leading: 13pt

05




STATIONERY

INTERNAL REPORTS (SECONDARY COVERS)

Size (folded):
210mm (w) x 297mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 9.5pt
Leading: 13pt

05



1 2


STATIONERY

INTERNAL REPORTS (SECONDARY COVERS)

Size (folded):
210mm (w) x 297mm (h)

Contact information:
Avenir Next Regular and Bold
Size: 9.5pt
Leading: 13pt

05



3 4

DIGITAL


INVITATION
YOU ARE CORDIALY IN VITED
TO LOREM IPSUM DOLOR SIT AMET CONSECTETUER
Dear Name Surname
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.
Date: 20 October 2024
Time: 10:30am
Venue: Tincidunt ut laoreet
RSVP: name@sentech.co.za, 081 000 0000
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, nibh euismod tincidunt ut aliquam erat volutpat.
Lorem ipsum dolor sit amet, consectetuer adipiscing.
Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd
SENTECH

DIGITAL

eMail signature


Size:
600px (w) x 250px (h)


Name & Surname:
Avenir Next bold
Size: 10pt

Job Title:
Avenir Next Regular
Size: 10pt

Contact Information:
Avenir Next bold
Size: 6pt

05





DIGITAL

eMail banner com


Size:
600px (w) x 250px (h)

Main heading:
Avenir Next bold
Size: 15pt

Sub heading:
Avenir Next regular
Size: 10pt

Banner message:
Avenir Next regular
Size: 9.5pt

05



eMail banner with a relevant visual to the message/campaign




eMail banner with the graphic device only to accommodate more body copy

DIGITAL

eMail signature and banner combination

05



INTERNAL COMMUNIQUE TEMPLATES


FROM THE CEO's DESK

Size:
210mm (w) x 148mm (h)

Template heading:
Arial bold
Size: 12pt
Leading: 14pt

Body copy:
Arial regular
Size: 12pt
Leading: 14pt

Clear space and copy area:
X indicates clearspace and helps guide copy/ content area indicated **A.**



From the
CEO'S DESK



COMMUNIQUE 78/2024:
CEO'S MESSAGE FOR THE MONTH
UT WISI ENIM AD MINIM VENIAM.

Dear SENTECHers,

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut.

Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit:
• cons ectetuer adipiscing eli
• Ut wisi enim ad minim veniam,

Kindly refer to the articles, attached herein.

Thank you for your cooperation..

ISSUED
by the CEO

Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd

SENTECH connecting You

FROM THE CEO's DESK

From the
COO'S CORNER



COMMUNIQUE 78/2024:
COO'S MESSAGE FOR THE MONTH
UT WISI ENIM AD MINIM VENIAM.

Dear SENTECHers,

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut.

Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit:
• cons ectetuer adipiscing eli
• Ut wisi enim ad minim veniam,

Kindly refer to the articles, attached herein.

Thank you for your cooperation.

ISSUED
by the COO

Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd

SENTECH connecting You


FROM THE COO's CORNER




BEREAVEMENT (Male)




BEREAVEMENT (Female)




GENERAL NEWS with icon



GENERAL NEWs with icon and image combination




MEETING INVITATION with icon




MEETING INVITATION with icon with image combination





WEBINAR



TRAINING


SENNEWS TODAY
COMMUNIQUE 78/2024:
LOREM IPSUM DOLOR SIT AMET, UT WISI ENIM AD MINIM VENIAM, QUIS NOSTRUD EXERCI TATION.
Dear SENTECHers,
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.
Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit:
• cons ectetuer adipiscing eli
• Ut wisi enim ad minim veniam,
Kindly refer to the articles, attached herein.
Thank you for your cooperation.
ISSUED
behalf of HR
Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd
SENTECH


From the
CEO'S DESK
COMMUNIQUE 78/2024:
CEO'S MESSAGE FOR THE MONTH
UT WISI ENIM AD MINIM VENIAM.
Dear SENTECHers,
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut.
Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit:
• cons ectetuer adipiscing eli
• Ut wisi enim ad minim veniam,
Kindly refer to the articles, attached herein.
Thank you for your cooperation..
ISSUED
by the CEO
Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd
SENTECH


MEETING
MEETTING:
LOREM IPSUM DOLOR SIT AMET, UT WISI ENIM AD MINIM VENIAM, QUIS NOSTRUD EXERCI TATION.
Dear SENTECHers,
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.
Date: 20 October 2024
Time: 10:30am
Venue: Teams (meetimg link....
Kindly refer to the infopack, attached herein.
Thank you for your cooperation.
ISSUED
behalf of HR
Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd
SENTECH

ELECTRONIC INVITATIONS

The internal and external invitations are differentiated by the header and footer.

External mailers are white with SENTECH Blue text and a full colour logo and internal mailers have a dark blue footer with white text and a one colour logo.

These footers can be used with or without the address block, depending on the recipients of the mailer. The text in the top right block also makes it easier for the reader to immediately identify the communication material he/she is reading.

05



INVITATION

YOU ARE CORDIALY IN VITED
TO LOREM IPSUM DOLOR SIT AMET CONSECTETUER

Dear Name Surname

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Date: 20 October 2024
Time: 10:30am
Venue: Tincidunt ut laoreet
RSVP: name@sentech.co.za, 081 000 0000

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, nibh euismod tincidunt ut aliquam erat volutpat.

Lorem ipsum dolor sit amet, consectetuer adipiscing.

Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd

SENTECH connecting You

External invitation

INVITATION

YOU ARE CORDIALY IN VITED
TO LOREM IPSUM DOLOR SIT AMET CONSECTETUER

Lorem ipsum dolor sit amet, consectetuer adipi cing elit, sed diam euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Date: 20 October 2024
Time: 10:30am
Venue: Tincidunt ut laoreet
RSVP: name@sentech.co.za
081 000 0000

Lorem ipsum dolor sit amet, consectetuer adipis cing elit, sed diam nonummy nibh.

Follow us on:
@SentechLtd
@SentechLtd
@SentechSocLtd

SENTECH connecting You


Internal invitation

WEBSITE HEADER

05







Our Projects
Lorem ipsum dolor sit amet, putent option facilisis at eos. Eu sit vidit perti nacia. Lorem ipsum dolor sit amet.
01
02
03
SENTECH
Main Title
Subtitle
SENTECH
Presentation
Title.
Presented by:
Heading
YOUR TITLE HERE
YOUR TITLE HERE
YOUR TITLE HERE
SENTECH

POWERPOINT PRESENTATION

1. Cover
2. Section Divider
3-5. Content Slides
6. Thank You Slide

05



1.



2.



3.



4.



5.



6.

PRINT


SENTECH
MAIN HEADING
SUB HEADING
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna.


SENTECH
VISION
To be a world-class provider of a sustainable communications platform services in South Africa and the rest of the African continent.
MISSION
To provide and operate communications network services that enable all broadcasting and content services to be accessible by all South Africans.
VALUES
To enable the Company to deliver on its purpose, we believe that each one of us should live and enact the Company's values. These are:
• Integrity: We act with honesty, fairness and openness;
• Quality Customer Service: We are committed to proactively ensuring high values of customer satisfaction and building a relationship based on trust;
• Innovation: We endeavor to develop and support creativity and responsible risktaking;
• Accountability: We deliver on our promises and take responsibility for our actions; and
• Social Responsibility: We endeavor to fulfill our mandate in a manner that benefits our employees, customers, suppliers, communities and the environment in all the areas that the Company operates in.

ADVERTISEMENTS

PORTRAIT AND LANDSCAPE ADVERTISEMENTS

The advertisements can be in either portrait or landscape format, and can have either a blue, grey or white background. The size of the image used will be determined by the amount of text included in the advert.





POSTERS

The posters can be classified as either internal posters, external posters and information posters.


INTERNAL POSTERS
Internal posters have a white logo and use the secondary colours on the subheadings.


EXTERNAL POSTERS
External posters have a full colour logo.
The footer can be used with or without the address block.

INFORMATION POSTERS
Information posters are used internally in SENTECH, on notice boards or restroom doors to communicate information to staff. The different stories or pieces of information can be separated with bold colours. Images can be used freely within these coloured blocks.

05




SENTECH
connecting You
MAIN HEADING
SUB HEADING
Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna.
www.sentech.co.za


SENTECH
connecting You
MAIN HEADING
SUB HEADING
www.sentech.co.za

BROCHURE - DL

Outside - Unfolded


05



BROCHURE - DL

Inside - Unfolded

05



MAIN HEADING
SUB HEADING

VISION
To be a world-class provider of a sustainable communications platform services in South Africa and the rest of the African continent.

MISSION
To provide and operate communications network services that enable all broadcasting and content services to be accessible by all South Africans.

VALUES
To enable the Company to deliver on its purpose, we believe that each one of us should live and enact the Company's values.
These are:
- Integrity: We act with honesty, fairness and openness;
- Quality Customer Service: We are committed to proactively ensuring high values of customer satisfaction and building a relationship based on trust;
- Innovation: We endeavor to develop and support creativity and responsible risktaking;
- Accountability: We deliver on our promises and take responsibility for our actions; and

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent lupt

atum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, cons ectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore





Lorem ipsum dolor

sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut

Lorem ipsum dolor

sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

www.**sentech**.co.za

NEWSLETTER

Cover
Size: A4

05





Cover option 1



Cover option 2

NEWSLETTER

Inner pages
Size: A4

05

SENTECH
connecting You



MAIN HEADING
SUB HEADING

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna.

www.sentech.co.za



PLACE YOUR FIRST TITLE RIGHT HERE

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium dolo-

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium dolo-remque laudantium, totam rem aperiam, eaque ipsa m voluptatem quia voluptas sit asper aspernatum voluptatem quia voluptas sit a eaque ipsa m voluptatem natur.

Maut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, conse aspernatum voluptatem quia volu aperiam, eaque ipsa audantium, totam rem aperiam, tem quia voluptas sit a eaque ipsa

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium dolo-remque laudantium, totam rem aperiam, eaque ipsa m voluptatem aperiam, eaque ipsa audantium, totam rem aperiam, quia voluptas sit aspernatur. aspernatum voluptatem quia voluptas sit a eaque ipsa m voluptatem

YOUR SPECIAL TITLE GOES RIGHT HERE

Sed ut perspiciatis unde omnis iste natusa error sit voluptatem accusantium dol Sed ut perspiciatis unde omnis iste natusa error sit volupttem accusantium dol

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa m voluptatem quia voluptas sit asper aspernatum voluptatem quia voluptas


Maut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem

ipsum quia dolor sit amet, conse aspernatum voluptatem quia volu aperiam, eaque ipsa audantium, totam rem aperiam,Sed ut perspiciatis unde omnis

Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa m voluptatem

quia voluptas sit asper aspernatum voluptatem quia voluptas sit a eaque ipsa m voluptatem natur.Maut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem seui nesciunt.

Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, conse aspernatum voluptatem quia volu aperiam, eaque ipsa audantium, totam rem aperiam,



PROMOTIONAL






PROMOTIONAL

PULL UP BANNERS

05







PROMOTIONAL

WING BANNERS

05





PROMOTIONAL

GAZEBO

05



PROMOTIONAL

HATCHBACK
VEHICLE WRAP





PROMOTIONAL

DELIVERY VAN
VEHICLE WRAP





PROMOTIONAL

T-shirts






PROMOTIONAL

Golf shirts



DIRECTIONAL SIGNAGE

05





SENTECH
connecting You

Telephone: 011 471 4400

Call Centre: 0860 736 832
(International: +27 11 471 4595)

E-mail: support@sentech.co.za

Head Office: Sender Technology Park (STP),
Octave Street, Honeydew, 2040

Postal Address: Private Bag X06, Honeydew, 2040

