

sphCoord.Rmd

William A Cooper

2022-06-09

To obtain cartesian coordinates from spherical $\{r, \theta, \phi\}$:

$$x = r \cos \phi \sin \theta$$

$$y = r \sin \phi \sin \theta$$

$$z = r \cos \theta$$

However, latitude is $\lambda = (\pi/2 - \theta)$ so

$$\sin(\theta) = \sin(\pi/2 - \lambda) = \sin(\pi/2) \cos(\lambda) - \sin(\lambda) \cos(\pi/2) = \cos(\lambda)$$

$$\cos(\theta) = \cos(\pi/2 - \lambda) = \cos(\pi/2) \cos(\lambda) + \sin(\pi/2) \sin(\lambda) = \sin(\lambda)$$

Then the cartesian coordinates are:

$$x = r \cos \lambda \cos \phi$$

$$y = r \cos \lambda \sin \phi$$

$$z = r \sin \lambda$$

For r equal to R , the radius of the (assumed spherical) Earth, the differences in Cartesian coordinates between two points are:

$$\Delta x = R(\cos \lambda_2 \cos \phi_2 - \cos \lambda_1 \cos \phi_1)$$

$$\Delta y = R(\cos \lambda_2 \sin \phi_2 - \cos \lambda_1 \sin \phi_1)$$

$$\Delta z = R(\sin \lambda_2 - \sin \lambda_1)$$

However, this does not translate to the units desired for variables like {DNI} and {DEI} or the equivalent {FXDIST} and {FXAZIM}, which could be used to navigate relative to a fixed point on the surface of the Earth. Instead, {FXDIST} should be based on the angular difference between vectors from the center of the Earth to the two points:

{FXDIST} = $R\alpha$ where $\cos \alpha = \mathbf{V}_1 \cdot \mathbf{V}_2 / R^2$ so

$$\{\text{FXDIST}\} = R \arccos(\cos \lambda_1 \cos \phi_1 \cos \lambda_2 \cos \phi_2 + \cos \lambda_1 \sin \phi_1 \cos \lambda_2 \sin \phi_2 + \sin \lambda_1 \sin \lambda_2)$$

In the case where $\phi_1 = \phi_2$, this reduces to $R(\lambda_2 - \lambda_1)$ as expected. For $\lambda_1 = \lambda_2$, the result is $R \arccos(\cos^2 \lambda_1 (\cos(\phi_2 - \phi_1)) + \sin^2 \lambda_1)$ vs. the expected approximation $R \cos \lambda_1 (\phi_2 - \phi_1)$. The following figure shows that these two equations evaluate to the same result for equal latitudes, to near machine precision.




Figure 1: Difference between spherical geometry and cartesian geometry.

Unresolved, then, is the angle $\{FXAZIM\}$. This should be the heading that would take the aircraft along the great circle back to the initial point. That heading, however, is not constant along the great-circle segment. The best value for $\{FXAZIM\}$ is the initial heading, although that would change along the great-circle segment. That initial heading is the angle between the great-circle segment connecting the two points and the great-circle through the aircraft location and the north pole of the coordinate system. The latter is the meridian with longitude equal to that of the aircraft. Spherical-triangle formulas then give the initial heading to point 1 as:

$$\alpha = \pi + \arctan 2(-(\cos \lambda_1 \sin(\phi_2 - \phi_1)), (\cos \lambda_2 \sin \lambda_1 - \sin \lambda_2 \cos \lambda_1 \cos(\phi_2 - \phi_1)))$$

$$\{FXAZIM\} = \frac{180}{\pi} \alpha$$

This variable could be useful beyond indicating position relative to a reference point, because it would indicate the heading to fly to follow a great-circle route to that reference point. As the aircraft moved along the great circle, the heading would update to indicate the shortest course to that point.

Some checks: consider the aircraft flying at {lat,long} of 45, -90 and a reference point of 30, -100. The above equations lead to a distance and heading to the reference point of 1883.4 and 211.1. In contrast, the current rectilinear coordinate system would yield 1926.0 and 210.0. The following table includes some additional results, showing that the differences can be significant for large separation between the points. In this table, lat/lon values are in degrees, D is the distance in km and A is the heading angle in degrees for the two methods, first using spherical geometry and second listing the results from the present cartesian code.

AC lat	AC lon	REF lat	REF lon	sph D	cart D	sph A	cart A
20	100	50	90	3451	3412	347.5	347.9
80	-105	-10	20	11744	16957	56.9	126.2
-50	30	30	50	9112	9102	17.4	12.2
-20	-45	20	50	11251	10878	72.6	65.9
20	45	85	40	7230	7228	359.5	359.6