UiO : Fysisk institutt
Det matematisk-naturvitenskapelige fakultet

Application of Supervised Machine Learning to the Search for New Physics in ATLAS data

A Study of Ordinary Dense, Parameterized and Ensemble Networks and their Application to High Energy Physics

William Hirst

May 19, 2023

Outline

Overview

Outline

Why apply machine learning to HEP problems?

How do we search for new physics?

Outline

A summary of the applied methods

How are the methods compared?

Training strategy

Outline

An introduction and study of each method

Ordinary dense neural network

Ensemble methods - LWTA

Parameterized neural network

Boosted decision trees - XGBoost

Outline

References I


Hartshorne, R.
Algebraic Geometry.
Springer-Verlag, 1977.


Helsø, M.
'Rational quartic symmetroids'.
Adv. Geom., 20(1):71–89, 2020.


Helsø, M. and Ranestad, K.
Rational quartic spectrahedra, 2018.
https://arxiv.org/abs/1810.11235

- Atiyah, M. and Macdonald, I.
Introduction to commutative algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills, Ont., 1969

References II

[5] Artin, M.
‘On isolated rational singularities of surfaces’.
Amer. J. Math., 80(1):129–136, 1966.

UiO : Fysisk institutt
Det matematisk-naturvitenskapelige fakultet

William Hirst

Application of Supervised Machine Learning to the Search for New Physics in ATLAS data

A Study of Ordinary Dense, Parameterized and Ensemble Networks and their Application to High Energy Physics