

1.2 判断下列信号是否为功率信号或能量信号。

$$(1) x(t) = 5\sin(2t);$$

$$x(t) = 10t , \quad t \ge 0$$

(3)
$$x[n] = (-0.5)^n, n \ge 0$$
;

$$(5) \quad x(t) = \begin{cases} 5\cos(t), & -1 \le t \le 1 \\ 0, & \text{ if the } \end{cases}$$

$$(4) x(t) = \begin{cases} t, & 0 \le t \le 1 \\ 2 - t, & 1 \le t \le 2 \end{cases}$$

$$\begin{cases} n, & 0 \le n < 4 \\ 8 - n, & 4 \le n \le 8 \end{cases}$$

(6)
$$x[n] = \begin{cases} 8-n, & 4 \le n \le 8 \\ 0, & 其他 \end{cases}$$

Cos2x= 2cos x-1=1-250x

$$E = \lim_{T \to \infty} \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} |S\sin(2t)|^2 dt$$

$$= \lim_{T \to \infty} 2-5 \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} |-\cos(4t)|^2 dt$$

$$=\lim_{T\to\infty}\frac{25}{2}\left(\pm\pm\sqrt{\cos(4\pm)}\right)^{\frac{7}{2}}$$

$$=\lim_{7\to\infty}\frac{25}{2}\left[\frac{7}{2}+\frac{1}{4}\cos(27)+\frac{7}{2}-\frac{1}{4}\cos(27)\right]$$

$$= \langle 00 \rangle = \langle 00 \rangle =$$

$$= \infty$$

$$| = \lim_{T \to \infty} \left(\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} |f(t)|^{2} dt \right)$$

$$= \lim_{T \to \infty} |f(t)|^{2} dt$$

$$\begin{aligned}
f(t) &= \int_{-\infty}^{+\infty} |f(t)|^2 dt \\
&= \int_{0}^{+\infty} |f(t)|^2 dt
\end{aligned}$$

$$=\lim_{T\to\infty}\frac{1}{T}=0W$$

$$=\lim_{T\to\infty}\frac{1}{T}=0W$$

$$=\lim_{T\to\infty}\frac{1}{T}=0W$$

$$=\int_{-\infty}^{1}\frac{25\cos^{2}t}{t}dt$$

$$=\int_{-1}^{1}\frac{1+\cos^{2}t}{2}dt$$


$$=\frac{25}{1}\left[\frac{1+\cos^{2}t}{2}dt\right]$$


$$=$$

$$= \lim_{N\to\infty} \frac{180}{2M1} = 0$$

1.3 考虑离散时间信号
$$x[n] = \begin{cases} 1, & |n| \leq 3 \\ 0, & |n| > 3 \end{cases}$$
, 求 $y[n] = x[2n+3]$ 。

$$\times (7)$$





1.16*	下列命	题哪些	正确?
-------	-----	-----	-----

- (1) 两个周期信号之和一定是周期信号;
- (2) 所有非周期信号都是能量信号;
- (3) 两个线性时不变系统级联构成的系统仍是线性时不变的;
- (4) 两个非线性系统级联构成的系统是非线性的。

y=sin 2t

7, = 10

Mz sintet

7222

 $T_{1+2} = \frac{\pi}{2} \pi R_i$

Ζ,

- 1.18* 求下列积分。

(1)
$$\int_0^\infty e^{j\omega t} \delta(t+1) dt;$$

$$(2) \int_{0^{-}}^{\infty} e^{j\omega t} \delta(t_0 - t) dt;$$

(3)
$$\int_{-\infty}^{3} (2t^2 + 3t) \delta(0.5t - 2) dt$$
;

(4)
$$\int_{-\infty}^{\infty} u(2t-2)u(4-2t) dt$$
;

$$(5) \int_{-\infty}^{t} 2\sin \tau \delta(\tau - \pi/3) d\tau .$$

1.20* 画出信号 $x(t) = \text{sgn}(\cos(\pi t / 2))$ 的波形。

1.21* 如图 1.41, 已知 x(5-2t), 画出 x(t)。

1.22* 如图 1.42, 已知 x(t), 画出 x(-0.5t-1) 和 $x(2t+2)*\delta(t-3)$ 的波形。




图 1.41 习题 1.21




图 1.42 习题 1.22

- 2.1 计算下列连续时间 LTI 系统的转移算子及零输入响应。
- (1) y''(t) + 5y'(t) + 4y(t) = 2x'(t) + 5x(t), $y(0^-) = 1$, $y'(0^-) = 5$;
- (2) y''(t) + 4y'(t) + 4y(t) = 3x'(t) + 2x(t), $y(0^-) = -2$, $y'(0^-) = 3$;
- (3) y''(t) + 2y'(t) + 5y(t) = 4x'(t) + 3x(t), $y(0^-) = 1$, $y'(0^-) = 3$;

$$V_{1} = V_{1} + 5V_{1} + V_{2} = V_{1}$$

$$V_{1} = V_{1} + V_{2} = V_{1}$$

$$V_{2} = V_{3} + V_{4} = V_{4}$$

$$\begin{cases} C_{1} + C_{2} = 1 \\ -C_{1} - 4 \\ 2 = 5 \end{cases}$$

$$\begin{cases} C_1 = -2 \\ C_2 = 3 \end{cases} \qquad \begin{cases} C_1 = -2 \\ C_2 = -1 \end{cases}$$

$$\begin{cases} C_2 = -2 \\ C_2 = -1 \end{cases} \qquad \begin{cases} C_2 = -2 \\ C_2 = -1 \end{cases}$$

$$3, y + 2v + 5 = 0$$

$$V_{1,2} = \frac{-2 \pm \sqrt{4 - 20}}{2} = -1 \pm 4i$$

$$i 2 \sqrt{2}i = C \left(C_{1} \cos \left(4 + t \right) + C_{2} \sin \left(4 + t \right) \right)$$

$$y_{zi}(0_{t}) = y_{zi}(0_{-}) = 1$$

 $y_{zi}(0_{t}) = y_{zi}(0_{-}) = 3$

$$C_{1} = 1$$

$$C_{2} = 1$$

$$C_{2} = 1$$

$$C_{2} = 1$$

- 2.3 确定下列系统的单位冲激响应。
- (1) y''(t) + 4y'(t) + 4y(t) = 2x'(t) + 5x(t);
- (2) y''(t) + 5y'(t) + 6y(t) = 2x''(t) + 7x'(t) + 4x(t);
- (3) y''(t) + 3y'(t) + 2y(t) = x'(t) + x(t).