Artigos nesta seção

Conecte o Factbird a ferramentas externas de IA com um Conector de Servidor do Protocolo de Contexto de Modelo (MCP)

Instale o Factbird MCP no Claude (assinaturas empresariais)

Instale o MCP do Factbird no ChatGPT (assinaturas empresariais)

Instale o MCP do Factbird no Microsoft Copilot (assinaturas empresariais)

Instale o Factbird MCP no Claude (assinaturas pessoais)

Instale o Factbird MCP no ChatGPT (assinaturas pessoais)

Instale o Factbird MCP no Microsoft Copilot (assinaturas pessoais)

Uso avançado do MCP: Automatizar análises, enviar e receber resumos diários via Claude Cowork

Uso avançado de MCP: Automatizar análises, enviar e receber digestos diários via ChatGPT

Factbird MCP: perguntas frequentes

Veja mais

Conecte o Factbird a ferramentas externas de IA com um Conector de Servidor do Protocolo de Contexto de Modelo (MCP)

Atualizado há 14 dias

O Factbird pode se conectar a harnesses de IA externos como Claude, ChatGPT e Copilot.

> O que é um autêncio de IA?
> Grandes Modelos de Linguagem sozinhos geram apenas texto. Eles precisam de um arnês para acessar ferramentas para fazer coisas como pesquisar na internet, usar conectores como MCPs e operar no mundo real.
> Leia mais: O que é um arnês de IA?

Can you tell me the top 5 stop causes on the Factbird Live Demo line within the last month?

Loaded tools, used Factbird Production MCP integration

Factbird Production MCP factbird_metrics



Top 5 stop causes on the Factbird Live Demo line, last month (Aug 15 – Sep 15), by downtime:

1. Microstop — 8,316 min (4,007 stops)
2. Unregistered — 8,263 min (227 stops)
3. No Planned Production — 6,451 min (117 stops)
4. Cleaning A — 53 min (1 stop)
5. Product Jam — 22 min (1 stop)

Note this is a demo/sandbox line, so most of the volume is microstops and unregistered downtime rather than true process causes — only Cleaning A and Product Jam are actual registered causes.

Write a message...

Auto

Sonnet 5 Medium

Nosso MCP em ação dentro do Claude Desktop. Aqui perguntamos ao MCP quais são nossos 5 principais motivos de stop cause no último mês. O agente é inteligente o suficiente para saber usar o MCP do Factbird sem que seja solicitado. O harness Claude Desktop suporta o padrão MCP-UI e pode gerar gráficos nativos de Relatórios Customizables do Factbird.

What the MCP unlocks

MCPs enable you to:

- query Factbird data with external AI harnesses like Claude, ChatGPT and Microsoft Copilot.
- query Factbird data alongside other connected data sources like ERP systems easily.

For example: "Am I going to hit my promised delivery timelines this month" may require querying ERP system's MCP for the deliveries promised across multiple production orders to compare with Factbird production output data.

- chat back-and-forth about results. You can ask follow-up questions like "Investigate why we may be experiencing an increase in stop type [X]" or "slice this by product produced"
- specify an output format for your analysis flexibly. You can ask to "Export this analysis to Excel" or "Send this in a PowerPoint presentation to my manager" provided that you have the right tooling to do these tasks.
- in some harnesses, like Claude Cowork and ChatGPT, you can set up scheduled tasks for repeated analysis.
- stay at the frontier of AI tooling development. New developments in AI tools take time to find their way to our on-platform assistant.

Compatibility

The following harnesses are currently compatible with Factbird's MCP implementation:

- Claude (web, Desktop and mobile). Set up the connector on claude.ai.
- ChatGPT (web, Desktop and mobile for workspace accounts). Personal Plus and Pro accounts use developer mode, which works on the web only.
- Microsoft Copilot (Teams, Microsoft 365 Copilot and Copilot Studio)
- Other AI harnesses that support MCP OAuth (CIMD or DCR) such as Google Antigravity 2.0

Installation


Installation instructions vary depending on the account role that you hold with your AI provider. You will need to provide the following URL where connections are managed in your AI harness.

https://api.cloud.factbird.com/mcp

Adding a connector to an external AI harness like Claude, ChatGPT or Microsoft Copilot requires administrator access for a corporate account's workspace or a personal account with the correct plan for that tool:

- Claude: Free (one custom connector only), Pro, Max, Team or Enterprise.
- ChatGPT: Plus, Pro, Business, Enterprise or Edu.
- Microsoft Copilot: a work Microsoft 365 Copilot licence with Copilot Studio access.

When the connector is added, users of the connector log in with their existing Factbird account:



An example showing MCP authentication triggered via Claude on the Factbird platform. A logged in user must click 'allow' to use the MCP with their harness of choice.

Business subscriptions (install for the whole organisation)

Install the Factbird MCP in Claude (business subscriptions)

Install the Factbird MCP in ChatGPT (business subscriptions)

Install the Factbird MCP in Microsoft Copilot (business subscriptions)

Personal subscriptions (install for yourself)

Install the Factbird MCP in Claude (personal subscriptions)

Install the Factbird MCP in ChatGPT (personal subscriptions)

Install the Factbird MCP in Microsoft Copilot (personal subscriptions)

Other AI harnesses

The Factbird MCP works with any AI harness that supports remote MCP servers with OAuth sign-in through Client ID Metadata Documents (CIMD) or Dynamic Client Registration (DCR). Add the MCP URL where your harness manages connectors, then sign in with your Factbird account. Check your harness documentation for the exact steps.

Advanced MCP usage

Automate analysis and get daily digests with scheduled tasks:

Advanced MCP usage: Automate analysis, send and receive daily digests via Claude Cowork

Advanced MCP usage: Automate analysis, send and receive daily digests via ChatGPT

See also:

What is an AI Harness?

Supported Queries and Usage Advice for the Factbird MCP

Steps Taken to Reduce the Likelihood of AI-Generated Mistakes When Using the MCP

Factbird MCP: Frequently Asked Questions