

Research Movement Report

Facial movement classification and recorded action evidence

MEEI FACIAL-MOVEMENT CLASSIFICATION SCORE

48 / 100

Below MEEI research cutpoint

2 points below the fixed cutpoint of 50.

What this number represents

This is the average of three model outputs measuring similarity to the MEEI development groups. Higher values indicate more similarity to the MEEI facial-palsy examples; lower values indicate more similarity to the MEEI healthy-control examples.

Recording coverage

- Neutral baseline plus all 7 active movements were included.
- Face tracking ranged from 26 to 32 usable points out of 32 per movement.
- Optional Step 8 was included.

Clinical review note

Review the movement score together with the recorded action images and source video in the context of the clinical assessment.

Recorded action evidence


Recorded context, measured movement, model influence, and stability checks

Measurements are scaled to the same eye-to-eye reference width so values are comparable within this recording. They do not have a clinical normal range or severity cutpoint.

Eyebrow raise

Tracking: 26 of 32 points (81%)

Brow region



Registered hold midpoint: 6.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right brow-height difference

1.0% of eye-to-eye width

normalized ratio 0.010

Smaller means the two sides were more alike in this recording.

Change from neutral

Brow-height change from rest

2.0% of eye-to-eye width

normalized ratio 0.020

Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Strong relative influence

This brow region action signal moved the MEEI facial-movement score upward.

100% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts


Recorded action evidence

Continued

Gentle eye closure

Tracking: 27 of 32 points (84%)

Eye region



Registered hold midpoint: 10.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right eye-opening difference **1.0% of eye-to-eye width**
normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Position during hold

Eye opening during the hold **2.0% of eye-to-eye width**
normalized ratio 0.020
Shows how much eye opening remained during this closure hold.

Change from neutral

Eye-opening change from rest **3.0% of eye-to-eye width**
normalized ratio 0.030
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Strong relative influence

This eye region action signal moved the MEEI facial-movement score upward.

85% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts


Recorded action evidence

Continued

Tight eye squeeze

Tracking: 28 of 32 points (88%)

Eye region



Registered hold midpoint: 14.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right eye-opening difference **1.0% of eye-to-eye width**

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Position during hold

Eye opening during the hold **2.0% of eye-to-eye width**

normalized ratio 0.020
Shows how much eye opening remained during this closure hold.

Change from neutral

Eye-opening change from rest **3.0% of eye-to-eye width**

normalized ratio 0.030
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Moderate relative influence

This eye region action signal moved the MEEI facial-movement score downward.

70% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts


Recorded action evidence

Continued

Relaxed smile

Tracking: 29 of 32 points (91%)

Mouth region



Registered hold midpoint: 18.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right mouth-corner height difference **1.0% of eye-to-eye width**

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Mouth-corner movement from rest **2.0% of eye-to-eye width**

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Moderate relative influence

This mouth region action signal moved the MEEI facial-movement score upward.

55% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts


Recorded action evidence

Continued

Lip pucker

Tracking: 30 of 32 points (94%)

Mouth region



Registered hold midpoint: 22.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right mouth-corner width difference **1.0% of eye-to-eye width**

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Mouth-width change from rest **2.0% of eye-to-eye width**

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Smaller relative influence

This mouth region action signal moved the MEEI facial-movement score upward.

40% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts


Recorded action evidence

Continued

Show lower teeth

Tracking: 31 of 32 points (97%)

Mouth region



Registered hold midpoint: 26.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right mouth-corner height difference **1.0% of eye-to-eye width**

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Lower-lip movement from rest **2.0% of eye-to-eye width**

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

Change from neutral

Mouth-opening change from rest **3.0% of eye-to-eye width**

normalized ratio 0.030
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

No stable model influence to report.

The direction is hidden because the consistency checks did not all agree.

3 STABILITY CHECKS

2 of 3 model members

Mirror view: did not agree

1 of 2 timing shifts


Recorded action evidence

Continued

Reanimated smile

Tracking: 32 of 32 points (100%)

Mouth region



Registered hold midpoint: 30.0 seconds

1 MEASURED MOVEMENT

Side-to-side difference

Left-right mouth-corner height difference **1.0% of eye-to-eye width**
normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Mouth-corner movement from rest **2.0% of eye-to-eye width**
normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

2 MODEL INFLUENCE

Smaller relative influence

This mouth region action signal moved the MEEI facial-movement score upward.

10% relative to the strongest action-level influence magnitude in this recording.

3 STABILITY CHECKS

3 of 3 model members

Mirror view: passed

2 of 2 timing shifts