

Research Movement Report

Facial movement classification and recorded action evidence

MEEI FACIAL-MOVEMENT CLASSIFICATION SCORE

48 / 100

Below MEEI research cutpoint

2 points below the fixed cutpoint of 50.

What this number represents

This is the average of three model outputs measuring similarity to the MEEI development groups. Higher values indicate more similarity to the MEEI facial-palsy examples; lower values indicate more similarity to the MEEI healthy-control examples.

Recording coverage

- Neutral baseline plus all 7 active movements were included.
- Face tracking ranged from 26 to 32 usable points out of 32 per movement.
- Optional Step 8 was included.

Interpretation limits

This research model is not calibrated on FACES recordings and has not been clinically validated for Mayo patients. A high score in a healthy person can be a false positive. It does not provide diagnosis, affected-side identification, severity grading, or treatment guidance.


Recorded action evidence

Context images and descriptive geometry from each registered three-second hold

Measurements are scaled to the same eye-to-eye reference width so values are comparable within this recording. They do not have a clinical normal range or severity cutpoint.

Eyebrow raise

Tracking: 26 of 32 points (81%)



Registered hold midpoint: 6.0 seconds

Side-to-side difference

Left-right brow-height difference

1.0% of eye-to-eye width

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral


Brow-height change from rest

2.0% of eye-to-eye width

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

Gentle eye closure

Tracking: 27 of 32 points (84%)



Registered hold midpoint: 10.0 seconds

Side-to-side difference

Left-right eye-opening difference

1.0% of eye-to-eye width

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Position during hold

Eye opening during the hold

2.0% of eye-to-eye width

normalized ratio 0.020
Shows how much eye opening remained during this closure hold.

Change from neutral

Eye-opening change from rest

3.0% of eye-to-eye width

normalized ratio 0.030
Shows the amount of geometric movement from the neutral baseline.

Recorded action evidence

Continued

Tight eye squeeze

Tracking: 28 of 32 points (88%)



Registered hold midpoint: 14.0 seconds

Side-to-side difference

Left-right eye-opening difference

1.0% of eye-to-eye width

Smaller means the two sides were more alike in this recording.
normalized ratio 0.010

Position during hold

Eye opening during the hold

2.0% of eye-to-eye width

Shows how much eye opening remained during this closure hold.
normalized ratio 0.020

Change from neutral


Eye-opening change from rest

3.0% of eye-to-eye width

Shows the amount of geometric movement from the neutral baseline.
normalized ratio 0.030

Relaxed smile

Tracking: 29 of 32 points (91%)



Registered hold midpoint: 18.0 seconds

Side-to-side difference

Left-right mouth-corner height difference

1.0% of eye-to-eye width

Smaller means the two sides were more alike in this recording.
normalized ratio 0.010

Change from neutral

Mouth-corner movement from rest

2.0% of eye-to-eye width


Shows the amount of geometric movement from the neutral baseline.
normalized ratio 0.020

Recorded action evidence

Continued

Lip pucker

Tracking: 30 of 32 points (94%)



Registered hold midpoint: 22.0 seconds

Side-to-side difference

Left-right mouth-corner width difference 1.0% of eye-to-eye width

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Mouth-width change from rest 2.0% of eye-to-eye width

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

Show lower teeth

Tracking: 31 of 32 points (97%)



Registered hold midpoint: 26.0 seconds

Side-to-side difference

Left-right mouth-corner height difference 1.0% of eye-to-eye width

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Lower-lip movement from rest 2.0% of eye-to-eye width

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.

Change from neutral

Mouth-opening change from rest 3.0% of eye-to-eye width


normalized ratio 0.030
Shows the amount of geometric movement from the neutral baseline.

Recorded action evidence

Continued

Reanimated smile

Tracking: 32 of 32 points (100%)



Registered hold midpoint: 30.0 seconds

Side-to-side difference

Left-right mouth-corner height difference **1.0% of eye-to-eye width**

normalized ratio 0.010
Smaller means the two sides were more alike in this recording.

Change from neutral

Mouth-corner movement from rest **2.0% of eye-to-eye width**

normalized ratio 0.020
Shows the amount of geometric movement from the neutral baseline.