Hyperbolic Functions

沈威宇

November 1, 2026

Contents

1 Hyperbolic Functions (雙曲函數) 1

I Hyperbolic Functions 1

i Exponential definitions and properties 1

ii Complex trigonometric functions definitions 1

iii Differential equation definitions 1

iv Power notation 2

II Inverse hyperbolic function (反雙曲函數) 2

i Definition 2

ii Logarithmatic forms 3

iii Hyperbolic functions of inverse hyperbolic functions 3

III Identities 4

i 雙曲函數基本關係 4

ii 歐拉關係 5

iii 雙曲正切萬能公式 5

iv 二倍角公式 5

v 半角公式或平方化倍角公式 5

vi 三倍角公式 5

vii 和差角公式 6

viii 平方化雙曲正切平方公式 6

ix 和差化積公式 6

x 積化和差公式 7

1 Hyperbolic Functions (雙曲函數)

I Hyperbolic Functions

i Exponential definitions and properties

Function	Symbols	Definition	Domain	Range	Odd or even
Hyperbolic sine (雙曲正弦)	$\sinh x$	$\frac{e^x - e^{-x}}{2}$	$\mathbb{R}$	$\mathbb{R}$	odd
Hyperbolic cosine (雙曲餘弦)	$\cosh x$	$\frac{e^x + e^{-x}}{2}$	$\mathbb{R}$	$(1, \infty)$	even
Hyperbolic tangent (雙曲正切)	$\tanh x$	$\frac{\sinh(x)}{\cosh(x)}$	$\mathbb{R}$	$(-1, 1)$	odd
Hyperbolic cotangent (雙曲餘切)	$\coth x$	$\frac{\cosh(x)}{\sinh(x)}$	$\mathbb{R} \setminus \{0\}$	$(-\infty, -1) \cup (1, \infty)$	odd
Hyperbolic secant (雙曲正割)	$\operatorname{sech} x$	$\frac{1}{\cosh(x)}$	$\mathbb{R}$	$(0, 1]$	even
Hyperbolic cosine (雙曲餘弦)	$\cosh x$	$\frac{1}{\sinh(x)}$	$\mathbb{R} \setminus \{0\}$	$\mathbb{R} \setminus \{0\}$	odd

ii Complex trigonometric functions definitions

$$\sinh(x) = -i \sin(ix)$$
$$\cosh(x) = \cos(ix)$$
$$\tanh(x) = -i \tan(ix)$$
$$\coth(x) = \cot(ix)$$
$$\operatorname{sech}(x) = i \sec(ix)$$
$$\operatorname{csch}(x) = \csc(ix)$$

iii Differential equation definitions

The hyperbolic sine and cosine are the unique solution (s, c) of

$$c'(x) = s(x), \quad s'(x) = c(x)$$

with the initial conditions $s(0) = 0, c(0) = 1$

The hyperbolic tangent is the unique solution f of

$$f' = 1 - f^2$$

with the initial condition $f(0) = 0$

iv Power notation

$$\sinh^n x \coloneqq \begin{cases} (\sinh x)^n, & n \geq 0 \\ \operatorname{arcsinh} x, & n = -1 \end{cases}$$

$$\cosh^n x \coloneqq \begin{cases} (\cosh x)^n, & n \geq 0 \\ \operatorname{arccosh} x, & n = -1 \end{cases}$$

$$\tanh^n x \coloneqq \begin{cases} (\tanh x)^n, & n \geq 0 \\ \operatorname{arctanh} x, & n = -1 \end{cases}$$

$$\coth^n x \coloneqq \begin{cases} (\coth x)^n, & n \geq 0 \\ \operatorname{arccoth} x, & n = -1 \end{cases}$$

$$\operatorname{sech}^n x \coloneqq \begin{cases} (\operatorname{sech} x)^n, & n \geq 0 \\ \operatorname{arcsech} x, & n = -1 \end{cases}$$

$$\operatorname{csch}^n x \coloneqq \begin{cases} (\operatorname{csch} x)^n, & n \geq 0 \\ \operatorname{arccsch} x, & n = -1 \end{cases}$$

II Inverse hyperbolic function (反雙曲函數)

i Definition

Function	Symbols	Definition	Domain	Range
Inverse hyperbolic sine (反雙曲正弦)	$y = \operatorname{arcsinh} x = \sinh^{-1}(x) = \operatorname{asinh}(x) = \operatorname{arsinh}(x)$	$x = \sinh y$	$\mathbb{R}$	$\mathbb{R}$
Inverse hyperbolic cosine (反雙曲餘弦)	$y = \operatorname{arccosh} x = \cosh^{-1}(x) = \operatorname{acosh}(x) = \operatorname{arcosh}(x)$	$x = \cosh y$	$[1, \infty)$	$[0, \infty)$
Inverse hyperbolic tangent (反雙曲正切)	$y = \operatorname{arctanh} x = \tanh^{-1}(x) = \operatorname{atanh}(x) = \operatorname{artanh}(x)$	$x = \tanh y$	$(-1, 1)$	$\mathbb{R}$
Inverse hyperbolic cotagent (反雙曲餘切)	$y = \operatorname{arccoth} x = \coth^{-1}(x) = \operatorname{acoth}(x) = \operatorname{arcoth}(x)$	$x = \coth y$	$(-\infty, -1) \cup (1, \infty)$	$\mathbb{R} \setminus \{0\}$

Function	Symbols	Definition	Domain	Range
Inverse hyperbolic secant (反雙曲正割)	y = arcsech x = $\operatorname{sech}^{-1}(x)$ = asech(x) = arsech(x)	$x = \operatorname{sech} y$	$(0, 1]$	$[0, \infty)$
Inverse hyperbolic cosecant (反雙曲餘割)	$y = \operatorname{arccsch} x$ = $\operatorname{csch}^{-1}(x)$ = acsch(x) = arcsch(x)	$x = \operatorname{csch} y$	$\mathbb{R} \setminus \{0\}$	$\mathbb{R} \setminus \{0\}$

ii Logarithmatic forms

$$\operatorname{arcsinh}(x) = \ln\left(x + \sqrt{x^2+1}\right)$$
$$\operatorname{arccosh}(x) = \ln\left(x + \sqrt{x^2-1}\right), \quad x \geq 1$$
$$\operatorname{arctanh}(x) = \frac{1}{2}\ln\left(\frac{1+x}{1-x}\right), \quad |x| < 1$$
$$\operatorname{arccoth}(x) = \frac{1}{2}\ln\left(\frac{x+1}{x-1}\right), \quad |x| > 1$$
$$\operatorname{arcsech}(x) = \ln\left(\frac{1}{x} + \frac{\sqrt{1-x^2}}{x}\right), \quad 0 < x \leq 1$$
$$\operatorname{arccsch}(x) = \ln\left(\frac{1}{x} + \frac{\sqrt{1+x^2}}{|x|}\right), \quad x \neq 0$$


iii Hyperbolic functions of inverse hyperbolic functions

θ	$\sinh\theta$	$\cosh\theta$	$\tanh\theta$	$\coth\theta$	$\operatorname{sech}\theta$	$\operatorname{csch}\theta$
$\operatorname{arcsinh}(x)$	x	$\sqrt{1+x^2}$	$\frac{x}{\sqrt{1+x^2}}$	$\frac{\sqrt{1+x^2}}{x}, \quad x \neq 0$	$\frac{1}{\sqrt{1+x^2}}$	$\frac{1}{x}, \quad x \neq 0$
$\operatorname{arccosh}(x)$	$\sqrt{x^2-1}$	x	$\frac{\sqrt{x^2-1}}{x}$	$\frac{x}{\sqrt{x^2-1}}$	$\frac{1}{x}$	$\frac{1}{\sqrt{x^2-1}}$
$\operatorname{arctanh}(x)$	$\frac{x}{\sqrt{1-x^2}}$	$\frac{1}{\sqrt{1-x^2}}$	x	$\frac{1}{x}, \quad x \neq 0$	$\sqrt{1-x^2}$	$\frac{\sqrt{1-x^2}}{x}, \quad x \neq 0$
$\operatorname{arccoth}(x)$	$\frac{1}{\sqrt{x^2-1}}$	$\frac{\lvert x\rvert}{\sqrt{x^2-1}}$	$\frac{1}{x}$	x	$\frac{\sqrt{x^2-1}}{\lvert x\rvert}$	$\sqrt{x^2-1}$
$\operatorname{arcsech}(x)$	$\frac{\sqrt{1-x^2}}{x}$	$\frac{1}{x}$	$\sqrt{x^2-1}\operatorname{sgn}(x)$	$\frac{\operatorname{sgn}(x)}{\sqrt{x^2-1}}, \quad \lvert x\rvert > 1$	$\sqrt{1-x^2}$	$\frac{\lvert x\rvert}{\sqrt{x^2-1}}$

θ	$\sinh\theta$	$\cosh\theta$	$\tanh\theta$	$\coth\theta$	$\operatorname{sech}\theta$	$\operatorname{csch}\theta$
$\operatorname{arccsc}(x)$	$\frac{1}{x}$	$\frac{\sqrt{x^2-1}}{\lvert x\rvert}$	$\frac{\operatorname{sgn}(x)}{\sqrt{x^2-1}},$ 1	$\lvert x\rvert\sqrt{x^2-1}\operatorname{sgn}(x)$	$\frac{\lvert x\rvert}{\sqrt{x^2-1}}$	x

III Identities

i 雙曲函數基本關係



- 名稱：左側三者為正；右側三者為餘；上面二者為弦；中間二者為切；下面二者為割。
- 倒數關係：三條通過中心點的線，其兩端者互為倒數，相乘為 1。

$$\sinh\theta\operatorname{csch}\theta = 1$$
$$\cosh\theta\operatorname{sech}\theta = 1$$
$$\tanh\theta\coth\theta = 1$$

- 商數關係：六邊形周上，連續三個頂點形成的連線，其兩端者相乘等於中間者。

$$\tanh\theta\cosh\theta = \sinh\theta$$
$$\sinh\theta\coth\theta = \cosh\theta$$
$$\sinh\theta\operatorname{sech}\theta = \tanh\theta$$
$$\cosh\theta\operatorname{csch}\theta = \coth\theta$$
$$\tanh\theta\operatorname{csch}\theta = \operatorname{sech}\theta$$
$$\coth\theta\operatorname{sech}\theta = \operatorname{csch}\theta$$

- 平方（Pythagorean）關係：圖中有三個倒正三角形，其在右上頂點者之平方減去在左上頂點者之平方等於在下方頂點者之平方。

$$\sinh^2\theta + 1 = \cosh^2\theta$$
$$\tanh^2\theta + \operatorname{sech}^2\theta = 1$$
$$\coth^2\theta + \operatorname{csch}^2\theta = 1$$

ii 歐拉關係

$$\cosh x + \sinh x = e^{x}$$
$$\cosh x - \sinh x = e^{-x}$$

iii 雙曲正切萬能公式

$$\sinh\theta = \frac{2\tanh\frac{\theta}{2}}{1-\tanh^{2}\frac{\theta}{2}}$$
$$\cosh\theta = \frac{1+\tanh^{2}\frac{\theta}{2}}{1-\tanh^{2}\frac{\theta}{2}}$$
$$\tanh\theta = \frac{2\tanh\frac{\theta}{2}}{1+\tanh^{2}\frac{\theta}{2}}$$

iv 二倍角公式

$$\begin{aligned}\sinh 2\theta &= 2\sinh\theta\cosh\theta\\ \cosh 2\theta &= 1+2\sinh^{2}\theta\\ &= 2\cosh^{2}\theta-1\\ &= \cosh^{2}\theta+\sinh^{2}\theta\end{aligned}$$

v 半角公式或平方化倍角公式

$$\begin{aligned}\sinh\frac{\theta}{2} &= \operatorname{sgn}(\theta)\sqrt{\frac{\cosh\theta-1}{2}}\\ \cosh\frac{\theta}{2} &= \sqrt{\frac{\cosh\theta+1}{2}}\\ \tanh\frac{\theta}{2} &= \operatorname{sgn}(\theta)\sqrt{\frac{\cosh\theta-1}{\cosh\theta+1}}\\ &= \frac{\sinh\theta}{\cosh\theta+1}\\ &= \frac{\cosh\theta-1}{\sinh\theta}\\ &= \frac{\sinh\theta+\cosh\theta-1}{\sinh\theta+\cosh\theta+1}\\ &= \coth\theta-\operatorname{csch}\theta\end{aligned}$$

vi 三倍角公式

$$\sinh 3\theta = 3\sinh\theta+4\sinh^{3}\theta$$
$$\cosh 3\theta = 4\cosh^{3}\theta-3\cosh\theta$$
$$\tanh 3\theta = \frac{3\tanh\theta+\tanh^{3}\theta}{1+3\tanh^{2}\theta}$$

vii　和差角公式

$$\sinh(\alpha+\beta)=\sinh\alpha\cosh\beta+\cosh\alpha\sinh\beta$$

$$\sinh(\alpha-\beta)=\sinh\alpha\cosh\beta-\cosh\alpha\sinh\beta$$

$$\cosh(\alpha+\beta)=\cosh\alpha\cosh\beta+\sinh\alpha\sinh\beta$$

$$\cosh(\alpha-\beta)=\cosh\alpha\cosh\beta-\sinh\alpha\sinh\beta$$

$$\tanh(\alpha+\beta)=\frac{\tanh\alpha+\tanh\beta}{1+\tanh\alpha\tanh\beta}$$

$$\tanh(\alpha-\beta)=\frac{\tanh\alpha-\tanh\beta}{1-\tanh\alpha\tanh\beta}$$

$$\coth(\alpha+\beta)=\frac{\coth\alpha\coth\beta+1}{\coth\alpha+\coth\beta}$$

$$\coth(\alpha-\beta)=\frac{\coth\alpha\coth\beta-1}{\coth\beta-\coth\alpha}$$

$$\operatorname{sech}(\alpha+\beta)=\frac{\operatorname{sech}\alpha\operatorname{sech}\beta}{1+\tanh\alpha\tanh\beta}=\frac{\operatorname{csch}\alpha\operatorname{csch}\beta}{\coth\alpha\coth\beta+1}$$

$$\operatorname{sech}(\alpha-\beta)=\frac{\operatorname{sech}\alpha\operatorname{sech}\beta}{1-\tanh\alpha\tanh\beta}=\frac{\operatorname{csch}\alpha\operatorname{csch}\beta}{\coth\alpha\coth\beta-1}$$

$$\operatorname{csch}(\alpha+\beta)=\frac{\operatorname{csch}\alpha\operatorname{csch}\beta}{\coth\alpha+\coth\beta}=\frac{\operatorname{sech}\alpha\operatorname{sech}\beta}{\tanh\alpha+\tanh\beta}$$

$$\operatorname{csch}(\alpha-\beta)=\frac{\operatorname{csch}\alpha\operatorname{csch}\beta}{\coth\beta-\coth\alpha}=\frac{\operatorname{sech}\alpha\operatorname{sech}\beta}{\tanh\alpha-\tanh\beta}$$

viii　平方化雙曲正切平方公式

$$\sinh^2\theta=\frac{\tanh^2\theta}{1-\tanh^2\theta}$$

$$\cosh^2\theta=\frac{1}{1-\tanh^2\theta}$$

$$\coth^2\theta=\frac{1}{\tanh^2\theta}$$

$$\operatorname{sech}^2\theta=1-\tanh^2\theta$$

$$\operatorname{csch}^2\theta=\frac{1-\tanh^2\theta}{\tanh^2\theta}$$

ix　和差化積公式

$$\sinh\alpha+\sinh\beta=2\sinh\frac{\alpha+\beta}{2}\cosh\frac{\alpha-\beta}{2}$$

$$\sinh\alpha-\sinh\beta=2\cosh\frac{\alpha+\beta}{2}\sinh\frac{\alpha-\beta}{2}$$

$$\cosh\alpha+\cosh\beta=2\cosh\frac{\alpha+\beta}{2}\cosh\frac{\alpha-\beta}{2}$$

$$\cosh\alpha-\cosh\beta=2\sinh\frac{\alpha+\beta}{2}\sinh\frac{\alpha-\beta}{2}$$

x　積化和差公式

$$2\sinh\alpha\cosh\beta = \sinh(\alpha+\beta)+\sinh(\alpha-\beta)$$
$$2\cosh\alpha\sinh\beta = \sinh(\alpha+\beta)-\sinh(\alpha-\beta)$$
$$2\cosh\alpha\cosh\beta = \cosh(\alpha+\beta)+\cosh(\alpha-\beta)$$
$$2\sinh\alpha\sinh\beta = \cosh(\alpha+\beta)-\cosh(\alpha-\beta)$$