Problem Set for Relational Algebra

1. Consider the following schema:

Suppliers(sid: integer, sname: string, address: string)

Parts(*pid*: integer, *pname*: string, *color*: string)

Catalog(<u>sid</u>: integer, <u>pid</u>: integer, <u>cost</u>: real)

The key fields are underlined, and the domain of each field is listed after the field name. The Catalog relation lists the prices charged for parts by Suppliers. Write the following queries in relational algebra.

- (1) Find the *names* of suppliers who supply some red part.
- (2) Find the *sids* of suppliers who supply some red or green part.
- (3) Find the sids of suppliers who supply some red part or are at 221 Packer Street.
- (4) Find the *sids* of suppliers who supply some red part and some green part.
- (5) Find the *sids* of suppliers who supply every part.
- (6) Find the *sids* of suppliers who supply every red part.
- (7) Find the *sids* of suppliers who supply every red or green part.
- (8) Find the sids of suppliers who supply every red part or supply every green part.
- 2. Consider the Sailors-Boats-Reserves DB described in the text.
- s (sid, sname, rating, age)
- b (bid, bname, color)
- r (sid, bid, date)

Write the following queries in relational algebra.

- (1) Find the colors of boats reserved by Albert.
- (2) Find all sailor id's of sailors who have a rating of at least 8 or reserved boat 103.
- (3) Find the names of sailors who have not reserved a red boat.
- (4) Find the sailor id's of sailors with age over 20 who have not reserved a red boat.
- (5) Find the names of sailors who have reserved at least two boats.
- (6) Find the names of sailors who have reserved all boats.
- (7) Find the names of sailors who have reserved all boats called BigBoat.
- (8) Find the sailor id's of sailors whose rating is better than some sailor called Bob.
- (9) Find the sailor id's of sailors whose rating is better than every sailor called Bob.
- (10) Find the sailor id's of sailors with the highest rating.
- (11) Find the name and age of the oldest sailor.
- (12) Find the names of sailors who have reserved every boat reserved by those with a lower rating.

```
problem 1
                                                      Problem 2
  Solution:
                                                      Solution:
                                                     Trolor ((Ssnome='Albert' (S)) MTNb)
  P(S, suppliers), P(P, Parts), P(C, cutolog)
  TTSname (ISp.color= 'red' P) MCMS)
                                                    TTSid ((Storing 28 (S)) UTSid (Sbid=1031 (r)))
   TISID (Sp.color='Yed VP.color='green' (PXC))
                                                    TISNAME ((TTSid (S) - TTSid (Scolor= red (b))Mr))MS)
    PIRI, TISID (Sp. color = red P) MC)
                                                    (4)
                                                     TTsid (Sugeroo (S)) - TTsid ((Scolor='red (b))Mr))
    P(R2. TIsid (Ss. address = 1221 Pocker Ave, S))
                                                     15)
    P(R), P(URZ)
                                                     P(r1, r)
  (4)
P(R), Trsid((Sp.color='red'P)) ()
                                                    Tismane ((Sn bidfrbidn risd=rsid (TXTI)) MS)
    P(R1, TISid(1 Sp. color= 'green' P) M C)
    P(R3, RINR2)
                                                    P(temp], (Tisid, bid (r))/(Tibid (b))
                                                   TT Sname ( TEMP | MS)
 (TISID PID ()/ITTPID P)
                                                   (7)
 (Tisid Pol C) / (Tipid (Sp.color='red' P))
                                                    P(temp1, (Tisid, bid (r))/(Tibid (Sbrone = BigBoot (b)))
17)
 (TISU Pil C)/(TIPU (Sp. olor= red · v p. color= green P)) Therene (temp) MS)
 P(R1, ITI sid. Pid ()/(TTPid (Sp.color='red' P)))
                                                      (8) P(S1,S)
                                                         TISID (SS. rating > SI. rating (SX(SSI. Sname=1806)(SI)))
 P(R2, (Msid, pid C)//Mpid(&p. color = great P1))
 P(R3, PIURI)
19) Find pairs of sids such that the supplier with
                                                                              (9) P(S2.S)
    the first sid changes more for some part than
                                                                             Tisid (S)-Tisid (Ssz. roting < S. roting (Sx (Ses shame="Bob" (S))))
    the supplier with the second sid
                                                                             (10)
    P(C), (atalog), p(c2, cotalog)
                                                                              P(51,5), P(52,5)
   TICI. pid, c2.pid (SCI. cost > c2.cost A CI. pid= c2.pid A CI. sid + c2.sid (CIXC2))
                                                                              Pls3, & s1. roting < 52. rating (5 | X52))
(10) Find the pids of parts supplied by at last two different suppliers.
                                                                              P154, S1-53)
   P(R1, co-lolog), P(R2, ca-tolog)
                                                                             TISID (S4) (S1-SSI. roting < 52. roting (S1XS2))
   TTRI. Pid (Spl. Pid=p2. PidA pl. sid + p2. sid (RIXRZ))
                                                                             (11)
(11) Find the pids of the most expensive pures supplied by
                                                                             P(51,5), P(52,5)
     suppliers named Yosenite Sham
                                                                             P(53, Ssl. age < 52.age (51X52))
  P(R), TTsid (Ss. shane = Yosenite sham'S))
                                                                             P154, 51-53)
  P(RI, Cotalog), P(R3, Cotalog)
                                                                             TTsnane.age (54)
  P(R4, TD) S R. sid= RISid N R3. sid= R1. sid N R2. WSt < R3. WSt ( R2x R3)))
                                                                             (12) P(S1.S), P(52.S)
  p125, R2- R4)
                                                                                  PIS3, SSI. rating 2 SZ. rating (SIXSZ))
  TTpid (R5)
                                                                                 P154,51-53)
                                                                                 TISnane (S4)
```