Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

Informe Caso Práctico 2:

Automatización de despliegues en entornos Cloud

Repositorio: https://github.com/WillyVilloria/Practica 2.git

version 0.0.2

Terraform

Creo infraestructura con terraform.

- <u>archivo terra.sh</u> --> archivo bash con los comandos terraform para poder ser utilizados por el archivo deploy.sh de ansible
- archivo acs.tf -- >
 - o genera el grupo de recursos (rg).
 - o genera el container registry (acr).
- <u>archivo aks.tf</u> --> genera el cluster de kubernetes (aks) de azure.
- archivo vm.tf --> genera los siguientes elementos de azure
 - o virtual network.
 - o subnet.
 - o network interface.
 - o public ip.
 - o virtual machine (vm).
 - o admin de ssh.
 - o plan.
 - o source image reference.
 - o grupo de network security (ngs1).
 - Permito rango de puertos http 8080-8090 para poder tener más de un puerto de acceso.

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

- azurerm_subnet_network_security_group_association (ngs-link)
- <u>archivo imput-vars.tf</u> --> archivo de variables con los nombres y datos necesarios para crear los recursos nombrados en los archivos anteriores.
- archivo outputs.tf --> archivo con las variables de salida.

Ansible

Despliegue con ansible de aplicaciones:

- Archivo deploy.sh --> archivo con comando de consola que realiza las siguientes funciones:
 - Ilamada al archivo terra.sh para ejecutar los comandos de terraform y realizar el despliegue de la infraestructura comentada anteriormente

Una vez terminado el despliegue se realiza la llamada de los playbooks de ansible:

- <u>playbook obtenerlogs.yaml</u> --> ejecuta un comando shell que obtiene las variables de salida definidas en el despliegue de terraform con el archivo outputs.tf, guarda la información en un registro y después lo vuelco a dos archivos diferentes llamados outputs pero uno con formato json y el otro yaml (sólo voy a utilizar uno de ellos, en este caso utilizaré el archivo .json).
- <u>Utilizo el archivo dep vars.sh</u>, básicamente leo las variables del archivo vars.sjon y utilizo la ip para guardarla en los archivos hosts e inventory y así poder automatizar el despliegue con ansible.
- <u>playbook_instalarpodman.yaml</u> --> instala la aplicación podman. Utilizaré los archivos de variables vars.yaml y el de outputs.json con los datos obtenidos del despliegue de terraform.
- <u>playbook instalar.yaml</u> --> instala las aplicaciones y módulos necesarios para realizar la práctica. Destaco la instalación del módulo passlib de python ya que tenía un error en el despliegue en el que se me comunicaba que era imposible exportar este módulo desde el plano de control. Variables vars.yaml y el de outputs.json

• <u>playbook copiar.yaml</u> -->

- crea el directorio webserver que es donde se copiarán los archivos necesarios para el despliegue de la aplicación web requerida en la práctica.
- o copio archivo principal de la web -> index.html.
- o copio archivo .htacces de configuración de la autenticación.

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

- o copio archivo httpd.conf con la configuración de un servidor apache2
- copio archivo Containerfile con la configuración los chivos que se deben volcar en los direcotrios de apache2.
- <u>playbook_certificados.yaml</u> --> se generan los certificados de seguridad OppenSSL
- <u>playbook podmanlogin.yaml</u> --> se loguea podman con el acr de azure con los datos guardados en el archivo outputs.json.

• <u>playbook images.yaml</u> -->

- o genero imagen
- o tageo la imagen con el nombre de la actividad: casopractico2
- o subo la imagen al acr de azure
- o creo el contenedor para un servidor web
- o inicio el servicio.

• playbook imagefor k8s.yaml -->

- Genero un directoriopara albergar los archivos (appi)
- Copio el archivo Containerfile al directorio generado previamente (appi)
- o obtengo una imagen de nginx desde dockers
- o tageo la imagen con el nombre de la actividad: casopractico2
- o subo la imagen al acr de azure
- o genero el servicio de la aplicación

• playbook autenticacion k8s.yaml -->

- Instalo con pip kubernetes, ya que he tenido varios errores debido a que no se encontraban en el plano de control algún archivo relacionado con este módulo, he tenido que desinstalar todos los programas relacionados con kubernetes e instalarlo desde ansible y han remitido los errores.
- o a través del shell obtengo las credenciales del kluster de aks
- o creo un namespace
- o archivo de variables vars_k8s.yaml→ apunta hacia el archivo de configuración del servicio que se encuentra en el directorio k8sfiles.
 - archivo k8s_persistent_storage.yaml → define la configuración del servicio
 - creo un servicio con persistencia que consiste:

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

- o archivo
- o un deployment
- o un persistent volume pv
- o un persistent volume claim
- o un pod asociado al pv

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

Infraestructura generada con terraform:

miguel@willy:~/Documentos/Proyectos/Practica_2/ansible\$ chmod +x deploy.sh miguel@willy:~/Documentos/Proyectos/Practica_2/ansible\$. deploy.sh Archivos despliegue de ansible

Archivo creación recursos terraform

Initializing the backend...

Initializing provider plugins...

- Reusing previous version of hashicorp/azurerm from the dependency lock file
- Using previously-installed hashicorp/azurerm v3.37.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the

following symbols:

+ create

Terraform will perform the following actions:

azurerm container registry.acr will be created

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
+ resource "azurerm_container_registry" "acr" {
 + admin enabled
                        = true
                       = (sensitive value)
 + admin password
 + admin_username
                          = (known after apply)
 + encryption
                       = (known after apply)
 + export policy enabled
                             = true
 + id
                   = (known after apply)
 + location
                     = "uksouth"
 + login_server
                       = (known after apply)
                     = "practica2acr"
 + name
 + network_rule_bypass_option = "AzureServices"
 + network rule set
                           = (known after apply)
 + public_network_access_enabled = true
 + resource_group_name
                              = "practica2rg"
 + retention_policy
                         = (known after apply)
                   = "Basic"
 + sku
                       = (known after apply)
 + trust_policy
 + zone_redundancy_enabled = false
}
# azurerm_kubernetes_cluster.aks will be created
+ resource "azurerm_kubernetes_cluster" "aks" {
                          = "aks01"
 + dns_prefix
 + fqdn
                        = (known after apply)
 + http_application_routing_zone_name = (known after apply)
 + id
                      = (known after apply)
 + image cleaner enabled
                                 = false
 + image_cleaner_interval_hours
                                   = 48
 + kube_admin_config
                             = (sensitive value)
 + kube_admin_config_raw
                                  = (sensitive value)
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
= (sensitive value)
+ kube_config
+ kube_config_raw
                           = (sensitive value)
+ kubernetes_version
                           = (known after apply)
+ location
                       = "uksouth"
                      = "aks01"
+ name
                              = (known after apply)
+ node resource group
+ oidc_issuer_url = (known after apply)
+ portal fqdn
                        = (known after apply)
                              = false
+ private_cluster_enabled
+ private_cluster_public_fqdn_enabled = false
+ private dns zone id
                             = (known after apply)
+ private fqdn
                         = (known after apply)
+ public_network_access_enabled
                                  = true
+ resource_group_name
                              = "practica2rg"
+ role_based_access_control_enabled = true
+ run_command_enabled
                      = "Free"
+ sku_tier
                     = {
+ tags
  + "Environment" = "Production"
}
+ workload_identity_enabled
                               = false
+ default_node_pool {
  + kubelet_disk_type = (known after apply)
  + max pods = (known after apply)
  + name
               = "default"
  + node count
                   = 2
  + node_labels
                   = (known after apply)
  + orchestrator_version = (known after apply)
  + os_disk_size_gb = (known after apply)
```

Asignatura Datos del alumno

Apellidos: Lorenzo Villoria

Nombre: Miguel Angel

```
+ os_disk_type
                      = "Managed"
   + os sku
                   = (known after apply)
   + scale down mode = "Delete"
                  = "VirtualMachineScaleSets"
    + type
   + ultra ssd enabled = false
                    = "Standard D2 v2"
   + vm size
   + workload_runtime = (known after apply)
  }
 + identity {
   + principal id = (known after apply)
   + tenant_id = (known after apply)
           = "SystemAssigned"
   + type
  }
}
# azurerm_linux_virtual_machine.vm will be created
+ resource "azurerm linux virtual machine" "vm" {
 + admin_username
                            = "casopractico2"
 + allow_extension_operations = true
 + computer_name
                            = (known after apply)
 + custom data
                          = (sensitive value)
 + disable_password_authentication = true
 + extensions_time_budget
                              = "PT1H30M"
                    = (known after apply)
 + id
 + location
                       = "uksouth"
 + max bid price
                          = -1
                       = "vm"
 + name
 + network_interface_ids
                         = (known after apply)
 + patch_assessment_mode
                                = "ImageDefault"
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
= "ImageDefault"
+ patch_mode
+ platform fault domain
                            = -1
                    = "Regular"
+ priority
+ private_ip_address
                         = (known after apply)
+ private ip addresses
                         = (known after apply)
+ provision vm agent
                         = true
+ public_ip_address
                         = (known after apply)
+ public ip addresses = (known after apply)
+ resource_group_name
                            = "practica2rg"
                  = "Standard_DS1_v2"
+ virtual machine id
                         = (known after apply)
+ admin_ssh_key {
  + public_key = <<-EOT
```

ssh-rsa

AAAAB3NzaC1yc2EAAAADAQABAAABgQDRWmwncgWDtwSn1wGM/4sxRWkJ8cw1xxf2INNt3ysMh yW+8l9MyxN7m24M4cN6cv3IdO3kT/RXCLYWLdldWz+dfF+Y4Mo8oYvB0ZI793zACD34zvJ6eKZV8Kjl VJjmt9j5s2NEY1KVYE6Wsh+FbuV/wKew1N2enHmJG1bkIWwXwdAOiJNaztpN3Sf2YWT03QqfEyMC avKmpSttwMrcPj4ZWozG9zndv7SJSEszn5vBSshLeFMNQWlIAFJXEX6tL/ELvDzlcCam/+1JzGcpxGzVY KeBJouXcNC1SqfUHbKPWi5Dqam6GYph8vglR/RF+950YEbXjH+IHtsD1COwmO0ZdHO0lcvDXRZ2uU w17E/SofQhEzER6HBdMyCDqRfYmkdrLjVWxVO7/dmrCA04pEfBMELocw2pI/jfMJNf9yn1jYAB7uJHn SLj9WgaNvb+685kP3r765IZk1TBbjXf/w3trMbneeYofqVIA9OkndOwhAC0sIDqSvNf3xsS/vSoVOc= miguel@willy

```
EOT
    + username = "casopractico2"
}
+ os_disk {
    + caching = "ReadWrite"
    + disk_size_gb = (known after apply)
```

Asignatura Datos del alumno

Apellidos: Lorenzo Villoria

Nombre: Miguel Angel

```
= (known after apply)
    + name
    + storage_account_type = "Standard_LRS"
    + write accelerator enabled = false
   }
 + plan {
    + name = "centos-8-stream-free"
    + product = "centos-8-stream-free"
    + publisher = "cognosys"
   }
 + source_image_reference {
    + offer = "centos-8-stream-free"
    + publisher = "cognosys"
            = "centos-8-stream-free"
    + version = "22.03.28"
  }
}
# azurerm_network_interface.nic_vm will be created
+ resource "azurerm_network_interface" "nic_vm" {
  + applied_dns_servers
                            = (known after apply)
 + dns_servers
                        = (known after apply)
 + enable_accelerated_networking = false
 + enable_ip_forwarding
                           = false
  + id
                   = (known after apply)
 + internal dns name label = (known after apply)
 + internal_domain_name_suffix = (known after apply)
  + location
                      = "uksouth"
  + mac_address
                         = (known after apply)
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
= "vnic-vm"
  + name
                            = (known after apply)
  + private_ip_address
  + private_ip_addresses
                           = (known after apply)
  + resource_group_name
                             = "practica2rg"
  + virtual_machine_id
                            = (known after apply)
  + ip_configuration {
    + gateway_load_balancer_frontend_ip_configuration_id = (known after apply)
                                    = "internal"
    + name
                                    = (known after apply)
    + primary
    + private_ip_address
                                         = (known after apply)
    + private_ip_address_allocation
                                              = "Dynamic"
                                             = "IPv4"
    + private_ip_address_version
    + public_ip_address_id
                                          = (known after apply)
    + subnet id
                                     = (known after apply)
  }
 }
# azurerm_network_security_group.nsg1 will be created
+ resource "azurerm_network_security_group" "nsg1" {
  + id
              = (known after apply)
                 = "uksouth"
  + location
                 = "securitygroup"
  + name
  + resource_group_name = "practica2rg"
 + security_rule = [
    + {
      + access
                                 = "Allow"
      + description
      + destination_address_prefix
      + destination_address_prefixes
                                           = []
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
+ destination_application_security_group_ids = []
                                     = "22"
  + destination_port_range
                                      = []
  + destination_port_ranges
                              = "Inbound"
  + direction
                              = "sshrule"
  + name
                             = 101
 + priority
                              = "Tcp"
  + protocol
                                     = "*"
  + source_address_prefix
  + source_address_prefixes
                                      = []
                                            = []
  + source_application_security_group_ids
  + source_port_range
 + source_port_ranges
                                    = []
},
+ {
                             = "Allow"
  + access
  + description
  + destination_address_prefix
  + destination_address_prefixes
                                        = []
  + destination_application_security_group_ids = []
                                     = "8080-8090"
  + destination_port_range
  + destination_port_ranges
                                      = []
                              = "Inbound"
  + direction
                              = "httprule"
  + name
                             = 102
  + priority
                              = "Tcp"
  + protocol
                                     = "*"
  + source_address_prefix
  + source_address_prefixes
                                      = []
                                            = []
  + source_application_security_group_ids
  + source_port_range
                                    = []
  + source_port_ranges
```

Asignatura Datos del alumno

Apellidos: Lorenzo Villoria

Nombre: Miguel Angel

```
},
  ]
}
# azurerm_public_ip.pip_vm will be created
+ resource "azurerm_public_ip" "pip_vm" {
 + allocation_method = "Dynamic"
 + ddos protection mode = "VirtualNetworkInherited"
 + fqdn
                 = (known after apply)
 + id
               = (known after apply)
 + idle timeout in minutes = 4
 + ip_address = (known after apply)
 + ip_version = "IPv4"
               = "uksouth"
 + location
                  = "public-ip-vm"
 + name
 + resource_group_name = "practica2rg"
               = "Basic"
 + sku
 + sku_tier = "Regional"
}
# azurerm_resource_group.rg will be created
+ resource "azurerm_resource_group" "rg" {
 + id
        = (known after apply)
 + location = "uksouth"
 + name = "practica2rg"
}
# azurerm_role_assignment.aksrole will be created
+ resource "azurerm_role_assignment" "aksrole" {
 + id
                    = (known after apply)
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
= (known after apply)
  + name
                        = (known after apply)
  + principal id
                        = (known after apply)
 + principal_type
 + role_definition_id
                         = (known after apply)
                               = "AcrPull"
 + role_definition_name
 + scope
                       = (known after apply)
 + skip_service_principal_aad_check = true
}
# azurerm_subnet.subnet will be created
+ resource "azurerm_subnet" {
  + address prefixes
                                   = [
    + "10.0.2.0/24",
  1
  + enforce_private_link_endpoint_network_policies = (known after apply)
  + enforce_private_link_service_network_policies = (known after apply)
                            = (known after apply)
  + id
                               = "subnet1"
  + name
  + private_endpoint_network_policies_enabled = (known after apply)
 + private_link_service_network_policies_enabled = (known after apply)
 + resource_group_name
                                       = "practica2rg"
                                       = "vnet1"
 + virtual network name
 }
# azurerm_subnet_network_security_group_association.nsg-link will be created
+ resource "azurerm_subnet_network_security_group_association" "nsg-link" {
  + id
                 = (known after apply)
 + network_security_group_id = (known after apply)
                     = (known after apply)
 + subnet_id
 }
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
# azurerm virtual network.vnet will be created
 + resource "azurerm virtual network" "vnet" {
   + address_space = [
     + "10.0.0.0/16",
                    = (known after apply)
   + dns_servers
               = (known after apply)
   + guid
                = (known after apply)
   + id
                  = "uksouth"
   + location
                  = "vnet1"
   + name
   + resource_group_name = "practica2rg"
                  = (known after apply)
   + subnet
  }
Plan: 11 to add, 0 to change, 0 to destroy.
Changes to Outputs:
 + acr_admin_pass = (sensitive value)
 + acr_admin_user = (sensitive value)
 + acr_login_server = (known after apply)
 + client certificate = (sensitive value)
 + kube_config = (sensitive value)
 + ssh user = "casopractico2"
 + vm_public_ip = (known after apply)
azurerm_resource_group.rg: Creating...
azurerm resource group.rg: Creation complete after 1s [id=/subscriptions/4cec99f2-dcb1-40e5-
b292-66072a2186b8/resourceGroups/practica2rg]
azurerm_virtual_network.vnet: Creating...
azurerm_public_ip.pip_vm: Creating...
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
azurerm_network_security_group.nsg1: Creating...
azurerm_container_registry.acr: Creating...
azurerm kubernetes cluster.aks: Creating...
azurerm_public_ip.pip_vm: Creation complete after 3s [id=/subscriptions/4cec99f2-dcb1-40e5-
b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/publicIPAddresses/pub
lic-ip-vm]
azurerm_network_security_group.nsg1: Creation complete after 3s [id=/subscriptions/4cec99f2-
dcb1-40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/networkSecurityGroup
s/securitygroup]
azurerm virtual network.vnet: Creation complete after 6s [id=/subscriptions/4cec99f2-dcb1-
40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1
1
azurerm_subnet.subnet: Creating...
azurerm_container_registry.acr: Still creating... [10s elapsed]
azurerm kubernetes cluster.aks: Still creating... [10s elapsed]
azurerm_subnet.subnet: Creation complete after 5s [id=/subscriptions/4cec99f2-dcb1-40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1
/subnets/subnet1]
azurerm_subnet_network_security_group_association.nsg-link: Creating...
azurerm_network_interface.nic_vm: Creating...
azurerm_subnet_network_security_group_association.nsg-link: Creation complete after 4s
[id=/subscriptions/4cec99f2-dcb1-40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1
/subnets/subnet1]
azurerm_network_interface.nic_vm: Creation complete after 5s [id=/subscriptions/4cec99f2-dcb1-
40e5-b292-
```

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/networkInterfaces/vnic

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

```
-vm]
azurerm linux virtual machine.vm: Creating...
azurerm container registry.acr: Still creating... [20s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [20s elapsed]
azurerm container registry.acr: Creation complete after 23s [id=/subscriptions/4cec99f2-dcb1-
40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerRegistry/registries/pra
ctica2acr]
azurerm linux virtual machine.vm: Still creating... [10s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [30s elapsed]
azurerm linux virtual machine.vm: Still creating... [20s elapsed]
azurerm kubernetes cluster.aks: Still creating... [40s elapsed]
azurerm_linux_virtual_machine.vm: Creation complete after 27s [id=/subscriptions/4cec99f2-
dcb1-40e5-b292-
66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Compute/virtualMachines/vm]
azurerm_kubernetes_cluster.aks: Still creating... [50s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [1m0s elapsed]
azurerm kubernetes cluster.aks: Still creating... [1m10s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [1m20s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [1m30s elapsed]
azurerm kubernetes cluster.aks: Still creating... [1m40s elapsed]
azurerm kubernetes cluster.aks: Still creating... [1m50s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [2m0s elapsed]
azurerm kubernetes cluster.aks: Still creating... [2m10s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [2m20s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [2m30s elapsed]
azurerm kubernetes cluster.aks: Still creating... [2m40s elapsed]
azurerm kubernetes cluster.aks: Still creating... [2m50s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [3m0s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [3m10s elapsed]
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

azurerm_kubernetes_cluster.aks: Still creating... [3m20s elapsed]
azurerm_kubernetes_cluster.aks: Still creating... [3m30s elapsed]
azurerm_kubernetes_cluster.aks: Creation complete after 3m39s [id=/subscriptions/4cec99f2-dcb1-40e5-b29266072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerService/managedClust
ers/aks01]
azurerm_role_assignment.aksrole: Creating...
azurerm_role_assignment.aksrole: Still creating... [10s elapsed]
azurerm_role_assignment.aksrole: Still creating... [20s elapsed]
azurerm_role_assignment.aksrole: Creation complete after 26s [id=/subscriptions/4cec99f2-dcb1-40e5-b29266072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerRegistry/registries/pra
ctica2acr/providers/Microsoft.Authorization/roleAssignments/f8f79836-64f0-782b-a8e0d9c838d8ab70]

Apply complete! Resources: 11 added, 0 changed, 0 destroyed.

Outputs:

```
acr_admin_pass = <sensitive>
acr_admin_user = <sensitive>
acr_login_server = "practica2acr.azurecr.io"
client_certificate = <sensitive>
kube_config = <sensitive>
ssh_user = "casopractico2"
vm_public_ip = ""
azurerm_resource_group.rg: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-66072a2186b8/resourceGroups/practica2rg]
azurerm_virtual_network.vnet: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-
```

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

azurerm_public_ip.pip_vm: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/publicIPAddresses/public-ip-vm]

azurerm_container_registry.acr: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerRegistry/registries/practica2acr]

azurerm_network_security_group.nsg1: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/networkSecurityGroup s/securitygroup]

azurerm_kubernetes_cluster.aks: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerService/managedClust ers/aks01]

azurerm_subnet.subnet: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1 /subnets/subnet1]

azurerm_subnet_network_security_group_association.nsg-link: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/virtualNetworks/vnet1/subnets/subnet1]

azurerm_network_interface.nic_vm: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Network/networkInterfaces/vnic -vm]

azurerm_role_assignment.aksrole: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.ContainerRegistry/registries/practica2acr/providers/Microsoft.Authorization/roleAssignments/f8f79836-64f0-782b-a8e0-d9c838d8ab70]

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

azurerm_linux_virtual_machine.vm: Refreshing state... [id=/subscriptions/4cec99f2-dcb1-40e5-b292-

66072a2186b8/resourceGroups/practica2rg/providers/Microsoft.Compute/virtualMachines/vm]

Outputs:

```
acr_admin_pass = <sensitive>
acr_admin_user = <sensitive>
acr_login_server = "practica2acr.azurecr.io"
client_certificate = <sensitive>
kube_config = <sensitive>
ssh_user = "casopractico2"
vm_public_ip = "20.90.107.110"
```

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

Despliegue de playbooks de ansible:

PLAY [inicio]

TASK [Ejecutar Terraform]

changed: [localhost]
TASK [Crear archivo de outputs json]

changed: [localhost]
TASK [Crear archivo de outputs yaml]

changed: [localhost]
TASK [leer una variable de output]

changed: [localhost]
PLAY RECAP

localhost : ok=4 changed=4 unreachable=0 failed=0 skipped=0 rescued=0
ignored=0
20.90.107.110
PLAY [playbook instala podman en vm]

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel



Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

changed: [20.90.107.110]	
TASK [instalo openssl]	

ok: [20.90.107.110]	
TASK [Instalar passlib en el host remoto]	

changed: [20.90.107.110]	
PLAY RECAP	


20.90.107.110 : ok=5 changed=3 unreachable=0 failed=0 skipped=0 rescued=0	
ignored=0	
PLAY [playbook copia los archivos del directorio /file]	

TASK [Gathering Facts]	

ok: [20.90.107.110]	
TASK [Create a directory if it does not exist]	

changed: [20.90.107.110]	
TASK [Copy file index.html]	

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel



Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

changed: [20.90.107.110]
TASK [Generate an OpenSSL Certificate Signing Request]

changed: [20.90.107.110]
TASK [Generate a Self Signed OpenSSL certificate]

changed: [20.90.107.110]
PLAY RECAP

20.90.107.110 : ok=5 changed=4 unreachable=0 failed=0 skipped=0 rescued=0
ignored=0
PLAY [playbook login podman with acr]

TASK [Gathering Facts]

ok: [20.90.107.110]
TASK [Login to default registry with outputs.json]

changed: [20.90.107.110]
PLAY RECAP

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

*********	********	******	•		
20.90.107.110 : ok=2	changed=1	unreachable=0	failed=0	skipped=0	rescued=0
ignored=0					
PLAY [playbook despliegue']					
*********	*****	******	******	******	*****
T10//10 / 1 1 5 / 1					
TASK [Gathering Facts]					
*********	******	*******	******	*****	*****
ok: [20.90.107.110]					
TASK [Build a basic image]					
*********	******	*****	******	*******	*****
changed: [20.90.107.110]					
TASK [containers.podman.p	odman_tag]				
*********	******	******	******	******	*****
changed: [20.90.107.110]					
T40// 50 114 1 1 1					
TASK [Build and push an image)	ige using exist	ing credentials]			
*********	******	******	******	*****	*****
changed: [20.90.107.110]					
TASK [Create a webserver co	ontainerl				
********		******	******	*****	*****
-hd. [20 00 407 446]					
changed: [20.90.107.110]					
TASK [Iniciar servicio de wel	o]				
*********	******	******	******	*****	*****

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

changed: [20.90.107.110]			
PLAY RECAP			

20.90.107.110 : ok=6 changed=5 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0			
PLAY [playbook despliegue para k8s] ***********************************			
TASK [Gathering Facts]			

ok: [20.90.107.110]			
TASK [Create a directory if it does not exist]			

changed: [20.90.107.110]			
TASK [Copy file ansible/files_k8s/Containerfile]			

changed: [20.90.107.110]			
TASK [Pull an image]			

changed: [20.90.107.110]			
TASK [containers.podman_tag] ***********************************			
changed: [20.90.107.110]			

Asignatura	Datos del alumno
Davana 9 Claud	Apellidos: Lorenzo Villoria
Devops & Cloud	Nombre: Miguel Angel

TASK [Build and push an image using existing credentials]

changed: [20.90.107.110]
TASK [Run container]

changed: [20.90.107.110]
PLAY RECAP

20.90.107.110 : ok=7 changed=6 unreachable=0 failed=0 skipped=0 rescued=0
ignored=0
PLAY [Autenticacion kubernetes]

TASK [Gathering Facts]

ok: [localhost]
TASK [Instalar kubernetes]

ok: [localhost]
TASK [credenciales aks]

changed: [localhost]

Asignatura	Datos del alumno
Devops & Cloud	Apellidos: Lorenzo Villoria
	Nombre: Miguel Angel

TASK [Create a k8s namespace]


changed: [localhost]
TASK [Create a persistant service from a local file]

changed: [localhost]
PLAY RECAP

localhost : ok=5 changed=3 unreachable=0 failed=0 skipped=0 rescued=0
ignored=0


Asignatura	Datos del alumno	Fecha
Daviena & Claud	Apellidos: Lorenzo Villoria	24/07/2023
Devops & Cloud	Nombre: Miguel Angel	

Diagrama



Asignatura	Datos del alumno	Fecha
Daviena & Claud	Apellidos: Lorenzo Villoria	24/07/2023
Devops & Cloud	Nombre: Miguel Angel	

Pantallas



Asignatura	Datos del alumno	Fecha
Dovers & Cloud	Apellidos: Lorenzo Villoria	24/07/2022
Devops & Cloud	Nombre: Miguel Angel	24/07/2023

