



Payroll Lookup CRUD API Documentation

Prepared using the company's API Endpoint Delivery Template.

✓ Team Rule

Frontend does NOT implement business logic. Frontend only collects user selections and sends the request. Backend validates, performs CRUD operations and returns the status.

A. GET Lookups

1) Purpose

Returns all records for the selected Payroll lookup type.

2) Endpoint

Method: GET

URL: `/api/v1/payroll/getLookups/{sType}`

Auth: Requires valid session (Yes)

3) Headers

```
{
  "Content-Type": "application/json",
  "X-API-KEY": "KSL-CLIENT-2025-SECURE",
  "X-SESSION-TOKEN": "<SESSION_TOKEN>"
}
```

4) Request Body Contract

No request body.

5) Minimum Working Example JSON

N/A



AFRICRENOV GROUPE SARL

RCCM: RC/DLN/2023/B/1007, NIU: M042318168094H

P.O. Box N/A Douala, Région du Littoral, Bepanda, Cameroun

Tel : (00237) 670 91 64 86 / 655 101 389 | Email : africrenovgroupe@gmail.com

Motto: Diligence, Success, Attitude

6) Validation Rules

- Valid API Key
- Valid Session
- Valid lookup type
- Lookup record must exist (where applicable)
- Required fields must be supplied
- Duplicate names are rejected

7) Success Response

```
{
  "success": true,
  "message": "Branch records loaded successfully.",
  "count": 2,
  "data": [{"id":1,"name":"Buea","code":"BU"}]
}
```

8) Error Response

```
{
  "success": false,
  "message": "Reason here"
}
```

9) Frontend Example

```
fetch("/api/v1/payroll/getLookups/{sType}", {
  method: "GET",
  headers: {
    "Content-Type":"application/json",
    "X-API-KEY":API_KEY,
    "X-SESSION-TOKEN":SESSION_TOKEN
  }
});
```

10) UI Mapping Notes

Lookup Type selector → sType

Lookup Form controls → JSON body

Selected record → nLookupID



B. GET Lookup Details

1) Purpose

Returns one lookup record.

2) Endpoint

Method: GET

URL: `/api/v1/payroll/getLookupDetails/{sType}/{nLookupID}`

Auth: Requires valid session (Yes)

3) Headers

```
{
  "Content-Type": "application/json",
  "X-API-KEY": "KSL-CLIENT-2025-SECURE",
  "X-SESSION-TOKEN": "<SESSION_TOKEN>"
}
```

4) Request Body Contract

No request body.

5) Minimum Working Example JSON

N/A

6) Validation Rules

- Valid API Key
- Valid Session
- Valid lookup type
- Lookup record must exist (where applicable)
- Required fields must be supplied
- Duplicate names are rejected

7) Success Response

```
{
  "success": true,
  "message": "Branch details loaded successfully."
}
```



AFRICRENOV GROUPE SARL

RCCM: RC/DLN/2023/B/1007, NIU: M042318168094H

P.O. Box N/A Douala, Région du Littoral, Bepanda, Cameroun

Tel : (00237) 670 91 64 86 / 655 101 389 | Email : africrenovgroupe@gmail.com

Motto: Diligence, Success, Attitude

```
"data":{"id":1,"name":"Buea","code":"BU"}
}
```

8) Error Response

```
{
  "success": false,
  "message": "Reason here"
}
```

9) Frontend Example

```
fetch("/api/v1/payroll/getLookupDetails/{sType}/{nLookupID}", {
  method: "GET",
  headers: {
    "Content-Type":"application/json",
    "X-API-KEY":API_KEY,
    "X-SESSION-TOKEN":SESSION_TOKEN
  }
});
```

10) UI Mapping Notes

Lookup Type selector → sType

Lookup Form controls → JSON body

Selected record → nLookupID



C. POST Add Lookup

1) Purpose

Creates a new lookup record.

2) Endpoint

Method: POST

URL: /api/v1/payroll/addLookup

Auth: Requires valid session (Yes)

3) Headers

```
{  
  "Content-Type":"application/json",  
  "X-API-KEY":"KSL-CLIENT-2025-SECURE",  
  "X-SESSION-TOKEN":"<SESSION_TOKEN>"  
}
```

4) Request Body Contract

```
{  
  "type":"branch",  
  "name":"Douala",  
  "code":"DLA"  
}
```

5) Minimum Working Example JSON

```
{  
  "type":"branch",  
  "name":"Douala",  
  "code":"DLA"  
}
```

6) Validation Rules

- Valid API Key
- Valid Session
- Valid lookup type
- Lookup record must exist (where applicable)



AFRICRENOV GROUPE SARL

RCCM: RC/DLN/2023/B/1007, NIU: M042318168094H

P.O. Box N/A Douala, Région du Littoral, Bepanda, Cameroun

Tel : (00237) 670 91 64 86 / 655 101 389 | Email : africrenovgroupe@gmail.com

Motto: Diligence, Success, Attitude

-
- Required fields must be supplied
 - Duplicate names are rejected

7) Success Response

```
{  
  "success": true,  
  "message": "Branch created successfully.",  
  "data": {"name": "Douala"}  
}
```

8) Error Response

```
{  
  "success": false,  
  "message": "Reason here"  
}
```

9) Frontend Example

```
fetch("/api/v1/payroll/addLookup", {  
  method: "POST",  
  headers: {  
    "Content-Type": "application/json",  
    "X-API-KEY": API_KEY,  
    "X-SESSION-TOKEN": SESSION_TOKEN  
  }  
});
```

10) UI Mapping Notes

Lookup Type selector → sType

Lookup Form controls → JSON body

Selected record → nLookupID



D. PUT Update Lookup

1) Purpose

Updates an existing lookup record.

2) Endpoint

Method: PUT

URL: /api/v1/payroll/updateLookup/{sType}/{nLookupID}

Auth: Requires valid session (Yes)

3) Headers

```
{
  "Content-Type":"application/json",
  "X-API-KEY":"KSL-CLIENT-2025-SECURE",
  "X-SESSION-TOKEN":"<SESSION_TOKEN>"
}
```

4) Request Body Contract

```
{
  "name":"Buea Main Campus",
  "code":"BMC"
}
```

5) Minimum Working Example JSON

```
{
  "name":"Buea Main Campus",
  "code":"BMC"
}
```

6) Validation Rules

- Valid API Key
- Valid Session
- Valid lookup type
- Lookup record must exist (where applicable)
- Required fields must be supplied
- Duplicate names are rejected



AFRICRENOV GROUPE SARL

RCCM: RC/DLN/2023/B/1007, NIU: M042318168094H

P.O. Box N/A Douala, Région du Littoral, Bepanda, Cameroun

Tel : (00237) 670 91 64 86 / 655 101 389 | Email : africrenovgroupe@gmail.com

Motto: Diligence, Success, Attitude

7) Success Response

```
{
  "success": true,
  "message": "Branch updated successfully.",
  "data": {"id": 1, "name": "Buea Main Campus"}
}
```

8) Error Response

```
{
  "success": false,
  "message": "Reason here"
}
```

9) Frontend Example

```
fetch("/api/v1/payroll/updateLookup/{sType}/{nLookupID}", {
  method: "PUT",
  headers: {
    "Content-Type": "application/json",
    "X-API-KEY": API_KEY,
    "X-SESSION-TOKEN": SESSION_TOKEN
  }
});
```

10) UI Mapping Notes

Lookup Type selector → sType

Lookup Form controls → JSON body

Selected record → nLookupID



E. DELETE Lookup

1) Purpose

Deletes a lookup record after verifying it is not referenced by any Employee.

2) Endpoint

Method: DELETE

URL: /api/v1/payroll/deleteLookup/{sType}/{nLookupID}

Auth: Requires valid session (Yes)

3) Headers

```
{
  "Content-Type":"application/json",
  "X-API-KEY":"KSL-CLIENT-2025-SECURE",
  "X-SESSION-TOKEN":"<SESSION_TOKEN>"
}
```

4) Request Body Contract

No request body.

5) Minimum Working Example JSON

N/A

6) Validation Rules

- Valid API Key
- Valid Session
- Valid lookup type
- Lookup record must exist (where applicable)
- Required fields must be supplied
- Duplicate names are rejected

7) Success Response

```
{
  "success": true,
}
```



AFRICRENOV GROUPE SARL

RCCM: RC/DLN/2023/B/1007, NIU: M042318168094H

P.O. Box N/A Douala, Région du Littoral, Bepanda, Cameroun

Tel : (00237) 670 91 64 86 / 655 101 389 | Email : africrenovgroupe@gmail.com

Motto: Diligence, Success, Attitude

```
"message": "Branch deleted successfully."
```

```
}
```

8) Error Response

```
{  
  "success": false,  
  "message": "Reason here"  
}
```

9) Frontend Example

```
fetch("/api/v1/payroll/deleteLookup/{sType}/{nLookupID}", {  
  method: "DELETE",  
  headers: {  
    "Content-Type": "application/json",  
    "X-API-KEY": API_KEY,  
    "X-SESSION-TOKEN": SESSION_TOKEN  
  }  
});
```

10) UI Mapping Notes

Lookup Type selector → sType

Lookup Form controls → JSON body

Selected record → nLookupID