


# Mi primer Sprint




The image shows a screenshot of the Visual Studio Code (VS Code) editor interface. The Explorer panel on the left shows a project named 'LIGA FUTBOL' with files 'db.php', 'home.php', 'index.php', and 'validar.php'. The 'home.php' file is selected and its content is displayed in the main editor area. The code is a basic HTML boilerplate with a title 'home' and a body containing 'BIENVENIDOS'.

```
1  
2  
3  
4 <!DOCTYPE html>  
5 <html lang="es">  
6 <head>  
7   <meta charset="UTF-8">  
8   <meta name="viewport" content="width=device-width, initial-scale=1.0">  
9   <title>home</title>  
10 </head>  
11 <body>  
12 <h1>BIENVENIDOS</h1>  
13  
14 </body>  
15 </html>
```

The status bar at the bottom indicates the current line and column (Ln 1, Col 1), the number of spaces (4), the encoding (UTF-8), the line ending (CRLF), and the file type (PHP). The system tray at the bottom shows the date and time (22/05/2024, 07:57) and the temperature (5°C Despejado).

```
1 <?php
2 $usuario=$_POST['usuario'];
3 $contraseña=$_POST['contraseña'];
4 session_start();
5 $_SESSION['usuario']=$usuario;
6
7 $conexion=mysqli_connect("localhost","root","","login");
8
9 $consulta="SELECT*FROM usuarios where usuario= '$usuario' and contraseña= '$contraseña'";
10 $resultado=mysqli_query($conexion,$consulta);
11
12 $filas=mysqli_query
13     mysqli_query
14     Performs a query on the database
15
16 If($filas){ <?php
17     header(
18         function mysqli_query(mysqli $mysql, string $query, int $result_mode =
19             MYSQLI_STORE_RESULT): mysqli_result|bool { }
20     )else{
21         @param \mysqli $mysql
22         <?php
23         A link identifier returned by mysqli_connect() or mysqli_init()
24         include
25         @param string $query — An SQL query
26         @param int $result_mode
27         <h1 cla @return \mysqli_result|bool
28         <?php
29     }
30     mysqli_free_result($resultado);
31     mysqli_close($conexion);
32
33
34
35
```

```
1 <?php
2
3 $conexion=mysqli_connect("localhost","root","","login");
4 ?>
```



The screenshot shows a code editor with the following content in the `index.php` file:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>loing</title>
7 </head>
8 <body>
9   <form action="validar.php" method="post">
10    <h1>Sistema de loing</h1>
11    <p>Usuario <input type="text" placeholder="Ingrese su nombre" name="usuario"></p>
12    <p>Contraseña <input type="password" placeholder="Ingrese su contraseña" name="contraseña"></p>
13    <input type="submit" value="Ingresar">
14  </form>
15 </body>
16 </html>
```

The Explorer panel on the left shows the project structure:

- OPEN EDITORS
  - LIGAFUTBOL
    - db.php
    - home.php
    - index.php
    - validar.php

The status bar at the bottom indicates: Ln 13, Col 43, Spaces: 4, UTF-8, CRLF, PHP.

