```
import { useState, useEffect, useRef } from "react";

// ─── GOOGLE FONTS ──────────────────────────────────────────────────────────
const fontLink = document.createElement("link");
fontLink.href = "https://fonts.googleapis.com/css2?family=Clash+Display:wght@400;
fontLink.rel = "stylesheet";
document.head.appendChild(fontLink);

// ─── MOCK DATA ─────────────────────────────────────────────────────────────
const CATEGORIES = [
  { id: 1, name: "Pizza", emoji: "🍕" },
  { id: 2, name: "Burgers", emoji: "🍔" },
  { id: 3, name: "African", emoji: "🍲" },
  { id: 4, name: "Drinks", emoji: "🥤" },
  { id: 5, name: "Sushi", emoji: "🍣" },
  { id: 6, name: "Salads", emoji: "🥗" },
  { id: 7, name: "Dessert", emoji: "🍰" },
  { id: 8, name: "Noodles", emoji: "🍜" },
];

const RESTAURANTS = [
  {
    id: "r1",
    name: "The Burger Joint",
    tagline: "Legendary smash burgers since 2018",
    rating: 4.8,
    reviews: 2341,
    time: "15-25 min",
    fee: "$0.99",
    badge: "🔥 Trending",
    image: "https://images.unsplash.com/photo-1571091718767-18b5b1457add?w=800&q=
    category: "Burgers",
    color: "#FF6B35",
    menu: [
      { id: "m1", name: "Classic Cheeseburger", price: 12.99, desc: "Prime beef,
      { id: "m2", name: "Bacon BBQ Stack", price: 16.50, desc: "Double smash patt
      { id: "m3", name: "Truffle Mushroom", price: 18.00, desc: "Wild mushroom bl
      { id: "m4", name: "Spicy Crispy Chicken", price: 14.99, desc: "Nashville-st
    ],
  },
  {
    id: "r2",
    name: "Mama Africa Kitchen",
    tagline: "Authentic West African soul food",
```

```
    rating: 4.9,
    reviews: 1876,
    time: "30–45 min",
    fee: "$2.50",
    badge: "⭐ Top Rated",
    image: "https://images.unsplash.com/photo-1534353436294-0dbd4bdac845?w=800&q=
    category: "African",
    color: "#10B981",
    menu: [
      { id: "m5", name: "Jollof Rice & Chicken", price: 18.00, desc: "Smoky party
      { id: "m6", name: "Egusi Soup & Pounded Yam", price: 22.00, desc: "Rich mel
      { id: "m7", name: "Suya Skewers", price: 16.00, desc: "Spiced beef suya, sl
      { id: "m8", name: "Pepper Soup", price: 14.00, desc: "Spicy goat head peppe
    ],
  },
  {
    id: "r3",
    name: "Pizza Palace",
    tagline: "Neapolitan-style wood-fired pizza",
    rating: 4.5,
    reviews: 3102,
    time: "20–30 min",
    fee: "Free",
    badge: "🆓 Free Delivery",
    image: "https://images.unsplash.com/photo-1513104890138-7c749659a591?w=800&q=
    category: "Pizza",
    color: "#F59E0B",
    menu: [
      { id: "m9", name: "Margherita DOP", price: 15.00, desc: "San Marzano tomato
      { id: "m10", name: "Diavola Infernale", price: 17.50, desc: "Spicy salami,
      { id: "m11", name: "Prosciutto e Funghi", price: 19.00, desc: "Parma ham, w
    ],
  },
  {
    id: "r4",
    name: "Sakura Sushi Bar",
    tagline: "Omakase-inspired rolls & nigiri",
    rating: 4.7,
    reviews: 987,
    time: "25–40 min",
    fee: "$1.50",
    badge: "✨ New",
    image: "https://images.unsplash.com/photo-1579871494447-9811cf80d66c?w=800&q=
    category: "Sushi",
    color: "#8B5CF6",
    menu: [
      { id: "m12", name: "Dragon Roll", price: 22.00, desc: "Shrimp tempura, avoc
```

```
      { id: "m13", name: "Salmon Nigiri (6pc)", price: 18.00, desc: "Atlantic sal
    ],
  },
];

const PROMOS = [
  { id: 1, title: "50% OFF", sub: "First African dish order", color: ["#FF6B35",
  { id: 2, title: "Free Delivery", sub: "Orders above $30 today", color: ["#10B98
  { id: 3, title: "Buy 2 Get 1", sub: "On all pizza orders", color: ["#F59E0B", "
];

// ─── STYLE INJECTION ──────────────────────────────────────────────────────
const styles = `
  @import url('https://fonts.googleapis.com/css2?family=Clash+Display:wght@400;50

  * { box-sizing: border-box; margin: 0; padding: 0; }

  .food-app {
    font-family: 'Satoshi', sans-serif;
    background: #FAFAF8;
    color: #1A1A1A;
    max-width: 430px;
    margin: 0 auto;
    min-height: 100vh;
    position: relative;
    overflow: hidden;
  }

  .clash { font-family: 'Clash Display', sans-serif; }

  .scrollbar-hide::-webkit-scrollbar { display: none; }
  .scrollbar-hide { -ms-overflow-style: none; scrollbar-width: none; }

  @keyframes slideUp {
    from { transform: translateY(20px); opacity: 0; }
    to { transform: translateY(0); opacity: 1; }
  }
  @keyframes fadeIn {
    from { opacity: 0; }
    to { opacity: 1; }
  }
  @keyframes pulse-dot {
    0%, 100% { transform: scale(1); opacity: 1; }
    50% { transform: scale(1.4); opacity: 0.7; }
  }
  @keyframes shimmer {
    0% { background-position: -200% 0; }
```

```
  100% { background-position: 200% 0; }
}
@keyframes spin {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}
@keyframes bounce-in {
  0% { transform: scale(0.5); opacity: 0; }
  60% { transform: scale(1.1); }
  100% { transform: scale(1); opacity: 1; }
}
@keyframes slide-in-right {
  from { transform: translateX(100%); opacity: 0; }
  to { transform: translateX(0); opacity: 1; }
}

.animate-slide-up { animation: slideUp 0.4s ease forwards; }
.animate-fade { animation: fadeIn 0.3s ease forwards; }
.animate-bounce-in { animation: bounce-in 0.4s cubic-bezier(0.34, 1.56, 0.64, 1
.animate-slide-right { animation: slide-in-right 0.35s cubic-bezier(0.34, 1.2,

.btn-primary {
  background: #FF6B35;
  color: white;
  border: none;
  border-radius: 16px;
  font-family: 'Satoshi', sans-serif;
  font-weight: 700;
  cursor: pointer;
  transition: all 0.2s;
}
.btn-primary:hover { background: #e85d28; transform: translateY(-1px); box-shad
.btn-primary:active { transform: translateY(0); }

.card {
  background: white;
  border-radius: 24px;
  overflow: hidden;
  box-shadow: 0 2px 12px rgba(0,0,0,0.06);
  transition: transform 0.2s, box-shadow 0.2s;
}
.card:hover { transform: translateY(-2px); box-shadow: 0 8px 24px rgba(0,0,0,0.

.pill {
  display: inline-flex;
  align-items: center;
  padding: 4px 12px;
```

```
  border-radius: 100px;
  font-size: 11px;
  font-weight: 700;
  letter-spacing: 0.02em;
}

.nav-bar {
  position: fixed;
  bottom: 0;
  left: 50%;
  transform: translateX(-50%);
  width: 430px;
  background: white;
  border-top: 1px solid #F0EDE8;
  padding: 12px 32px 20px;
  display: flex;
  justify-content: space-between;
  align-items: center;
  z-index: 100;
  box-shadow: 0 -4px 24px rgba(0,0,0,0.06);
}

.nav-btn {
  display: flex;
  flex-direction: column;
  align-items: center;
  gap: 4px;
  background: none;
  border: none;
  cursor: pointer;
  padding: 4px 16px;
  border-radius: 12px;
  transition: all 0.2s;
  position: relative;
}

.nav-btn.active { background: #FFF2ED; }
.nav-btn span { font-size: 10px; font-weight: 700; font-family: 'Satoshi', sans

.tag {
  background: #FFF2ED;
  color: #FF6B35;
  font-size: 10px;
  font-weight: 800;
  padding: 2px 8px;
  border-radius: 6px;
  letter-spacing: 0.04em;
```

```
  text-transform: uppercase;
}

.input-field {
  width: 100%;
  background: #F4F2EE;
  border: 2px solid transparent;
  border-radius: 16px;
  padding: 14px 16px 14px 48px;
  font-family: 'Satoshi', sans-serif;
  font-size: 14px;
  font-weight: 500;
  outline: none;
  transition: all 0.2s;
  color: #1A1A1A;
}
.input-field:focus {
  border-color: #FF6B35;
  background: white;
  box-shadow: 0 0 0 4px rgba(255,107,53,0.08);
}
.input-field::placeholder { color: #ADAG9F; }

.skeleton {
  background: linear-gradient(90deg, #F0EDE8 25%, #E8E4DF 50%, #F0EDE8 75%);
  background-size: 200% 100%;
  animation: shimmer 1.5s infinite;
  border-radius: 12px;
}

.toast {
  position: fixed;
  bottom: 100px;
  left: 50%;
  transform: translateX(-50%);
  background: #1A1A1A;
  color: white;
  padding: 12px 20px;
  border-radius: 100px;
  font-size: 13px;
  font-weight: 600;
  z-index: 999;
  white-space: nowrap;
  box-shadow: 0 8px 24px rgba(0,0,0,0.2);
  animation: slideUp 0.3s ease, fadeIn 0.3s ease;
}
```

```
.rating-badge {
  display: inline-flex;
  align-items: center;
  gap: 4px;
  background: white;
  padding: 5px 10px;
  border-radius: 100px;
  font-size: 12px;
  font-weight: 800;
  box-shadow: 0 2px 8px rgba(0,0,0,0.12);
}

.promo-card {
  border-radius: 28px;
  padding: 24px;
  position: relative;
  overflow: hidden;
  flex-shrink: 0;
  width: 240px;
  color: white;
  cursor: pointer;
  transition: transform 0.2s;
}
.promo-card:hover { transform: scale(1.02); }

.status-badge {
  display: inline-flex;
  align-items: center;
  gap: 6px;
  padding: 6px 12px;
  border-radius: 100px;
  font-size: 11px;
  font-weight: 800;
  letter-spacing: 0.04em;
  text-transform: uppercase;
}

.qty-btn {
  width: 32px;
  height: 32px;
  border-radius: 10px;
  border: none;
  cursor: pointer;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 18px;
```

```
  font-weight: 700;
  transition: all 0.15s;
}
.qty-btn:active { transform: scale(0.92); }

.order-timeline {
  position: relative;
  padding-left: 28px;
}
.order-timeline::before {
  content: '';
  position: absolute;
  left: 8px;
  top: 8px;
  bottom: 8px;
  width: 2px;
  background: linear-gradient(to bottom, #FF6B35, #F0EDE8);
}

.timeline-dot {
  position: absolute;
  left: 0;
  width: 18px;
  height: 18px;
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 9px;
}

.review-card {
  background: #F8F6F2;
  border-radius: 20px;
  padding: 16px;
  flex-shrink: 0;
  width: 220px;
}

.switch {
  position: relative;
  width: 48px;
  height: 28px;
  background: #E0DDD8;
  border-radius: 100px;
  cursor: pointer;
  transition: background 0.2s;
```

```
    border: none;
    flex-shrink: 0;
  }
  .switch.on { background: #FF6B35; }
  .switch::after {
    content: '';
    position: absolute;
    top: 3px;
    left: 3px;
    width: 22px;
    height: 22px;
    background: white;
    border-radius: 50%;
    transition: transform 0.2s;
    box-shadow: 0 2px 4px rgba(0,0,0,0.15);
  }
  .switch.on::after { transform: translateX(20px); }
`;

// ─── ICON SVGs (inline, no external dep) ──────────────────────────────────
const Icon = ({ name, size = 20, color = "currentColor", fill = "none" }) => {
  const paths = {
    home: <><path d="M3 9.5L12 3l9 6.5V20a1 1 0 01-1 1H4a1 1 0 01-1-1V9.5z" strok
    clock: <><circle cx="12" cy="12" r="9" strokeWidth="1.8" stroke={color}/><pat
    bag: <><path d="M6 2L3 6v14a2 2 0 002 2h14a2 2 0 002-2V6l-3-4z" strokeWidth="
    user: <><path d="M20 21v-2a4 4 0 00-4-4H8a4 4 0 00-4 4v2" strokeWidth="1.8" s
    star: <path d="M12 2l3.09 6.26L22 9.27l-5 4.87 1.18 6.88L12 17.77l-6.18 3.25L
    search: <><circle cx="11" cy="11" r="8" strokeWidth="1.8" stroke={color}/><pa
    map: <><path d="M21 10c0 7-9 13-9 13s-9-6-9-13a9 9 0 0118 0z" strokeWidth="1.
    plus: <><line x1="12" y1="5" x2="12" y2="19" strokeWidth="2" stroke={color} s
    minus: <line x1="5" y1="12" x2="19" y2="12" strokeWidth="2" stroke={color} st
    trash: <><polyline points="3,6 5,6 21,6" strokeWidth="1.8" stroke={color}/><p
    arrow: <><line x1="19" y1="12" x2="5" y2="12" strokeWidth="2" stroke={color}
    check: <><path d="M22 11.08V12a10 10 0 11-5.93-9.14" strokeWidth="1.8" stroke
    truck: <><rect x="1" y="3" width="15" height="13" strokeWidth="1.8" stroke={c
    heart: <path d="M20.84 4.61a5.5 5.5 0 00-7.78 0L12 5.67l-1.06-1.06a5.5 5.5 0
    dollar: <><line x1="12" y1="1" x2="12" y2="23" strokeWidth="1.8" stroke={colo
    nav: <><polygon points="3,11 22,2 13,21 11,13 3,11" strokeWidth="1.8" stroke=
    settings: <><circle cx="12" cy="12" r="3" strokeWidth="1.8" stroke={color}/><
    fire: <path d="M12 2c0 0-5 4-5 10a5 5 0 0010 0c0-2-1-4-2-5 0 3-2 4-3 4s-2-1-2
    info: <><circle cx="12" cy="12" r="10" strokeWidth="1.8" stroke={color}/><lin
    copy: <><rect x="9" y="9" width="13" height="13" rx="2" strokeWidth="1.8" str
    wifi: <><path d="M5 12.55a11 11 0 0114.08 0" strokeWidth="1.8" stroke={color}
    utensils: <><path d="M3 2v7c0 1.1.9 2 2 2h4a2 2 0 002-2V2" strokeWidth="1.8"
  };
  return (
    <svg width={size} height={size} viewBox="0 0 24 24" fill={fill} xmlns="http:/
```

```
      {paths[name] || null}
    </svg>
  );
};

// ─── TOAST HOOK ──────────────────────────────────────────────────────────
function useToast() {
  const [toast, setToast] = useState(null);
  const show = (msg) => {
    setToast(msg);
    setTimeout(() => setToast(null), 2500);
  };
  return { toast, show };
}

// ─── MAIN APP ────────────────────────────────────────────────────────────
export default function App() {
  const [role, setRole] = useState("customer");
  const [view, setView] = useState("home");
  const [selectedRestaurant, setSelectedRestaurant] = useState(null);
  const [cart, setCart] = useState([]);
  const [orders, setOrders] = useState([]);
  const [favorites, setFavorites] = useState(["r2", "r3"]);
  const [activeTab, setActiveTab] = useState("home");
  const [searchQuery, setSearchQuery] = useState("");
  const [activeCategory, setActiveCategory] = useState(null);
  const [promoApplied, setPromoApplied] = useState(null);
  const [isOnline, setIsOnline] = useState(true);
  const [showReview, setShowReview] = useState(null);
  const { toast, show: showToast } = useToast();

  const navigate = (newView, tab = null) => {
    setView(newView);
    if (tab) setActiveTab(tab);
  };

  const addToCart = (item, restaurant) => {
    setCart((prev) => {
      const existing = prev.find((i) => i.id === item.id);
      if (existing) return prev.map((i) => i.id === item.id ? { ...i, qty: i.qty
      return [...prev, { ...item, qty: 1, restaurantName: restaurant.name, restau
    });
    showToast(`✓ ${item.name} added to cart`);
  };

  const updateQty = (itemId, delta) => {
    setCart((prev) => prev
```

```
    .map((i) => i.id === itemId ? { ...i, qty: i.qty + delta } : i)
    .filter((i) => i.qty > 0)
  );
};

const toggleFav = (id) => {
  setFavorites((prev) => prev.includes(id) ? prev.filter((f) => f !== id) : [..
};

const placeOrder = () => {
  const sub = cart.reduce((a, i) => a + i.price * i.qty, 0);
  const disc = promoApplied ? sub * 0.1 : 0;
  const newOrder = {
    id: `ORD-${Math.floor(Math.random() * 9000) + 1000}`,
    items: [...cart],
    subtotal: sub,
    discount: disc,
    delivery: 2.5,
    total: sub - disc + 2.5,
    status: "pending",
    timestamp: new Date().toLocaleTimeString([], { hour: "2-digit", minute: "2-
    date: new Date().toLocaleDateString("en-US", { month: "short", day: "numeri
    customerName: "Alex Johnson",
    address: "123 Tech Avenue, Silicon Valley",
    promo: promoApplied,
  };
  setOrders((p) => [newOrder, ...p]);
  setCart([]);
  setPromoApplied(null);
  navigate("orders", "orders");
  showToast("🎉 Order placed successfully!");
};

const updateOrderStatus = (orderId, status) => {
  setOrders((p) => p.map((o) => o.id === orderId ? { ...o, status } : o));
  showToast(`Order status updated: ${status}`);
};

const cartCount = cart.reduce((a, i) => a + i.qty, 0);
const cartTotal = cart.reduce((a, i) => a + i.price * i.qty, 0);

const filteredRestaurants = RESTAURANTS.filter((r) => {
  const matchSearch = !searchQuery || r.name.toLowerCase().includes(searchQuery
  const matchCat = !activeCategory || r.category === activeCategory;
  return matchSearch && matchCat;
});
```

```
// ── SCREENS ──────────────────────────────────────────────────────────────

const HomeScreen = () => (
  <div className="scrollbar-hide" style={{ overflowY: "auto", paddingBottom: 10
    {/* Header */}
    <div style={{ padding: "20px 24px 0", display: "flex", justifyContent: "spa
      <div>
        <div style={{ display: "flex", alignItems: "center", gap: 6, marginBott
          <Icon name="map" size={14} color="#FF6B35" />
          <span style={{ fontSize: 12, color: "#FF6B35", fontWeight: 700, lette
        </div>
        <div style={{ display: "flex", alignItems: "center", gap: 4 }}>
          <span className="clash" style={{ fontSize: 17, fontWeight: 700 }}>123
          <span style={{ fontSize: 14 }}>▾</span>
        </div>
      </div>
      <button
        onClick={() => navigate("profile", "profile")}
        style={{ width: 44, height: 44, borderRadius: 14, background: "#1A1A1A"
      >
        <span style={{ fontSize: 20 }}>👤</span>
      </button>
    </div>

    {/* Search */}
    <div style={{ padding: "16px 24px" }}>
      <div style={{ position: "relative" }}>
        <Icon name="search" size={18} color="#A0A0A0" style={{ position: "absol
        <svg width="18" height="18" viewBox="0 0 24 24" fill="none" style={{ po
          <circle cx="11" cy="11" r="8" stroke="#A0A0A0" strokeWidth="1.8"/>
          <path d="M21 21l-4.35-4.35" stroke="#A0A0A0" strokeWidth="1.8" stroke
        </svg>
        <input
          className="input-field"
          placeholder="Find restaurants or cuisine..."
          value={searchQuery}
          onChange={(e) => setSearchQuery(e.target.value)}
        />
        {searchQuery && (
          <button onClick={() => setSearchQuery("")} style={{ position: "absolu
        )}
      </div>
    </div>

    {/* Promos */}
    {!searchQuery && (
      <div style={{ paddingBottom: 4 }}>
```

```
    <div className="scrollbar-hide" style={{ display: "flex", gap: 12, padd
      {PROMOS.map((p) => (
        <div key={p.id} className="promo-card" style={{ background: `linear
          onClick={() => { setPromoApplied(p.code); showToast(`Promo "${p.c
          <div style={{ fontSize: 32, marginBottom: 8 }}>{p.icon}</div>
          <div className="clash" style={{ fontSize: 22, fontWeight: 700, ma
          <div style={{ fontSize: 12, opacity: 0.85, marginBottom: 12 }}>{p
          <div style={{ background: "rgba(255,255,255,0.25)", display: "inl
        </div>
      ))}
    </div>
  </div>
)}

{/* Categories */}
{!searchQuery && (
  <div style={{ padding: "20px 0 0" }}>
    <div style={{ display: "flex", justifyContent: "space-between", alignIt
      <span className="clash" style={{ fontSize: 18, fontWeight: 700 }}>Cat
      {activeCategory && <button onClick={() => setActiveCategory(null)} st
    </div>
    <div className="scrollbar-hide" style={{ display: "flex", gap: 12, padd
      {CATEGORIES.map((c) => (
        <button key={c.id} onClick={() => setActiveCategory(activeCategory
          style={{ flexShrink: 0, display: "flex", flexDirection: "column",
          <div style={{ width: 64, height: 64, borderRadius: 20, background
            {c.emoji}
          </div>
          <span style={{ fontSize: 11, fontWeight: 700, color: activeCatego
        </button>
      ))}
    </div>
  </div>
)}

{/* Restaurants */}
<div style={{ padding: "24px 24px 0" }}>
  <div style={{ display: "flex", justifyContent: "space-between", alignItem
    <span className="clash" style={{ fontSize: 18, fontWeight: 700 }}>
      {searchQuery ? `Results for "${searchQuery}"` : activeCategory ? acti
    </span>
    <span style={{ fontSize: 12, color: "#A0A0A0", fontWeight: 600 }}>{filt
  </div>

  {filteredRestaurants.length === 0 ? (
    <div style={{ textAlign: "center", padding: "40px 0" }}>
      <div style={{ fontSize: 48, marginBottom: 12 }}>🔍</div>
```

```
    <div className="clash" style={{ fontSize: 18, fontWeight: 700, margin
    <div style={{ color: "#A0A0A0", fontSize: 14 }}>Try a different searc
  </div>
) : (
  <div style={{ display: "flex", flexDirection: "column", gap: 16 }}>
    {filteredRestaurants.map((r, i) => (
      <div key={r.id} className="card animate-slide-up" style={{ animatio
        onClick={() => { setSelectedRestaurant(r); navigate("menu"); }}>
        <div style={{ position: "relative", height: 180, overflow: "hidde
          <img src={r.image} alt={r.name} style={{ width: "100%", height:
          <div style={{ position: "absolute", inset: 0, background: "line
          <div style={{ position: "absolute", top: 12, left: 12 }}>
            <span style={{ background: "white", padding: "4px 10px", bord
          </div>
          <div style={{ position: "absolute", top: 12, right: 12, display
            <button onClick={(e) => { e.stopPropagation(); toggleFav(r.id
              <svg width="16" height="16" viewBox="0 0 24 24" fill={favor
                <path d="M20.84 4.61a5.5 5.5 0 00-7.78 0L12 5.67l-1.06-1.
              </svg>
            </button>
          </div>
          <div style={{ position: "absolute", bottom: 12, left: 12 }}>
            <div className="rating-badge">
              <span style={{ color: "#F59E0B", fontSize: 14 }}>★</span>
              <span style={{ fontSize: 13, fontWeight: 800 }}>{r.rating}<
              <span style={{ color: "#A0A0A0", fontWeight: 600, fontSize:
            </div>
          </div>
        </div>
        <div style={{ padding: "14px 16px 16px" }}>
          <div style={{ display: "flex", justifyContent: "space-between",
            <div className="clash" style={{ fontSize: 17, fontWeight: 700
            <span className="tag">{r.category}</span>
          </div>
          <div style={{ color: "#A0A0A0", fontSize: 13, marginBottom: 10
          <div style={{ display: "flex", gap: 16 }}>
            <div style={{ display: "flex", alignItems: "center", gap: 5,
              <svg width="14" height="14" viewBox="0 0 24 24" fill="none"
              {r.time}
            </div>
            <div style={{ display: "flex", alignItems: "center", gap: 5,
              <svg width="14" height="14" viewBox="0 0 24 24" fill="none"
              {r.fee} delivery
            </div>
          </div>
        </div>
      </div>
```

```
          ))}
        </div>
      )}
    </div>
  </div>
);

const MenuScreen = () => {
  if (!selectedRestaurant) return null;
  const r = selectedRestaurant;
  return (
    <div className="scrollbar-hide animate-slide-right" style={{ overflowY: "au
      <div style={{ position: "relative", height: 260 }}>
        <img src={r.image} alt={r.name} style={{ width: "100%", height: "100%",
        <div style={{ position: "absolute", inset: 0, background: "linear-gradi
        <button onClick={() => navigate("home", "home")} style={{ position: "ab
          <svg width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="#
        </button>
        <button onClick={() => toggleFav(r.id)} style={{ position: "absolute",
          <svg width="18" height="18" viewBox="0 0 24 24" fill={favorites.inclu
        </button>
      </div>

      <div style={{ padding: "0 24px" }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignIt
          <div className="clash" style={{ fontSize: 24, fontWeight: 700, lineHe
          <div style={{ display: "flex", alignItems: "center", gap: 4, backgrou
            <span style={{ color: "#F59E0B" }}>★</span>
            <span style={{ fontWeight: 800, fontSize: 15 }}>{r.rating}</span>
          </div>
        </div>
        <p style={{ color: "#A0A0A0", fontSize: 13, marginBottom: 12 }}>{r.tagl
        <div style={{ display: "flex", gap: 12, marginBottom: 24 }}>
          <span style={{ background: "#F8F6F2", padding: "6px 12px", borderRadi
            <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke=
            {r.time}
          </span>
          <span style={{ background: "#F8F6F2", padding: "6px 12px", borderRadi
            <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke=
            {r.fee} delivery
          </span>
        </div>

        <div style={{ display: "flex", justifyContent: "space-between", alignIt
          <div className="clash" style={{ fontSize: 18, fontWeight: 700 }}>Menu
          <span style={{ color: "#A0A0A0", fontSize: 13, fontWeight: 600 }}>{r.
        </div>
```

```
<div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
  {r.menu.map((item) => {
    const inCart = cart.find((c) => c.id === item.id);
    return (
      <div key={item.id} style={{ background: "white", borderRadius: 20
        <div style={{ width: 64, height: 64, borderRadius: 16, backgrou
        <div style={{ flex: 1, minWidth: 0 }}>
          <div style={{ display: "flex", alignItems: "center", gap: 6,
            <span style={{ fontWeight: 700, fontSize: 14 }}>{item.name}
            {item.popular && <span style={{ background: "#FFF2ED", colo
          </div>
          <div style={{ color: "#A0A0A0", fontSize: 12, marginBottom: 6
          <div style={{ display: "flex", alignItems: "center", gap: 8 }
            <span style={{ color: "#FF6B35", fontWeight: 800, fontSize:
            <span style={{ color: "#C0C0C0", fontSize: 11, fontWeight:
          </div>
        </div>
        <div style={{ flexShrink: 0 }}>
          {inCart ? (
            <div style={{ display: "flex", alignItems: "center", gap: 8
              <button className="qty-btn" onClick={() => updateQty(item
              <span style={{ color: "white", fontWeight: 800, fontSize:
              <button className="qty-btn" onClick={() => addToCart(item
            </div>
          ) : (
            <button onClick={() => addToCart(item, r)} style={{ width:
          )}
        </div>
      </div>
    );
  })}
</div>

{/* Reviews preview */}
<div style={{ marginTop: 24, marginBottom: 8 }}>
  <div className="clash" style={{ fontSize: 18, fontWeight: 700, margin
  <div className="scrollbar-hide" style={{ display: "flex", gap: 12, ov
    {[{ name: "Sarah M.", text: "Absolutely amazing! Best I've had in t
      <div key={i} className="review-card">
        <div style={{ display: "flex", justifyContent: "space-between",
          <span style={{ fontWeight: 700, fontSize: 13 }}>{rv.name}</sp
          <span style={{ color: "#A0A0A0", fontSize: 11 }}>{rv.time}</s
        </div>
        <div style={{ color: "#F59E0B", fontSize: 12, marginBottom: 6 }
        <div style={{ color: "#666", fontSize: 12, lineHeight: 1.5 }}>{
      </div>
```

```
            ))}
          </div>
        </div>
      </div>

      {cartCount > 0 && (
        <div style={{ position: "fixed", bottom: 24, left: 24, right: 24, maxWi
          <button className="btn-primary animate-bounce-in" onClick={() => navi
            <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
              <div style={{ background: "rgba(255,255,255,0.25)", width: 32, he
              <span>View Cart</span>
            </div>
            <span style={{ fontWeight: 900 }}>${cartTotal.toFixed(2)}</span>
          </button>
        </div>
      )}
    </div>
  );
};

const CartScreen = () => {
  const sub = cartTotal;
  const disc = promoApplied ? sub * 0.1 : 0;
  const total = sub - disc + 2.5;

  return (
    <div className="animate-slide-right" style={{ overflowY: "auto", paddingBot
      <div style={{ display: "flex", alignItems: "center", gap: 12, padding: "2
        <button onClick={() => navigate(selectedRestaurant ? "menu" : "home")}
          <svg width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="#
        </button>
        <div className="clash" style={{ fontSize: 22, fontWeight: 700 }}>My Car
      </div>

      {cart.length === 0 ? (
        <div style={{ textAlign: "center", padding: "60px 24px" }}>
          <div style={{ fontSize: 64, marginBottom: 16 }}>🛒</div>
          <div className="clash" style={{ fontSize: 20, fontWeight: 700, margin
          <p style={{ color: "#A0A0A0", fontSize: 14, marginBottom: 24 }}>Add s
          <button className="btn-primary" onClick={() => navigate("home", "home
        </div>
      ) : (
        <div style={{ padding: "0 24px" }}>
          <div style={{ background: "white", borderRadius: 24, padding: "8px 16
            {cart.map((item, i) => (
              <div key={item.id}>
                {i > 0 && <div style={{ height: 1, background: "#F4F2EE", margi
```

```
      <div style={{ display: "flex", alignItems: "center", padding: "
        <div style={{ width: 48, height: 48, borderRadius: 14, backgr
          {RESTAURANTS.find(r => r.id === item.restaurantId)?.menu.fi
        </div>
        <div style={{ flex: 1 }}>
          <div style={{ fontWeight: 700, fontSize: 14, marginBottom:
          <div style={{ color: "#FF6B35", fontWeight: 800, fontSize:
        </div>
        <div style={{ display: "flex", alignItems: "center", gap: 8 }
          <button className="qty-btn" onClick={() => updateQty(item.i
          <span style={{ fontWeight: 800, minWidth: 20, textAlign: "c
          <button className="qty-btn" onClick={() => updateQty(item.i
        </div>
      </div>
    </div>
  ))}
</div>

{/* Promo code */}
<div style={{ background: "white", borderRadius: 20, padding: "16px",
  <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
    <svg width="18" height="18" viewBox="0 0 24 24" fill="none" strok
    <div style={{ flex: 1, fontWeight: 600, fontSize: 14, color: prom
      {promoApplied ? `✓ Promo "${promoApplied}" applied — 10% off!`
    </div>
    {promoApplied && <button onClick={() => setPromoApplied(null)} st
  </div>
</div>

{/* Summary */}
<div style={{ background: "white", borderRadius: 20, padding: "20px",
  <div className="clash" style={{ fontSize: 16, fontWeight: 700, marg
  <div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
    <div style={{ display: "flex", justifyContent: "space-between", c
      <span>Subtotal</span><span style={{ fontWeight: 700, color: "#1
    </div>
    {disc > 0 && <div style={{ display: "flex", justifyContent: "spac
      <span>Promo discount</span><span style={{ fontWeight: 700 }}>-$
    </div>}
    <div style={{ display: "flex", justifyContent: "space-between", c
      <span>Delivery fee</span><span style={{ fontWeight: 700, color:
    </div>
    <div style={{ height: 1, background: "#F4F2EE" }} />
    <div style={{ display: "flex", justifyContent: "space-between", f
      <span>Total</span><span style={{ color: "#FF6B35" }}>${total.to
    </div>
  </div>
```

```
          </div>

          {/* Delivery address */}
          <div style={{ background: "white", borderRadius: 20, padding: "16px",
            <div style={{ width: 40, height: 40, borderRadius: 14, background:
              <svg width="18" height="18" viewBox="0 0 24 24" fill="none" strok
            </div>
            <div style={{ flex: 1 }}>
              <div style={{ fontSize: 11, color: "#A0A0A0", fontWeight: 700, le
              <div style={{ fontWeight: 700, fontSize: 14 }}>123 Tech Avenue, S
            </div>
            <span style={{ color: "#FF6B35", fontWeight: 700, fontSize: 13 }}>C
          </div>

          <button className="btn-primary" onClick={placeOrder} style={{ width:
            Place Order • ${total.toFixed(2)}
          </button>
        </div>
      )}
    </div>
  );
};

const OrdersScreen = () => (
  <div style={{ overflowY: "auto", paddingBottom: 100 }}>
    <div style={{ padding: "20px 24px 16px" }}>
      <div className="clash" style={{ fontSize: 22, fontWeight: 700, marginBott
      <div style={{ color: "#A0A0A0", fontSize: 13 }}>{orders.length} orders to
    </div>

    {orders.length === 0 ? (
      <div style={{ textAlign: "center", padding: "60px 24px" }}>
        <div style={{ fontSize: 64, marginBottom: 16 }}>📦</div>
        <div className="clash" style={{ fontSize: 20, fontWeight: 700, marginBo
        <p style={{ color: "#A0A0A0", fontSize: 14, marginBottom: 24 }}>Start o
        <button className="btn-primary" onClick={() => navigate("home", "home")
      </div>
    ) : (
      <div style={{ padding: "0 24px", display: "flex", flexDirection: "column"
        {orders.map((order) => {
          const statusMap = {
            pending: { label: "Pending", bg: "#FFF7ED", color: "#F59E0B", dot:
            preparing: { label: "Preparing", bg: "#F0FDF4", color: "#10B981", d
            ready: { label: "Ready", bg: "#EEF2FF", color: "#6366F1", dot: "#63
            delivering: { label: "On the way", bg: "#EFF6FF", color: "#3B82F6",
            completed: { label: "Delivered", bg: "#F0FDF4", color: "#10B981", d
          };
```

```
      const s = statusMap[order.status] || statusMap.pending;
      return (
        <div key={order.id} style={{ background: "white", borderRadius: 24,
          <div style={{ padding: "16px 18px", borderBottom: "1px solid #F4F
            <div style={{ display: "flex", justifyContent: "space-between",
              <span className="clash" style={{ fontWeight: 700, fontSize: 1
              <div className="status-badge" style={{ background: s.bg, colo
                <div style={{ width: 6, height: 6, borderRadius: "50%", bac
                {s.label}
              </div>
            </div>
            <div style={{ color: "#A0A0A0", fontSize: 12 }}>{order.date} •
          </div>
          <div style={{ padding: "12px 18px", borderBottom: "1px solid #F4F
            {order.items.map((item, i) => (
              <div key={i} style={{ display: "flex", justifyContent: "space
                <span>{item.qty}× {item.name}</span>
                <span style={{ fontWeight: 700, color: "#1A1A1A" }}>${(item
              </div>
            ))}
          </div>
          <div style={{ padding: "12px 18px", display: "flex", justifyConte
            <div>
              {order.discount > 0 && <div style={{ fontSize: 11, color: "#1
              <div style={{ fontSize: 12, color: "#A0A0A0" }}>Total paid</d
              <div className="clash" style={{ fontWeight: 700, fontSize: 18
            </div>
            {order.status === "completed" && (
              <button className="btn-primary" style={{ padding: "10px 18px"
            )}
          </div>

          {order.status === "delivering" && (
            <div style={{ margin: "0 18px 14px", background: "#EFF6FF", bor
              <div style={{ width: 36, height: 36, borderRadius: 12, backgr
                <svg width="18" height="18" viewBox="0 0 24 24" fill="none"
              </div>
              <div style={{ flex: 1 }}>
                <div style={{ fontWeight: 700, fontSize: 13, color: "#3B82F
                <div style={{ fontSize: 11, color: "#A0A0A0" }}>Driver: Sam
              </div>
            </div>
          )}
        </div>
      );
    })}
  </div>
```

```
    )}
  </div>
);

const FavoritesScreen = () => {
  const favRests = RESTAURANTS.filter((r) => favorites.includes(r.id));
  return (
    <div style={{ overflowY: "auto", paddingBottom: 100 }}>
      <div style={{ padding: "20px 24px 16px" }}>
        <div className="clash" style={{ fontSize: 22, fontWeight: 700, marginBo
        <div style={{ color: "#A0A0A0", fontSize: 13 }}>{favRests.length} saved
      </div>
      {favRests.length === 0 ? (
        <div style={{ textAlign: "center", padding: "60px 24px" }}>
          <div style={{ fontSize: 64, marginBottom: 16 }}>❤️</div>
          <div className="clash" style={{ fontSize: 20, fontWeight: 700, margin
          <p style={{ color: "#A0A0A0", fontSize: 14, marginBottom: 24 }}>Heart
          <button className="btn-primary" onClick={() => navigate("home", "home
        </div>
      ) : (
        <div style={{ padding: "0 24px", display: "flex", flexDirection: "colum
          {favRests.map((r) => (
            <div key={r.id} className="card" style={{ display: "flex", gap: 12,
              onClick={() => { setSelectedRestaurant(r); navigate("menu"); }}>
              <img src={r.image} alt={r.name} style={{ width: 80, height: 80, b
              <div style={{ flex: 1, minWidth: 0 }}>
                <div style={{ fontWeight: 700, fontSize: 15, marginBottom: 2 }}
                <div style={{ color: "#A0A0A0", fontSize: 12, marginBottom: 6 }
                <div style={{ display: "flex", alignItems: "center", gap: 10 }}
                  <span style={{ color: "#F59E0B", fontSize: 12, fontWeight: 70
                  <span style={{ color: "#A0A0A0", fontSize: 12 }}>{r.time}</sp
                </div>
              </div>
              <button onClick={(e) => { e.stopPropagation(); toggleFav(r.id); }
            </div>
          ))}
        </div>
      )}
    </div>
  );
};

const ProfileScreen = () => (
  <div style={{ overflowY: "auto", paddingBottom: 100 }}>
    {/* Profile header */}
    <div style={{ background: "linear-gradient(135deg, #1A1A1A, #2D2D2D)", padd
      <div style={{ position: "absolute", top: -40, right: -40, width: 160, hei
```

```
  <div style={{ position: "absolute", bottom: -20, left: -20, width: 100, h
  <div style={{ display: "flex", alignItems: "center", gap: 16, position: "
    <div style={{ width: 72, height: 72, borderRadius: 24, background: "#FF
    <div>
      <div className="clash" style={{ fontSize: 22, fontWeight: 700, color:
      <div style={{ color: "rgba(255,255,255,0.5)", fontSize: 13 }}>alex@ex
      <div style={{ display: "flex", gap: 8, marginTop: 8 }}>
        <span style={{ background: "rgba(255,107,53,0.2)", color: "#FF6B35"
        <span style={{ background: "rgba(255,255,255,0.1)", color: "rgba(25
      </div>
    </div>
  </div>
</div>

{/* Stats */}
<div style={{ margin: "-24px 24px 0", background: "white", borderRadius: 24
  {[{ label: "Orders", val: orders.length }, { label: "Favorites", val: fav
    <div key={s.label} style={{ textAlign: "center" }}>
      <div className="clash" style={{ fontSize: 24, fontWeight: 700, color:
      <div style={{ fontSize: 11, color: "#A0A0A0", fontWeight: 600 }}>{s.l
    </div>
  ))}
</div>

{/* Role switcher */}
<div style={{ margin: "20px 24px 0", background: "white", borderRadius: 20,
  <div style={{ fontSize: 11, color: "#A0A0A0", fontWeight: 800, letterSpac
  <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", gap: 8
    {[{ id: "customer", label: "Customer", icon: "🛍️" }, { id: "restaurant"
      <button key={r.id} onClick={() => { setRole(r.id); navigate("home", "
        <div style={{ fontSize: 22, marginBottom: 4 }}>{r.icon}</div>
        <div style={{ fontSize: 11, fontWeight: 800, color: role === r.id ?
      </button>
    ))}
  </div>
</div>

{/* Settings */}
<div style={{ margin: "16px 24px 0", background: "white", borderRadius: 20,
  {[{ icon: "📍", label: "Saved Addresses", sub: "2 saved locations" }, { i
    <div key={i}>
      {i > 0 && <div style={{ height: 1, background: "#F4F2EE", margin: "0
      <div style={{ display: "flex", alignItems: "center", gap: 14, padding
        <div style={{ width: 40, height: 40, borderRadius: 14, background:
        <div style={{ flex: 1 }}>
          <div style={{ fontWeight: 700, fontSize: 14 }}>{item.label}</div>
          <div style={{ color: "#A0A0A0", fontSize: 12 }}>{item.sub}</div>
```

```
            </div>
            {item.toggle ? (
              <button className={`switch ${item.label === "Notifications" ? "on
            ) : (
              <svg width="16" height="16" viewBox="0 0 24 24" fill="none" strok
            )}
          </div>
        </div>
      ))}
    </div>

    <div style={{ padding: "20px 24px" }}>
      <button onClick={() => showToast("Signed out")} style={{ width: "100%", p
    </div>
  </div>
);

// ── RESTAURANT DASHBOARD ──────────────────────────────────────────────────
const RestaurantDashboard = () => (
  <div style={{ overflowY: "auto", paddingBottom: 100 }}>
    <div style={{ padding: "20px 24px 16px", display: "flex", justifyContent: "
      <div>
        <div className="clash" style={{ fontSize: 22, fontWeight: 700 }}>Kitche
        <div style={{ color: "#A0A0A0", fontSize: 13 }}>The Burger Joint</div>
      </div>
      <div style={{ display: "flex", alignItems: "center", gap: 6, background:
        <div style={{ width: 8, height: 8, borderRadius: "50%", background: "#1
        <span style={{ fontSize: 12, fontWeight: 800, color: "#10B981" }}>Open<
      </div>
    </div>

    <div style={{ padding: "0 24px", display: "grid", gridTemplateColumns: "1fr
      {[{ label: "Today's Revenue", val: "$1,450", color: "#FF6B35", dark: true
        <div key={i} style={{ background: s.dark ? "#FF6B35" : "white", borderR
          <div style={{ fontSize: 11, fontWeight: 700, letterSpacing: "0.04em",
          <div className="clash" style={{ fontSize: 26, fontWeight: 700, color:
        </div>
      ))}
    </div>

    <div style={{ padding: "0 24px" }}>
      <div className="clash" style={{ fontSize: 18, fontWeight: 700, marginBott
      {orders.filter(o => o.status !== "completed").length === 0 ? (
        <div style={{ textAlign: "center", padding: "40px", background: "white"
          <div style={{ fontSize: 40, marginBottom: 8 }}>✅</div>
          <div style={{ fontWeight: 700 }}>All caught up!</div>
        </div>
```

```
      ) : (
        <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
          {orders.filter(o => o.status !== "completed").map(order => (
            <div key={order.id} style={{ background: "white", borderRadius: 20,
              <div style={{ display: "flex", justifyContent: "space-between", m
                <div>
                  <div style={{ fontWeight: 800, fontSize: 15 }}>{order.id}</di
                  <div style={{ color: "#A0A0A0", fontSize: 12 }}>{order.custom
                </div>
                <div style={{ fontSize: 11, fontWeight: 800, padding: "4px 10px
              </div>
              <div style={{ background: "#F8F6F2", borderRadius: 12, padding: "
                {order.items.map((item, i) => (
                  <div key={i} style={{ fontSize: 13, color: "#666", padding: "
                ))}
              </div>
              <div style={{ display: "flex", gap: 8 }}>
                {order.status === "pending" && (
                  <button className="btn-primary" onClick={() => updateOrderSta
                )}
                {order.status === "preparing" && (
                  <button onClick={() => updateOrderStatus(order.id, "ready")}
                )}
                {order.status === "ready" && (
                  <div style={{ flex: 1, textAlign: "center", padding: "12px",
                )}
              </div>
            </div>
          ))}
        </div>
      )}
    </div>
  </div>
);

// ─── DRIVER APP ──────────────────────────────────────────────────────────
const DriverApp = () => (
  <div style={{ overflowY: "auto", paddingBottom: 100 }}>
    <div style={{ background: "#1A1A1A", padding: "24px 24px 32px", position: "
      <div style={{ position: "absolute", top: -30, right: -30, width: 120, hei
      <div style={{ display: "flex", justifyContent: "space-between", alignItem
        <div>
          <div style={{ color: "rgba(255,255,255,0.5)", fontSize: 12, fontWeigh
          <div className="clash" style={{ fontSize: 22, fontWeight: 700, color:
        </div>
        <button onClick={() => setIsOnline(!isOnline)} style={{ display: "flex"
          <div style={{ width: 8, height: 8, borderRadius: "50%", background: i
```

```
        <span style={{ color: isOnline ? "#10B981" : "#999", fontSize: 12, fo
      </button>
    </div>
    <div style={{ background: "rgba(255,255,255,0.07)", borderRadius: 20, pad
      {[{ label: "Earnings", val: "$128" }, { label: "Deliveries", val: "8" }
        <div key={s.label} style={{ textAlign: "center" }}>
          <div className="clash" style={{ fontSize: 22, fontWeight: 700, colo
          <div style={{ fontSize: 11, color: "rgba(255,255,255,0.5)", fontWei
        </div>
      ))}
    </div>
  </div>

  <div style={{ padding: "20px 24px" }}>
    <div className="clash" style={{ fontSize: 18, fontWeight: 700, marginBott
    {!isOnline ? (
      <div style={{ textAlign: "center", padding: "40px", background: "white"
        <div style={{ fontSize: 40, marginBottom: 8 }}>😴</div>
        <div style={{ fontWeight: 700 }}>You're offline</div>
        <div style={{ fontSize: 13, marginTop: 4 }}>Toggle online to see orde
      </div>
    ) : orders.filter(o => o.status === "ready" || o.status === "delivering")
      <div style={{ textAlign: "center", padding: "40px", background: "white"
        <div style={{ fontSize: 40, marginBottom: 8 }}>⏳</div>
        <div style={{ fontWeight: 700 }}>No pickups yet</div>
        <div style={{ fontSize: 13, marginTop: 4 }}>Waiting for ready orders.
      </div>
    ) : (
      <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
        {orders.filter(o => o.status === "ready" || o.status === "delivering"
          <div key={order.id} style={{ background: "white", borderRadius: 20,
            <div style={{ display: "flex", justifyContent: "space-between", m
              <span style={{ fontWeight: 800, color: "#FF6B35" }}>{order.id}<
              <span style={{ background: "#F0FDF4", color: "#10B981", fontSiz
            </div>
            <div style={{ position: "relative", paddingLeft: 24, marginBottom
              <div style={{ position: "absolute", left: 0, top: 4, width: 12,
              <div style={{ position: "absolute", left: 5, top: 16, width: 2,
              <div style={{ position: "absolute", left: 0, bottom: 2, width:
              <div style={{ marginBottom: 20 }}>
                <div style={{ fontSize: 10, color: "#A0A0A0", fontWeight: 800
                <div style={{ fontWeight: 700, fontSize: 13 }}>Gourmet Plaza,
              </div>
              <div>
                <div style={{ fontSize: 10, color: "#A0A0A0", fontWeight: 800
                <div style={{ fontWeight: 700, fontSize: 13 }}>{order.address
              </div>
```

```
              </div>
              {order.status === "ready" ? (
                <button className="btn-primary" onClick={() => updateOrderStatu
              ) : (
                <button onClick={() => updateOrderStatus(order.id, "completed")
              )}
            </div>
          ))}
        </div>
      )}
    </div>
  </div>
);

// ─── RENDER ──────────────────────────────────────────────────────────────
const renderView = () => {
  if (role === "restaurant") return <RestaurantDashboard />;
  if (role === "driver") return <DriverApp />;
  switch (view) {
    case "menu": return <MenuScreen />;
    case "cart": return <CartScreen />;
    case "orders": return <OrdersScreen />;
    case "favorites": return <FavoritesScreen />;
    case "profile": return <ProfileScreen />;
    default: return <HomeScreen />;
  }
};

const navItems = role === "customer" ? [
  { id: "home", label: "Home", icon: "🏠", view: "home" },
  { id: "favorites", label: "Saved", icon: "❤️", view: "favorites" },
  { id: "orders", label: "Orders", icon: "📦", view: "orders" },
  { id: "profile", label: "Profile", icon: "👤", view: "profile" },
] : role === "restaurant" ? [
  { id: "home", label: "Dashboard", icon: "📊", view: "home" },
  { id: "orders", label: "Orders", icon: "🍳", view: "orders" },
  { id: "profile", label: "Account", icon: "👤", view: "profile" },
] : [
  { id: "home", label: "Map", icon: "🗺️", view: "home" },
  { id: "orders", label: "History", icon: "📋", view: "orders" },
  { id: "profile", label: "Earnings", icon: "💰", view: "profile" },
];

return (
  <>
    <style>{styles}</style>
    <div className="food-app" style={{ display: "flex", flexDirection: "column"
```

```
        {/* Main Content */}
        <div style={{ flex: 1, overflow: "hidden", display: "flex", flexDirection
          {renderView()}
        </div>

        {/* Bottom Nav */}
        {view !== "cart" && (
          <nav className="nav-bar">
            {navItems.map((item) => (
              <button key={item.id} className={`nav-btn ${activeTab === item.id ?
                onClick={() => { navigate(item.view, item.id); setSelectedRestaur
                <div style={{ position: "relative" }}>
                  <span style={{ fontSize: 22 }}>{item.icon}</span>
                  {item.id === "orders" && orders.filter(o => o.status === "pendi
                    <div style={{ position: "absolute", top: -4, right: -6, width
                      {orders.filter(o => o.status === "pending" || o.status ===
                    </div>
                  )}
                  {item.id === "home" && role === "customer" && cartCount > 0 &&
                    <div onClick={(e) => { e.stopPropagation(); navigate("cart");
                  )}
                </div>
                <span style={{ color: activeTab === item.id ? "#FF6B35" : "#C0C0C
              </button>
            ))}
          </nav>
        )}

        {/* Toast */}
        {toast && <div className="toast">{toast}</div>}
      </div>
    </>
  );
}
```