

DOCUMENTATION

GIT COMMANDS

CREATING AND CLONING REPOSITORY

MINGW32:/c/Users/hp/Desktop/MarinogFinal/leizelmarinog.github.io

```
hp@hp-PC MINGW32 ~/Desktop
$ mkdir MarinogFinal

hp@hp-PC MINGW32 ~/Desktop
$ cd MarinogFinal

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal
$ git clone https://github.com/leizelmarinog/leizelmarinog.github.io.git
Cloning into 'leizelmarinog.github.io'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal
$ ls
leizelmarinog.github.io/

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal
$ cd leizelmarinog.github.io/

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ ls
sample.html

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ touch index.html
```

PUSHING AND COMMITTING

```
hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git commit -m "Add index.html"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'hp@hp-PC.(none)')

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git config --global user.email "leizelmarinog14@gmail.com"

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
```

```


hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git config --global user.name "Leizel"

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git add index.html

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git commit -m "Add index.html"
[main e3eba64] Add index.html
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html

hp@hp-PC MINGW32 ~/Desktop/MarinogFinal/leizelmarinog.github.io (main)
$ git push origin main
git push origin main
git push --force

```




DRAGGING AND COMMITTING WEB/HTML FILES

A screenshot of a GitHub repository page for "leizelmarinog / leizelmarinog.github.io". The page shows a list of files uploaded via the web interface. The repository has 1 branch (main) and 0 tags. The file list includes:

File Name	Upload Method	Time
FontAwesome.otf	Add files via upload	39 minutes ago
about.html	Add files via upload	39 minutes ago
fontawesome-webfont.eot	Add files via upload	39 minutes ago
fontawesome-webfont.svg	Add files via upload	39 minutes ago
fontawesome-webfont.ttf	Add files via upload	39 minutes ago
fontawesome-webfont.woff	Add files via upload	39 minutes ago
fontawesome-webfont.woff2	Add files via upload	39 minutes ago


The right sidebar shows the "About" section with the text "No description, website, or topics provided." Below it are sections for "Releases" (No releases published) and "Packages" (No packages published).



OUTPUT:

LINK: leizelmarinog.github.io





Activate Windows
Go to Settings to activate Windows.

