

# Project 1

Paweł Kempys

A cellular automaton is a discrete model studied in computer science, mathematics, physics, complexity science, theoretical biology and microstructure modeling. A cellular automaton consists of a regular grid of cells with can be in any finite number of dimensions. Main goal of this project is to implement application for grain growth simulation of steel microstructure with use of Cellular Automata methods.


## First attemp

Technology: Python  
Gui library: Tkinter


X space dimention		60
Y space dimention		50
Amount of grain		5
Neighbourhood type		Moore
Inclusion before symulation		
Amount	2	
Type	circual	
Size	10	
Inclusion after symulation		
Amount	2	
Type	square	
Size	5	
Start CA		
Find borders		

**Image 1.** Main menu.

User can define x space dimention, y space dimention, amount of grain and add inclusion before and after symulation.



**Photo 2.** Random generated microstructure



**Photo 3.** Random generated microstructure with added inclusion before and after simulation.

Problems:

- Python is a slow language and CA simulation needs a lot of computing power.
- Way of visualisation grain structure is ineffective because of problems with tkinter canvas.


## Second attemp

Project rebuild. Change 2D to 3D.


Technology: C++

Visualisation method: OpenGL


Process of creation 3D grain growth symulation.




1. Create basic OpenGL cube.




2. Build cube skelet wall.




3. Add colors to skelet.




4. Create big cube wiring net.




**Photo 4.** Creation of 40x40x40 cellular automata wire frame with contain 20 difference grains.



**Photo 5.** Creation of 120x120x120 cellular automata wire frame with contain 20 difference grains.



**Photo 6.** 2D projection of 120x120x120 grain matrix.



**Photo 7.** Corner visualisation.


**Modification of CA grain growth algorithm - influence of grain curvature.**



**Photo 8.** Probability 90%, matrix 300x300x10, 2D projection.




**Photo 9.** Probability 90%, matrix 300x300x10, 2D projection.



**Photo 10.** Influence of grain curvature in 3D model.

## Real comparison



Comparison of a generated image with 304L stainless steel sample

## Conclusion

A cellular automata is a collection of colored cells on a grid. The shapes of grains vary on the base of the neighbourhood and type of periodicity. Those rules are applied iteratively for as many time steps as desired to fill the whole grid. Those rules are applied iteratively for as many time steps as desired to fill the whole grid.