JS-Chat

- RESTful Service-based backend
- "Vanilla JS" Single Page Application
- Services won't change for React/Final
    - You now know fundamentals of services

Pain Points to Learn from

- Defining and transferring state
    - Backend vs payloads vs frontend(s)
- Polling
    - What service to poll?
    - What to do with results?
- Rendering
    - Scrolling
    - Interruption
- Estimation
    - Will not magically get better

State Complexity

- Every App benefits from thinking about state
    - Data Models
- Apps have different needs!
    - Similar data, may be different states
- Data sent may not be the same as data stored
    - Ex: Array of active users vs Object of users
    - Client is only one user!

Multiple Clients

We wrote FE and BE for this app

- But many services have *multiple* clients!
- Service should be "kind" to clients
    - But clients can have different needs!
    - Don't tightly couple service and client
- We move to React for FE starting today
    - But services don't change!
        - Just a new client

Service devs think in terms of *usable data*

- Not specific app consumer

What to return on login?

- Check for existing session on login
  - What to return?
- Logging in to create a session
  - What to return?

Should you assume to send all the needed data?

- Or should they need to make extra requests?
- More requests = extra delay
- Send all data = complex to add more services

Generally, better to separate login from data

Users vs Messages

"active users" and "messages"

- 1 service or 2 services?

Answer is surprisingly nuanced

- Is this data coupled for all clients?
    - ALL clients?

Service Granularity

More services (and more granular) good because

- More flexible for clients
- Easier to add changes over time
    - Ex: Pagination

More services (and more granular) bad because

- More network overhead
- More work if we always call them all anyway

Data Model Assumptions

A service sends named, known fields

- Will it add fields in future?
- Services want to avoid version bump
    - Often add new object fields
        - New feature = *Minor* version
        - Which means all clients get immediately
            - Write your clients safely!

Security

- We didn't filter the message text
    - Vulnerable to injection attack!
    - Hard to allowlist open text
        - Not limited like username/phone
    - HTML Entities are a mess
        - `<`, `>`, and `&` in particular

Security Options for Plain Text

- Option 1: Ban entities
    - Works great for security
    - Users may wish to use `<`,`>`, or `&` in text
- Option 2: Translate Entities when stored
    - Convert to `<`, `>`, `&`
    - Data is stored safely
    - Requires conversion to use outside of HTML
    - Causes problems if reconverted (`&amp;`)
- Option 3: Translate Entities on display
    - Data is stored unsafely!
    - Everyone. Must. Remember. When. Using.

Using `uuid` module

Did you

- Copy code from sample?
- Generate code from ChatGPT et al?

This says you did!

- Not what I taught in class
- Was expressly disallowed

Polling

- Surprise difficulty for many!
- What service do you poll?
    - What does it return?
    - How does it know?
- What do you do with results?

Think about how a service dev would think

- WITHOUT a specific client

Most Basic Option

- Poll service to get all messages
    - Always replace list of messages
    - Rerender

Basic Pro vs Cons

Pro:

- Very simple to implement
    - Like a refresh button, but automatic
- Already have "get all messages/users" service(s)

Cons:

- Rerender even without change
    - Rendering issues covered separately
- Lots of network overhead (all messages)
    - What if big data?
    - What if pagination?

Medium Complexity Option

- Poll a "are there new messages" service
    - Use results (one of, your choice:)
        - Display an indicator to refresh
        - OR, Request message list and rerender
- Requires a "new messages check" service
    - Requires a way to identify new messages!
        - Messages get ids?
        - Timestamp?

New Message Check Benefits/Costs

- Separates complexity of IF new messages
    - from HANDLING of new messages
- New Service
    - New functionality to offer client flexibility!
    - New commitment to client devs!
    - New maintenance costs!
- If client always requests new messages
    - Why force another service call?
    - "If" is a real question - differs between apps!

Advanced Messages Option

- Poll a "get new messages" service
- Same requirement to identify new messages
- Returns only new messages
- Can be same service as "get all messages"
    - With optional param
        - indicates most recent known message

Advanced Get Messages Pro vs Con

- No new services, just new features
    - Fewer services == controlled commitments
    - More complex services == more complex code
- Adds flexibility for clients
- Reduces unnecessary service calls

Polling Active Users

What about changes in active users?

- In same service as messages?
    - See previous discussion
- Similar, separate service for users vs messages?
    - Double the polling?
- Clients refresh users when new messages?
    - Reasonable(?)
    - Clients may want more

Rendering Results of Polling

Surprising issues!

- Showing newest messages?
  - Scrolling is complicated
- Auto-rendering can interrupt

Showing Newest Messages

How to show newest messages if too many for screen?

- Option 1: New messages on top
  - Clever "cheat"
  - Can't always do so
    - "Later" usually below "Earlier"
- Option 2: Scroll to bottom
  - Scrolling is complex!
  - Takes time and testing!
  - Keep Accessibility in mind
    - Research!
    - "Works for me" isn't enough

Rendering can interrupt

- We replace most/all of the HTML on rerender
    - Including form elements!
        - Even mid-typing
- Not what you'd want for a real project

Avoiding Interruption

- Solution is doable, but lots of details
    - Need to be more nuanced in replacing HTML
        - We will let React do that for us
        - But you know enough to do it without!
            - Detailed
            - Time-consuming to write/test

Are you learning from Estimation Problems?

I'm gracious and kind (and humble!)

- Teams, clients, managers may not be
- Other Instructors may not be

Learn from my generosity so you don't need theirs

Final Project has NO non-emergency extensions

Repeat: NO EXTENSIONS FOR FINAL PROJECT

- I have ~200 students to review, projects + more
- I get no extension
- After deadline I lose ability to enter/alter grades
- Requires paperwork and approval of my Director

Finish your project EARLY, have buffer time if anything goes wrong!

- Power outages
- Computer failure
- Sick Pets
- Illness