2 ubuntu使用源码安装nginx

1. 下载nginx

```
代码块
1   wget https://nginx.org/download/nginx-1.26.2.tar.gz
```

2. 解压

```
代码块
1   tar -zxvf nginx-1.26.2.tar.gz
```

3. 安装所需库

```
代码块
1   cd nginx-1.26.2
```

3.1 安装gcc

进入到nginx目录，运行

```
代码块
1   ./configure --prefix=/usr/local/nginx
```

如果出现以下错误，则需安装gcc

```
lmr@lmr:~/nginx-1.26.2$ ./configure
checking for OS
 + Linux 6.8.0-45-generic x86_64
checking for C compiler ... not found

./configure: error: C compiler cc is not found
```

代码块

```
sudo apt install gcc
```

3.2 安装pcre

如果出现以下错误，安装pcre

```
checking for getaddrinfo() ... found
checking for PCRE2 library ... not found
checking for PCRE library ... not found
checking for PCRE library in /usr/local/ ... not found
checking for PCRE library in /usr/include/pcre/ ... not found
checking for PCRE library in /usr/pkg/ ... not found
checking for PCRE library in /opt/local/ ... not found
checking for PCRE library in /opt/homebrew/ ... not found

./configure: error: the HTTP rewrite module requires the PCRE library.
You can either disable the module by using --without-http_rewrite_module
option, or install the PCRE library into the system, or build the PCRE libra
statically from the source with nginx by using --with-pcre=<path> option.
```

代码块

```
sudo apt install libpcre3 libpcre3-dev
```

3.3 安装zlib

```
checking for PCRE2 library ... not found
checking for PCRE library ... found
checking for PCRE JIT support ... found
checking for zlib library ... not found

./configure: error: the HTTP gzip module requires the zlib library.
You can either disable the module by using --without-http_gzip_module
option, or install the zlib library into the system, or build the zlib library
statically from the source with nginx by using --with-zlib=<path> option.
```

代码块

```
sudo apt install zlib1g zlib1g-dev
```

3.4 亦可直接使用以下命令安装所需的库

代码块

```
sudo apt install build-essential libpcre3 libpcre3-dev zlib1g zlib1g-dev
libssl-dev
```

4. 编译&部署

代码块


```
make clean
./configure --prefix=/usr/local/nginx
make
make install
```

5. 启停Nginx

进入安装好的目录/usr/local/nginx/sbin

./nginx 启动

打开浏览器，输入localhost或者127.0.0.1 可以看到以下画面代表Nginx配置成功。



nginx其他启停命令：

./nginx 启动

./nginx -s stop 快速停止

./nginx -s quit 优雅关闭，在退出前完成已经接受的连接请求

./nginx -s reload 重新加载配置

熟悉nginx的目录：

代码块

```
/usr/local/nginx/
├── conf/           # 配置文件目录
│   ├── nginx.conf # 主配置文件
│   ├── mime.types
│   └── ...
├── html/           # 默认网页目录
├── logs/           # 日志目录
└── sbin/           # 可执行文件目录，里面有 nginx 程序
```