1. Server Preparation

1.1 Install IIS

1. Open **Turn Windows Features On or Off**.
2. Enable **Internet Information Services (IIS)**:
    - **Web Management Tools** – tick all
    - **World Wide Web Services**
        i. **Application Development Features** - tick all (except **CGI**)
    - **Security** – tick all
3. Click **OK** and let Windows install IIS.

1.2 Install .NET Hosting Bundle

1. Check the project's **.NET version** in the solution.
2. Search online for **".NET {version} Hosting Bundle"** (e.g., .NET 8 Hosting Bundle).
3. Download the **Hosting Bundle**.
4. Copy the installer to the server and install it.
5. **Restart** the server after installation.

2. Database Setup

2.1 SQL Server (SSMS)

1. In **SSMS** → **Database** → **Security** → **New Login**.
2. Enter login as:
   IIS APPPOOL\(ApplicationName)
3. Server Roles → tick **sysadmin**.
4. User Mapping → tick the target database.
   Click **OK** to create the login.

2.2 PostgreSQL

1. Install **PostgreSQL** and **pgAdmin** on the server.
2. Import schema and data.
3. Update connection strings during API deployment.

2.3 Oracle

1. Check Oracle **Service Name**, **Host**, **Port**, etc.
2. Ask ChatGPT to generate a connection string if needed.
3. Update connection string in API publish folder.

3. IIS Configuration

3.1 Create Application Pools

1. Open IIS → Application Pools → **Add Application Pool**.
2. Name it using the application name.
3. Use this pool for both API and UI (create separately if needed).
   Do not use DefaultAppPool.

3.2 Add Applications to IIS

1. Go to **Default Web Site** → **Add Application**.
2. Set:
   - **Alias** = Application name (API or UI).
   - **Application Pool** = the one created earlier.
   - **Physical Path** =
     `C:\inetpub\wwwroot\YourFolderName`

3. For API:
   - Enable **Windows Authentication**
   - UI does **not** require Windows Authentication.

3.3 IIS Bindings (if domain exists)

1. IIS → Site → **Bindings**.
2. Add:
   - Type: **HTTPS**
   - Port: **443**
   - SSL Certificate: provided by IT (if any)

3. UI routing:
   - Use domain name if provided.
   - Else use server IP or `http://localhost`.

4. Deployment Steps

4.1 Prepare Publish Files

1. Publish Backend (API).
2. Publish Frontend (UI).
3. Update environment files:
    - API:
        - `appsettings.json` → change **ConnectionString**, **DataSource**, etc.
    - UI:
        - Update **API Base URL** in **nuxt config** or `.env`.
        - Update **Web Route** according to IIS alias.

4.2 Copy Files to Server

1. Store API and UI into:
    - `C:\inetpub\wwwroot\YourAPIFolder`
    - `C:\inetpub\wwwroot\YourUIFolder`

4.3 Restart Services

1. IIS → restart site or stop/start application pool.

5. Testing

5.1 Backend Testing

1. Visit:
    - `http://<IP Address>/<API Alias>/swagger/index.html`
2. Check:
    - API loads
    - Endpoints return data
3. If API cannot run:
    - Open **Event Viewer → Windows Logs → Application**
      Check for errors (connection string, permission, etc.)

5.2 Frontend Testing

1. Run UI with:
    - `http://<IP Address>/<UI Alias>`
    - or domain name (if provided)
2. Check UI can call API successfully.
3. On user's PC, test CRUD operations.

5.3 Network Considerations

- If UI cannot access:
    - Server may not be globally accessible
    - Firewall might block the port
    - Ask IT to allow access

6. Program.cs (API)

- Ensure configurations allow:
    - CORS (`AllowAll` or specified origins)
    - Authentication (if needed)
    - Routing and static files

7. Project Handover & Buy-Off

7.1 Buy-Off Process

1. After deployment, ask user to test.
2. User fills buy-off form:
    - **Unconditionally Pass** → no issues.
    - **Conditionally Pass** → require fixes.
3. Update approval section with correct PIC names.
4. After user passes, send buy-off documents to all related staff and JY.
5. If user wants their own template, follow their format.

8. Support & Maintenance

Support Contract (6 months)

- Covers:
    - Bug fixes
    - Small UI adjustments (e.g., one extra column)
- **Does not include** new requirements:
    - New reports
    - New dashboards
    - Changing workflows or approvals
    - Any major new features

If user requests new improvements:

- Tell them you will **check with Sales** whether it requires a new PR/PO.

Server Deploy

SSMS

in database -> security (right click) new login

IIS APPPOOL\(ApplicationName)

Go server role, tick systemadmin

usermapping tick connected database

Then click ok (it will generate) this will be the IIS login

IIS create new application pool (put the application name)

right click add application (cannot use defaultapppool, use the apppool created justnow)

then everything same as just now

Postgres

If server is blank

Install IIS

Search bar - turn windows features on or off

- Internal Information services (auto select)
- Words wide application tick all (except CGI)
- Security tick all
- then click ok

go solution check the net version

search hosting bundle .net 8 (your net version)

download the Hosting Bundle (located at right side)

then move the downloaded to the server

download postgres on the server

Deployment

deploy front end and back end

change the nuxt config API eh address

go IIS

default web site -> add application

c drive +> inetub -> wwwroot -> open new folder

Sandisk Work Permit API & WorkPermit (UI)

put name on alias

want ask they got provide domain server ma

when remote into will have IP address on the top of the screen

defaultIPaddress (or local host))/swagger/index.html (to test)

- if cannot then use local host (only backend)

if front end only can use ip address

run and see the API can call ma

after publish remember to change the app settings

- change connectionstring
- change data source and save

if cannot connect use event viewer

window log to see what error

UI
open another in IIS and set up the code Web_ROute same as the name
if got domain name only put domain name else use ip address/ localhost

IIS - add binding, add type https, port ssl certificate (normally IT person do)
SSL Settings (in case want insert cert) normally dont have

IIS go authentication code API part (enabled window authentication) - UI no need
remember to change those UI web route etc on UI baru deploy
ipaddress/applicationname if can means can access (if cannot then tell IT their server not global or firewall block)
then testing

Oracle
same as postgress
just check for connectionstring
Service - a url link
properties check hostname, port, servicename etc (ask chatgpt to generate connectionstring)

Install IIS -> install hosting bundle -> restart
POstgress
Install PGADMIN -> import schema and data
IIS create application for API and UI folder
throw API publish file, change app setting connection (connect to database)
UI change connection api and web route (based on the name given on IIS)
restart service (stop and start again)
Open API see can work ma /swagger/index.html (check can run ma can retrieve data etc)

- If cannot go even viewer check what error

Open UI

- connect UI to API

localhost run first or IP address, if got give name then use the name
Go employee eh PC see can run ma then CRUD

Program.cs

- check allow all etc

After deploy do buy off (ask can online buyoff ma, usually onsite)
buy off document -> sign document

General (not features)
Continue with module
give user fill in
after finish fill in make sure they put
Unconditionally pass (means no problem)
Conditionally pass (means they want me correct gok)
remember to change the payoff approval name also

check with main PIC, let them test and make sure PASS
Send document to all of the staff and JY

this is out basic document but sometimes user want to use their template

got 6 month support contract (solve problem)
display one more line etc can (if easy ok if very difficult tell sales)
not include new requirement (add new report, dashboard, change approval no, change the flow)
if want new requirement open the PO
if they ask i will need to say i will confirm with sales to see is there any requirement of new PR