

| | Implemented | Documented | Not WPLIB | Menu Item | Execution Optimized | Test Routine | Sample Program |
|----------------------|-------------|------------|-----------|-----------|---------------------|--------------|----------------|
| VI / CTL Totals | 1209 | 1175 | 393 | 1119 | 699 | 49 | 12 |
| VI Total (X) | 1079 | 1056 | | | | | |
| CTL Total (Z) | 130 | 119 | | | | | |
| VI Shell Total (/) | 3 | | | | | | |
| CTRL Shell Total (\) | 2 | | | | | | |

| | |
|--|-------------------------|
| | Doc completed Pct |
| | 97.19% |
| | <i>Optimization Pct</i> |
| | 57.82% |

Optimize legend: S = Subroutine, I = Inline, X = reviewed, nothing done. (In some cases, after sufficient debug and use, additional optimizations could be considered.)

```
=====
BASE
=====
```

[illegible]

| | | | | | | | | | | | | | | |
|------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|--|--------------------|----------------------|-------------|--------------|----------------|---|
| LEAD LAG | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | X | X | I | | | LeadLag_Execute.vi | | | | | | x |
| LINEAR FILTER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | I | | | LinearFilter_BackwardFiniteDifference.vi | | | | | | x |
| | X | X | | X | SI | | | LinearFilter_Calculate.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_CutoffFrequency.vi | | | | | | x |
| | X | X | X | X | I | | X | LinearFilter_Execute.vi | | Labview style helper | | | | x |
| | X | X | | No | I | | | LinearFilter_Factorial.vi | | AN INTERNAL ROUTINE | | | | x |
| | X | X | | X | I | | | LinearFilter_FiniteDifference.vi | | | | | | x |
| | X | X | | X | X | | | LinearFilter_HighPass.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_HighPassBW1.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_HighPassBW2.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_LowPassBW1.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_LowPassBW2.vi | | | | | | x |
| | X | X | | X | X | | | LinearFilter_MovingAverage.vi | | | | | | x |
| | X | X | | X | I | | | LinearFilter_New.vi | | | | | | x |
| | X | X | | X | SI | | | LinearFilter_Reset.vi | | | | | | x |
| | X | X | X | X | SI | | | LinearFilter_ResetToValue.vi | | | | | | x |
| | X | X | | X | X | | | LinearFilter_SinglePoleIIR.vi | | | | | | x |
| | X | X | X | X | X | | | LinearFilter_TimeConst.vi | | | | | | x |
| MEDIAN FILTER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | X | | | MedianFilter_Calculate.vi | | | | | | x |
| | X | X | X | X | I | | X | MedianFilter_Execute.vi | | Labview style helper | | | | x |
| | X | X | | X | SI | | | MedianFilter_New.vi | | | | | | x |
| | X | X | | X | SI | | | MedianFilter_Reset.vi | | | | | | x |
| | X | X | X | X | SI | | | MedianFilter_ResetToValue.vi | | | | | | x |
| SLEW RATE FILTER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | I | | | SlewRateLimiter_Calculate.vi | | | | | | x |
| | X | X | X | X | SI | | | SlewRateLimiter_Close.vi | | | | | | x |
| | X | X | X | X | I | | X | SlewRateLimiter_Execute.vi | | Labview style helper | | | | x |
| | X | X | X | X | SI | | | SlewRateLimiter_GetRate.vi | | | | | | x |
| | X | X | | X | I | | | SlewRateLimiter_New.vi | | | | | | x |
| | X | X | | X | I | | | SlewRateLimiter_NewInitialZero.vi | | | | | | x |
| | X | X | | X | I | | | SlewRateLimiter_Reset.vi | | | | | | x |
| | X | X | | X | SI | | | SlewRateLimiter_SetRate.vi | | | | | | x |

x

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------|-------------|------------|------------|-----------|---------------------|--------------|----------------|------------------------------|--------------------|-------------------------|-------------|--------------|----------------|
| TIMER | X | X | X | X | | | | Timer_Close.vi | | releases semaphore | | | |
| | X | X | | X | | | X | Timer_Get.vi | | | | | |
| | X | X | X | X | | | | Timer_GetAndReset.vi | | | | | |
| | X | X | X | No | | | | Timer_GetInternal.vi | | Internal (private) only | | | |
| | X | X | | X | | | X | Timer_HasPeriodPassed.vi | | | | | |
| | X | X | X | X | | | X | Timer_HasPeriodPassedOnce.vi | | | | | |
| | X | X | | X | | | X | Timer_New.vi | | | | | |
| | X | X | | X | | | X | Timer_Reset.vi | | | | | |
| | X | X | X | No | | | | Timer_ResetInternal | | Internal (private) only | | | |
| | X | X | X | X | | | | Timer_Restart.vi | | | | | |
| | X | X | | X | | | X | Timer_Start.vi | | | | | |
| | X | X | X | No | | | | Timer_StartInternal.vi | | | | | |
| | X | X | | X | | | X | Timer_Stop.vi | | | | | |
| | X | X | X | No | | | | Timer_StopInternal.vi | | Internal (private) only | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-----------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|--------------------------------------|--------------------|-----------------------------|-------------|--------------|----------------|
| TIME INTERPOLATABLE BOOLEAN | X | X | X | X | I | | | TimeInterpBoolean_AddSample.vi | | Update to use create matrix | | | |
| | X | X | X | No | I | | | TimeInterpBoolean_CleanUp.vi | | Update to use create matrix | | | |
| | X | X | X | X | SI | | | TimeInterpBoolean_Clear.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpBoolean_GetNewestSample.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpBoolean_GetSample.vi | | | | | |
| | | | | | | | | TimeInterpBoolean_GetTimeForValue.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpBoolean_New.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpBoolean_PopOldestSample.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpBoolean_SetMaxTime.vi | | | | | |
| | | | | | | | | | | | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|-------------------------------------|--------------------|-----------------------------|-------------|--------------|----------------|
| TIME INTERPOLATABLE DOUBLE | X | X | X | X | I | | | TimeInterpDouble_AddSample.vi | | Update to use create matrix | | | |
| | X | X | X | No | I | | | TimeInterpDouble_CleanUp.vi | | Update to use create matrix | | | |
| | X | X | X | X | SI | | | TimeInterpDouble_Clear.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpDouble_GetNewestSample.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpDouble_GetSample.vi | | | | | |
| | X | X | X | X | | | | TimeInterpDouble_GetTimeForValue.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpDouble_New.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpDouble_PopOldestSample.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpDouble_SetMaxTime.vi | | | | | |
| | | | | | | | | | | | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|-------------------------------------|--------------------|-----------------------------|-------------|--------------|----------------|
| TIME INTERPOLATABLE POSE2D | X | X | X | X | I | | | TimeInterpPose2d_AddSample.vi | | Update to use create matrix | | | |
| | X | X | X | No | I | | | TimeInterpPose2d_CleanUp.vi | | Update to use create matrix | | | |
| | X | X | X | X | SI | | | TimeInterpPose2d_Clear.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpPose2d_GetNewestSample.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpPose2d_GetSample.vi | | | | | |
| | | | | | | | | TimeInterpPose2d_GetTimeForValue.vi | | | | | |

x
x
x
x
x
x

| | | | | | | | | | | | | | |
|--------------------------------|-------------|------------|------------|-----------|---------------------|--------------|---------------------------------|---|--------------------|--|-------------|--------------|----------------|
| TIME INTERPOLATABLE ROTATION2D | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | I | | | TimeInterpRotation2d_AddSample.vi | | Update to use create matrix | | | |
| | X | X | X | No | I | | | TimeInterpRotation2d_CleanUp.vi | | Update to use create matrix | | | |
| | X | X | X | X | SI | | | TimeInterpRotation2d_Clear.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpRotation2d_GetNewestSample.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpRotation2d_GetSample.vi | | | | | |
| | | | | | | | | TimeInterpRotation2d_GetTimeForValue.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpRotation2d_New.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpRotation2d_PopOldestSample.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpRotation2d_SetMaxTime.vi | | | | | |
| TIME INTERPOLATABLE VARIANT | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | I | | | TimeInterpVariant_AddSample.vi | | Update to use create matrix | | | |
| | X | X | X | No | I | | | TimeInterpVariant_CleanUp.vi | | Update to use create matrix | | | |
| | X | X | X | X | SI | | | TimeInterpVariant_Clear.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpVariant_GetNewestSample.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpVariant_GetSample.vi | | | | | |
| | | | | | | | | TimeInterpVariant_GetTimeForValue.vi | | | | | |
| | X | X | X | X | I | | | TimeInterpVariant_Interpolate.vi | | This is a template for a user created routine. | | | |
| | X | X | X | X | SI | | | TimeInterpVariant_New.vi | | | | | |
| | X | X | X | X | SI | | | TimeInterpVariant_PopOldestSample.vi | | | | | |
| X | X | X | X | SI | | | TimeInterpVariant_SetMaxTime.vi | | | | | | |
| WAIT ADJUST | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | | | | WaitAdjust.vi | | | | | |
| DIGITAL SEQUENTIAL LOGIC | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | | | | DigSeqLogic_Delay.vi | | | | | |
| | X | X | X | X | | | | DigSeqLogic_On_Delay.vi | | | | | |
| | X | X | X | X | | | | DigSeqLogic_Off_Delay.vi | | | | | |
| | X | X | X | X | | | | DigSeqLogic_One_Shot.vi | | | | | |
| | X | X | X | X | | | | DigSeqLogic_SR_Flip_Flop.vi | | | | | |
| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |

=====

CONTROLLER

=====

| | | | | | | | | | | | | |
|-----------|---|---|---|----|--|--|-------------------------|--|--|--|--|--|
| DEBOUNCER | X | X | | X | | | Debouncer_New.vi | | | | | |
| | X | X | | X | | | Debouncer_Calculate.vi | | | | | |
| | X | X | X | X | | | Debouncer_Execute.vi | | | | | |
| | X | X | | No | | | Debouncer_Reset.vi | | | | | |
| | X | X | | No | | | Debouncer_HasElapsed.vi | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|--------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|--------------------|---------------------------|-------------|--------------|----------------|
| ARM FF | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | | | | ArmFF_Calculate.vi | | | | | |
| | X | X | | X | | | | ArmFF_CalculateVelocityOnly.vi | | | | | |
| | | | X | | | | | ArmFF_Execute.vi | | LabVIEW style single call | | | |
| | | | X | | | | | ArmFF_ExecuteVelocityOnly.vi | | LabVIEW style single call | | | |
| | X | X | | X | | | | ArmFF_MaxAchieveAccel.vi | | | | | |
| | X | X | | X | | | | ArmFF_MaxAchieveVelocity.vi | | | | | |
| | X | X | | X | | | | ArmFF_MinAchieveAccel.vi | | | | | |
| | X | X | | X | | | | ArmFF_MinAchieveVelocity.vi | | | | | |
| | X | X | | X | | | | ArmFF_New_ZeroGravity.vi | | | | | |
| | X | X | | X | | | | ArmFF_New.vi | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|-----------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------|--------------------|-------|-------------|--------------|----------------|
| BANG BANG | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | BangBang_AtSetpoint.vi | | | | | |
| | X | X | | X | SI | | | BangBang_Calculate_PV.vi | | | | | |
| | X | X | | X | SI | | | BangBang_Calculate_SP_PV.vi | | | | | |
| | X | X | X | X | SI | | | BangBang_Execute.vi | | | | | |
| | X | X | | X | SI | | | BangBang_GetAll.vi | | | | | |
| | X | X | | X | SI | | | BangBang_GetError.vi | | | | | |
| | X | X | | X | SI | | | BangBang_New.vi | | | | | |
| | X | X | | X | SI | | | BangBang_SetSetpoint.vi | | | | | |
| | X | X | | X | SI | | | BangBang_SetTolerance.vi | | | | | |

| | | | | | | | | | | | | | |
|-----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------------|--------------------|--|-------------|--------------|----------------|
| CONTROLLER UTIL | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | ControllerUtil_GetModulusError.vi | | This was short lived in WPILIB, but still useful here. | | | |

| | | | | | | | | | | | | | |
|---------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------|--------------------|---------------------------|-------------|--------------|----------------|
| ELEV FF | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | | | | ElevFF_Calculate.vi | | | | | |
| | X | X | | X | | | | ElevFF_CalculateVelocityOnly.vi | | | | | |
| | | | X | | | | | ElevFF_Execute.vi | | LabVIEW style single call | | | |
| | | | X | | | | | ElevFF_ExecuteVelocityOnly.vi | | LabVIEW style single call | | | |
| | X | X | | X | | | | ElevFF_MaxAchieveAccel.vi | | | | | |

X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X

[illegible]

| | | | | | | | | | | | | | | | |
|---|---|---|----|----|--|--|---|--|--|---------------------------------|--|--|--|--|--|
| X | X | X | X | SI | | | PIDController_Pack_InputLimits.vi | | | | | | | | |
| X | X | X | X | SI | | | PIDController_Pack_Tuning.vi | | | | | | | | |
| X | X | | X | SI | | | PIDController_Reset.vi | | | | | | | | |
| X | X | | X | SI | | | PIDController_SetD.vi | | | | | | | | |
| X | X | X | X | SI | | | PIDController_SetDerivativeFilter.vi | | | | | | | | |
| X | X | X | No | | | | PIDController_SetFeedForward_OBSOLETE_DELETE.vi | | | Advanced PID | | | | | |
| X | X | X | No | | | | PIDController_SetFFGain_OBSOLETE_DELETE.vi | | | Advanced PID, Obsolete – DELETE | | | | | |
| X | X | | X | SI | | | PIDController_SetI.vi | | | Advanced PID, Obsolete – DELETE | | | | | |
| | | | | | | | PIDController_SetInputRange.vi | | | OBSOLETE – Removed | | | | | |
| X | X | | X | SI | | | PIDController_SetIntegratorRange.vi | | | | | | | | |
| X | X | X | X | SI | | | PIDController_SetOutputLimits.vi | | | Advanced PID | | | | | |
| X | X | | X | SI | | | PIDController_SetP.vi | | | | | | | | |
| X | X | X | X | SI | | | PIDController_SetPeriod.vi | | | | | | | | |
| X | X | | X | SI | | | PIDController_SetPID.vi | | | | | | | | |
| X | X | X | X | SI | | | PIDController_SetPIDF.vi | | | Advanced PID | | | | | |
| X | X | | X | SI | | | PIDController_SetSetpoint.vi | | | | | | | | |
| X | X | | X | SI | | | PIDController_SetTolerance.vi | | | | | | | | |
| X | X | | X | SI | | | PIDController_SetTolerancePandV.vi | | | | | | | | |

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|---|--------------------|-------------------------------------|-------------|--------------|----------------|
| PROFILED PID CONTROLLER | X | X | | X | SI | | | ProfiledPIDController_AtGoal.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_AtSetpoint.vi | | | | | |
| | X | X | | X | | | | ProfiledPIDController_Calculate_Meas_Goal.vi | | | | | |
| | X | X | | X | | | | ProfiledPIDController_Calculate_Meas_StateGoal_TrapCnsrt.vi | | | | | |
| | X | X | | X | | | | ProfiledPIDController_Calculate_Meas_StateGoal.vi | | | | | |
| | X | X | | X | | | | ProfiledPIDController_Calculate_Meas.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_DisableContInput.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_EnableContInput.vi | | | | | |
| | X | X | X | X | I | | | ProfiledPIDController_Execute.vi | | Single call LabVIEW style function. | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetGoal.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetPeriod.vi | | | | | |
| | X | X | X | X | SI | | | ProfiledPIDController_GetPID.vi | | WPILIB has separate getters. | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetPositionError.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetSetpoint.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetTolerance.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_GetVelocityError.vi | | | | | |
| | X | X | | X | I | | | ProfiledPIDController_New.vi | | | | | |
| | X | X | | X | I | | | ProfiledPIDController_NewPeriod.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_Reset_PosOnly.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_Reset_PosVel.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_Reset.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetConstraints.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetGoal_PosOnly.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetGoal.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetIntegratorRange.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetPID.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetTolerance_PosOnly.vi | | | | | |
| | X | X | | X | SI | | | ProfiledPIDController_SetTolerance_PosVel.vi | | | | | |

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|---------|-------------|------------|------------|-----------|---------------------|--------------|----------------|---------------------------------|----------------------|-------|-------------|--------------|----------------|
| RAMSETE | X | X | | X | SI | | | Ramsete_AtReference.vi | AtReference | | | | |
| | X | X | | X | X | | | Ramsete_Calculate_Trajectory.vi | calculate_trajectory | | | | |
| | X | X | | X | X | | | Ramsete_Calculate.vi | calculate | | | | |
| | X | X | X | X | X | | | Ramsete_Diff_DO_Eng.vi | | | | | |
| | X | X | X | X | X | | | Ramsete_Diff_DO_SI.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|----|--|--|-----------------------------------|----------------|----------|--|--|--|
| X | X | X | X | I | | | Ramsete_Execute_ENG.vi | Use this one!! | | | | |
| X | X | X | X | SI | | | Ramsete_Execute_PackTuning_ENG.vi | | | | | |
| X | X | X | X | SI | | | Ramsete_Execute_PackTuning.vi | | | | | |
| X | X | X | X | I | | | Ramsete_Execute.vi | | | | | |
| X | X | | X | SI | | | Ramsete_New_B_Z.vi | new(b, zeta) | | | | |
| X | X | | X | SI | | | Ramsete_New.vi | new | | | | |
| X | X | | X | SI | | | Ramsete_SetEnabled.vi | SetEnabled | | | | |
| X | X | | X | SI | | | Ramsete_SetTolerance.vi | SetTolerance | | | | |
| X | X | | X | X | | | Ramsete_SINC.vi | sinc | internal | | | |

| SIMPLE MOTOR FEEDFORWARD | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|--------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|---|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | X | X | SI | | | SimpleMotorFF_Calculate_CalcAccel.vi | | | | | |
| | X | X | | X | | | | SimpleMotorFF_Calculate_NextV_Dt.vi | | | | | |
| | X | X | | X | SI | | | SimpleMotorFF_Calculate.vi | public double calculate(double velocity, double acceleration) | | | | |
| | X | X | | X | SI | | | SimpleMotorFF_CalculateVelocityOnly.vi | public double calculate(double velocity) | | | | |
| | X | X | X | X | | | | SimpleMotorFF_Ka_AutoTune.vi | | | | | |
| | X | X | | X | X | | | SimpleMotorFF_MaxAchieveAccel.vi | public double maxAchievableAcceleration(double maxVoltage, double velocity) | | | | |
| | X | X | | X | X | | | SimpleMotorFF_MaxAchieveVel.vi | public double maxAchievableVelocity(double maxVoltage, double acceleration) | | | | |
| | X | X | | X | X | | | SimpleMotorFF_MinAchieveAccel.vi | public double minAchievableAcceleration(double maxVoltage, double velocity) | | | | |
| | X | X | | X | X | | | SimpleMotorFF_MinAchieveVel.vi | public double minAchievableVelocity(double maxVoltage, double acceleration) | | | | |
| | X | X | | X | SI | | | SimpleMotorFF_New.vi | public SimpleMotorFeedforward(double ks, double kv, double ka) | | | | |
| | X | X | X | X | SI | | | SimpleMotorFF_Pack_Ka_Tune_Params.vi | | | | | |
| | | | | | | | | | public SimpleMotorFeedforward(double ks, double kv) | | | | |

=====

GEOMETRY

=====

| COORDINATE AXIS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|------------------|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | SI | | | CoordAxis_D.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_E.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_N.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_New.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_S.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_U.vi | | | | | |
| | X | X | | X | SI | | | CoordAxis_W.vi | | | | | |

| COORDINATE SYSTEM | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------------|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | SI | X | | CoordSystem_Convert_Pose3d.vi | | | | | |
| | X | X | | X | SI | | | CoordSystem_Convert_Rotation3d.vi | | | | | |
| | X | X | | X | SI | | | CoordSystem_Convert_Translation3d.vi | | | | | |
| | X | X | | X | SI | | | CoordSystem_Convert_Transform3d.vi | | | | | |
| | X | X | | X | SI | X | | CoordSystem_EDN.vi | | | | | |
| | X | X | | X | SI | X | | CoordSystem_NED.vi | | | | | |
| | X | X | | X | SI | X | | CoordSystem_New.vi | | | | | |
| | X | X | | X | SI | X | | CoordSystem_NWU.vi | | | | | |

| | | | | | | | | | | | | | | |
|------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------------------|--|-----------------------------|-------------|--------------|----------------|---|
| POSE2D | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | SI | | | Pose2d_Div.VI | | | | | | x |
| | X | X | | X | SI | | | Pose2d_Equals.VI | boolean equals(other obj) | | | | | x |
| | X | X | | X | X | | | Pose2d_Exp.vi | pose2d exp(twist2d twist) | | | | | x |
| | X | X | | X | SI | | | Pose2d_getRotation.vi | rotation2d getRotation() | can also use cluster unpack | | | | x |
| | X | X | | X | SI | | | Pose2d_getTranslation.vi | translation2d getTranslation() | can also use cluster unpack | | | | x |
| | X | X | X | X | SI | | | Pose2d_getXY.vi | | | | | | x |
| | X | X | X | X | SI | | | Pose2d_getXYAngle.vi | | | | | | x |
| | X | X | | X | I | | | Pose2d_Interpolate.vi | | | | | | x |
| | X | X | | X | X | | | Pose2d_Log.vi | twist2d log(pose2d end) | | | | | x |
| | X | X | | X | SI | | | Pose2d_Minus.vi | transform2d minus(pose2d other) | | | | | x |
| | X | X | | X | SI | | | Pose2d_New_TRRO.vi | pose2d new(translation2d, rotation2d) | | | | | x |
| | X | X | | X | SI | | | Pose2d_New.vi | pose2d new(double x, double y, rotation2d) | | | | | x |
| | X | X | | X | SI | | | Pose2d_Plus.vi | pose2d plus(transform2d other) | | | | | x |
| | X | X | | X | SI | | | Pose2d_RelativeTo.vi | pose2d relativeto(pose2d other) | | | | | x |
| | X | X | | X | SI | | | Pose2d_Times.vi | | | | | | x |
| | X | X | | X | SI | | | Pose2d_TransformBy.vi | pose2d transformby(transform2d other) | | | | | x |
| | | | | | | | | | pose2d new() | can use cluster constant | | | | x |
| POSE3D | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | SI | | | Pose3d_Div.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_Equals.VI | | | | | | x |
| | X | X | | X | X | | | Pose3d_Exp.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_getRotation.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_getTranslation.vi | | | | | | x |
| | X | X | X | X | SI | | | Pose3d_getXYZ.vi | | | | | | x |
| | X | X | | X | I | | | Pose3d_Interpolate.vi | | | | | | x |
| | X | X | | X | X | | | Pose3d_Log.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_Minus.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_New.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_New_Default.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_New_Pose2d.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_New_Trans3dRot3d.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_Plus.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_RelativeTo.vi | | | | | | x |
| | X | X | | No | SI | | | Pose3d_RotationVectorToMatrix.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_ToPose2d.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_Times.vi | | | | | | x |
| | X | X | | X | SI | | | Pose3d_TransformBy.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| QUATERNION | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | SI | | | Quaternion_Equals.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Get_All.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Get_LVQuat.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Get_Vect.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Get_W.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Inverse.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_New.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_New_Default.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_New_LVQuat.vi | | | | | | x |
| | X | X | | X | SI | | | Quaternion_Normalize.vi | | | | | | x |
| | | | | | | | | | | | | | | x |

| | | | | | | | | | | | | |
|---|---|--|---|----|--|--|--------------------------------|--|--|--|--|--|
| X | X | | X | SI | | | Quaternion_Plus.vi | | | | | |
| X | X | | X | SI | | | Quaternion_Times.vi | | | | | |
| X | X | | X | SI | | | Quaternion_ToRotationVector.vi | | | | | |

x
x
x
x
x
x

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|------------------------------------|--|--|-------------|--------------|----------------|
| ROTATION2D | X | X | | X | SI | | | Rotation2d_CreateAngle.vi | rotation2d new(double value) | | | | |
| | X | X | | X | SI | | | Rotation2d_CreateAngleDegrees.vi | rotation2d fromDegrees(double degrees) | convert to radians then create | | | |
| | X | X | | X | SI | | | Rotation2d_CreateAngleRotations.vi | | | | | |
| | X | X | | X | SI | | | Rotation2d_CreateXY.vi | rotation2d new(double x, double y) | | | | |
| | X | X | | X | SI | | | Rotation2d_Div.vi | | | | | |
| | X | X | | X | SI | | | Rotation2d_Equals.vi | boolean equals(rotation2d other) | | | | |
| | X | X | X | X | SI | | | Rotation2d_GetAngleCosSin.vi | | New 1/26/21 | | | |
| | X | X | | X | SI | | | Rotation2d_GetCos.VI | double getCos() | use cluster unpack | | | |
| | X | X | | X | SI | | | Rotation2d_GetDegrees.VI | double getDegrees() | use cluster unpack, then convert to degree | | | |
| | X | X | | X | SI | | | Rotation2d_GetRadians.VI | double getRadians() | use cluster unpack | | | |
| | X | X | | X | SI | | | Rotation2d_GetRotations.vi | | | | | |
| | X | X | | X | SI | | | Rotation2d_GetSin.VI | double getSin() | use cluster unpack | | | |
| | X | X | | X | SI | | | Rotation2d_GetTan.VI | double getTan() | can calculate | | | |
| | X | X | | X | SI | | | Rotation2d_Interpolate.vi | | | | | |
| | X | X | | X | SI | | | Rotation2d_Minus.vi | rotation2d minus(rotation2d other) | | | | |
| | X | X | | X | SI | | | Rotation2d_Plus.vi | rotation2d plus(rotation2d other) | | | | |
| | X | X | | X | SI | | | Rotation2d_RotateBy.vi | rotation2d rotateby(rotation2d other) | | | | |
| | X | X | | X | SI | | | Rotation2d_Times.vi | rotation2d times(double scalar) | | | | |
| | X | X | | X | SI | | | Rotation2d_UnaryMinus.vi | rotation2d unaryminus() | | | | |
| | | | | | | | | | rotation2d new() | can use cluster constant | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|-------------|--------------|----------------|
| ROTATION3D | X | X | | X | SI | | | Rotation3d_Create_AxisAngle.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Create_Default.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Create_Quaternion.vi | | | | | |
| | X | X | | X | I | | | Rotation3d_Create_InitialFinalVector.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Create_RollPitchYaw.vi | | | | | |
| | X | X | | X | I | | | Rotation3d_Create_RotMatrix.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Div.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Equals.vi | | | | | |
| | X | X | X | X | SI | | | Rotation3d_GetAxisAngle.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_GetQuaternion.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_GetXYZ.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Interpolate.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Minus.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Plus.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_RotateBy.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_Times.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_ToRotation2d.vi | | | | | |
| | X | X | | X | SI | | | Rotation3d_UnaryMinus.vi | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|-----------------------------------|-------|-------------|--------------|----------------|
| TRANSFORM2D | X | X | | X | SI | | | Transform2d_Create_PosePose.vi | transform2d new(pose2d, pose2d) | | | | |

x

| | | | | | | | | | | | | | |
|---|---|---|---|----|--|--|--------------------------------|--|--------------------------|--|--|--|--|
| X | X | | X | SI | | | Transform2d_Create_TransRot.vi | transform2d new(translation2d, rotation2d) | | | | | |
| X | X | | X | SI | | | Transform2d_Div.vi | | | | | | |
| X | X | | X | SI | | | Transform2d_Equals.VI | boolean equals(other transform2d) | | | | | |
| X | X | | X | SI | | | Transform2d_GetRotation.VI | rotation2d getRotation() | use cluster unpack | | | | |
| X | X | | X | SI | | | Transform2d_GetTranslation.VI | translation2d getTranslation() | use cluster unpack | | | | |
| X | X | X | X | SI | | | Transform2d_GetXY.vi | | | | | | |
| X | X | X | X | SI | | | Transform2d_GetXYAngle.vi | | | | | | |
| X | X | | X | SI | | | Transform2d_Inverse.vi | transform inverse() | new | | | | |
| X | X | | X | SI | | | Transform2d_Plus.vi | | | | | | |
| X | X | | X | SI | | | Transform2d_Times.vi | transform2d times(double scalar) | | | | | |
| | | | | | | | | transform2d new() | can use cluster constant | | | | |

| | | | | | | | | | | | | | |
|-------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|------------------------------------|--------------------|-------|-------------|--------------|----------------|
| TRANSFORM3D | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | Transform3d_Create_Default.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Create_Pose3dPose.3dvi | | | | | |
| | X | X | | X | SI | | | Transform3d_Create_Trans3dRot3d.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Div.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Equals.VI | | | | | |
| | X | X | | X | SI | | | Transform3d_GetRotation3d.VI | | | | | |
| | X | X | | X | SI | | | Transform3d_GetTranslation3d.VI | | | | | |
| | X | X | X | X | SI | | | Transform3d_GetXYZ.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Inverse.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Plus.vi | | | | | |
| | X | X | | X | SI | | | Transform3d_Times.vi | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------|--|--------------------------|-------------|--------------|----------------|
| TRANSLATION2D | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | Translation2d_Create_DistAng.vi | | | | | |
| | X | X | | X | SI | | | Translation2d_Create.vi | translation2d new(double x, double y) | | | | |
| | X | X | | X | SI | | | Translation2d_Div.vi | | | | | |
| | X | X | | X | SI | | | Translation2d_Equals.vi | boolean equals(translation other) | | | | |
| | X | X | | X | SI | | | Translation2d_GetAngle.vi | | | | | |
| | X | X | | X | SI | | | Translation2d_GetDistance.vi | double getDistance(translation2d other) | | | | |
| | X | X | | X | SI | | | Translation2d_GetNorm.VI | double getNorm() | can use cluster unpack | | | |
| | X | X | | X | SI | | | Translation2d_GetX.VI | double getX() | can use cluster unpack | | | |
| | X | X | X | X | SI | | | Translation2d_GetXY.VI | | | | | |
| | X | X | | X | SI | | | Translation2d_GetY.VI | double getY() | can use cluster unpack | | | |
| | X | X | | X | SI | | | Translation2d_Interpolate.vi | | | | | |
| | X | X | | X | SI | | | Translation2d_Minus.vi | translation2d minus(translation2d other) | | | | |
| | X | X | | X | SI | | | Translation2d_Plus.vi | translation2d plus(translation2d other) | | | | |
| | X | X | | X | SI | | | Translation2d_RotateBy.vi | translation2d rotateBy(rotation2d other) | | | | |
| | X | X | | X | SI | | | Translation2d_Times.vi | translation2d times(double scalar) | | | | |
| | X | X | | X | SI | | | Translation2d_UnaryMinus.vi | translation2d unaryminus() | | | | |
| | | | | | | | | | translation2d new() | can use cluster constant | | | |
| | | | | | | | | | translation2d div(double scalar) | can multiply by 1/scalar | | | |

| | | | | | | | | | | | | | |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------|--------------------|-------|-------------|--------------|----------------|
| TRANSLATION3D | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | Translation3d_Create.vi | | | | | |
| | X | X | | X | SI | | | Translation3d_Create_Default.vi | | | | | |
| | X | X | | X | SI | | | Translation3d_Create_DistAng.vi | | | | | |
| | X | X | | X | SI | | | Translation3d_Div.vi | | | | | |
| | X | X | | X | SI | | | Translation3d_Equals.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|----|--|--|----------------------------------|--|--|--|--|--|
| X | X | | X | SI | | | Translation3d_GetDistance.vi | | | | | |
| X | X | | X | SI | | | Translation3d_GetNorm.VI | | | | | |
| X | X | X | X | SI | | | Translation3d_GetXYZ.vi | | | | | |
| X | X | | X | SI | | | Translation3d_Interpolate.vi | | | | | |
| X | X | | X | SI | | | Translation3d_Minus.vi | | | | | |
| X | X | | X | SI | | | Translation3d_Plus.vi | | | | | |
| X | X | | X | SI | | | Translation3d_RotateBy.vi | | | | | |
| X | X | | X | SI | | | Translation3d_Times.vi | | | | | |
| X | X | | X | SI | | | Translation3d_ToTranslation2d.vi | | | | | |
| X | X | | X | SI | | | Translation3d_UnaryMinus.vi | | | | | |

| | | | | | | | | | | | | | |
|---------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-------------------|-----------------------------|-------|-------------|--------------|----------------|
| TWIST2D | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | Twist2d_Create.vi | twist new(x, y, theta) | | | | |
| | X | X | | X | SI | | | Twist2d_Equals.VI | boolean equals(obj other) | | | | |
| | X | X | X | X | SI | | | Twist2d_GetAll.VI | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-------------------|--------------------|-------|-------------|--------------|----------------|
| TWIST3D | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | X | | Twist3d_Create.vi | | | | | |
| | X | X | | X | SI | X | | Twist3d_Equals.VI | | | | | |
| | X | X | X | X | SI | X | | Twist3d_GetAll.VI | | | | | |
| | | | | | | | | | | | | | |

=====

KINEMATICS

=====

| | | | | | | | | | | | | | |
|----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|---|--------------------------|-------------|--------------|----------------|
| CHASSIS SPEEDS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | ChassisSpeeds_FromFieldRelativeChassisSpeeds.VI | | | | | |
| | X | X | | X | SI | | | ChassisSpeeds_FromFieldRelativeSpeeds.VI | chassisspeeds fromFieldRelativeSpeeds(double x, double y, double angvel, rotation2d robotangle) | | | | |
| | X | X | X | X | SI | | | ChassisSPeeds_GetXYOmega.vi | | | | | |
| | X | X | | X | SI | | | ChassisSpeeds_New.vi | chassisspeeds new (double xvel, double yvel, double angvel) | | | | |
| | | | | | | | | | chassisspeeds new () | can use cluster constant | | | |

| | | | | | | | | | | | | | |
|-------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------------------|--|-------|-------------|--------------|----------------|
| DIFFERENTIAL DRIVE KINEMATICS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | I | X | | DiffKinematics_New.vi | diffDriveKine new(double trackWidth) | | | | |
| | X | X | | X | X | X | | DiffKinematics_toChassisSpeed.vi | chassisSpeeds toChassisSpeeds(diffDrWheelSpeeds) | | | | |
| | X | X | | X | SI | | | DiffKinematics_ToTwist2d.vi | | | | | |
| | X | X | | X | SI | X | | DiffKinematics_toWheelSpeed.vi | diffDriveWheelSpeed toWheelSpeeds(chassisSpeeds) | | | | |

| | | | | | | | | | | | | |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------|--------------------|-------|-------------|--------------|----------------|
| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | |
|---------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--|--------------------------------------|-------------|--------------|----------------|--|---|
| DIFFERENTIAL DRIVE ODOMETRY | | | X | | | | | DiffOdometry_Execute.vi | | | DONT NEED | | | | x |
| | X | X | | X | X | | | DiffOdometry_Update.vi | pose2d update(rotation2d gyro, double leftdist, double right dist) | Incorporates enhanced reset | | | | | x |
| | | | | | | | | | diffDrOdom new(rotation gyro, pose initial) | | | | | | x |
| | | | | | | | | | diffDrOdom new(rotation gyro) | | | | | | x |
| | | | | | | | | | void resetPosition(pose2d, rotation2d) | incorporated into “update” | | | | | x |
| | | | | | | | | | pose2d getPoseMeters() | | | | | | x |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| DIFFERENTIAL DRIVE ODOMETRY 2 | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | | |
| | X | X | X | X | / | | | DiffDrvOdom2_Execute.vi | | Replacement for orig diff drive odom | | | | | x |
| | X | X | | X | SI | | | DiffDrvOdom2_GetPose.vi | | | | | | | x |
| | X | X | | X | / | | | DiffDrvOdom2_New.vi | | | | | | | x |
| | X | X | | X | SI | | | DiffDrvOdom2_Reset.vi | | | | | | | x |
| | X | X | | X | / | | | DiffDrvOdom2_Update.vi | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| DIFFERENTIAL DRIVE WHEEL SPEEDS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | | |
| | | | | | | | | | diffDrWheelSpeeds new() | | | | | | x |
| | | | | | | | | | diffDrWheelSpeeds new(double leftVel, double rightVel) | | | | | | x |
| | X | X | | X | X | | | DiffWheel_Normalize.vi | void normalize(double maxVel) | | | | | | x |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| MECANUM DRIVE KINEMATICS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | | |
| | X | X | | X | / | | | MecaKinematics_New.vi | | | | | | | x |
| | X | X | | X | X | | | MecaKinematics_SetInverseKinematics.vi | | | | | | | x |
| | X | X | | X | X | | | MecaKinematics_ToChassisSpeeds.vi | | | | | | | x |
| | X | X | | X | | | | MecaKinematics_ToTwist2d.vi | | | | | | | x |
| | X | X | | X | X | | | MecaKinematics_ToWheelSpeeds.vi | | | | | | | x |
| | X | X | | X | X | | | MecaKinematics_ToWheelSpeedsZeroCenter.vi | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| MECANUM DRIVE MOTOR VOLTAGE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | | |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | | x |
| MECANUM DRIVE ODOMETRY | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | | |
| | | | X | | | | | MecaOdometry_Execute.vi | | | | | | | x |
| | X | X | X | X | X | | | MecaOdometry_GetKinematics.vi | | | | | | | x |
| | X | X | | X | | | | MecaOdometry_GetPose.vi | | | | | | | x |
| | X | X | | X | | | | MecaOdometry_New.vi | | | | | | | x |

X
X
X
X
X
X

X
X
X
X
X
X

x
x
x
x
x

| | |
|---|--|
| X | |
| X | |
| X | |
| | |
| X | |
| X | |
| X | |
| | |
| X | |
| | |
| X | |
| X | |

X
X
X
X

X

X

| | | | | | | | | | | | | |
|---|---|---|---|--|--|--|-----------------------------------|--|--|--|--|--|
| X | X | X | X | | | | SwerveOdometry_Update4.VI | | For 4 module drives | | | |
| | | | | | | | SwerveOdometry_UpdateWithTime4.VI | | REMOVED | | | |
| | | | | | | | SwerveOdometry_UpdateWithTimeX.VI | | REMOVED | | | |
| X | X | X | X | | | | SwerveOdometry_UpdateX.VI | | uses array as input | | | |
| | | | | | | | | public Pose2d updateWithTime(double currentTimeSeconds, Rotation2d gyroAngle, SwerveModuleState... moduleStates) | variable parameters (replace with array and “4” calls) | | | |
| | | | | | | | | public Pose2d update(Rotation2d gyroAngle, SwerveModuleState... moduleStates) | variable parameters (replace with array and “4” calls) | | | |

| | | | | | | | | | | | | | |
|-------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------------|--------------------|-------|-------------|--------------|----------------|
| SWERVE DRIVE MODULE POSITIONS | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | SwerveModulePosition_CompareTo.vi | | | | | |
| | X | X | | X | SI | | | SwerveModulePosition_Equals.vi | | | | | |
| | X | X | | X | SI | | | SwerveModulePosition_Get.vi | | | | | |
| | X | X | | X | SI | | | SwerveModulePosition_New.vi | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|--|-------|-------------|--------------|----------------|
| SWERVE DRIVE MODULE STATE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | SwerveModuleState_CompareTo.vi | public int compareTo(SwerveModuleState o) | | | | |
| | X | X | | X | SI | | | SwerveModuleState_Equal.vi | | | | | |
| | X | X | | X | SI | | | SwerveModuleState_Get.vi | | | | | |
| | X | X | | X | SI | | | SwerveModuleState_New.vi | public SwerveModuleState(double speedMetersPerSecond, Rotation2d angle) | | | | |
| | X | X | | X | SI | | | SwerveModuleState_Optimize.vi | public SwerveModuleState optimize(SwerveModuleState desired, Rotation2d angle) | | | | |

=====

SPLINE

=====

| | | | | | | | | | | | | | |
|----------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|---|--------------------------------|-------------|--------------|----------------|
| CUBIC HERMITE SPLINE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | | | | | | | | | protected SimpleMatrix getCoefficients() | not needed, use cluster unpack | | | |
| | X | X | | X | | | | CubicHermiteSpline_getControlVectorFromArrays.vi | private SimpleMatrix getControlVectorFromArrays(double[] initialVector, double[] finalVector) | | | | |
| | X | X | | X | | | | CubicHermiteSpline_makeHermiteBasis.vi | private SimpleMatrix makeHermiteBasis() | | | | |
| | X | X | | X | | | | CubicHermiteSpline_New.vi | public CubicHermiteSpline(double[] xInitialControlVector, double[] xFinalControlVector, double[] yInitialControlVector, double[] yFinalControlVector) | | | | |

| | | | | | | | | | | | | | |
|---------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------|--|--------------------------------|-------------|--------------|----------------|
| POSE WITH CURVATURE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | PoseWithCurve_New.vi | public PoseWithCurvature(Pose2d poseMeters, double curvatureRadPerMeter) | | | | |
| | | | | | | | | | public PoseWithCurvature() | can use cluster constant | | | |
| | | | | | | | | | public Pose2d poseMeters | not needed, use cluster unpack | | | |
| | | | | | | | | | public double curvatureRadPerMeter.. | not needed, use cluster unpack | | | |

| | | | | | | | | | | | | | | |
|-------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|---|--------------------------------|-------------|--------------|----------------|---|
| QUINTIC HERMITE SPLINE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | | | | QuinticHermiteSpline_getControlVectorFromArrays.vi | private SimpleMatrix getControlVectorFromArrays(double[] initialVector, double[] finalVector) | | | | | x |
| | X | X | | X | | | | QuinticHermiteSpline_makeHermiteBasis.vi | private SimpleMatrix makeHermiteBasis() | | | | | x |
| | X | X | | X | | | | QuinticHermiteSpline_New.vi | public QuinticHermiteSpline(double[] xInitialControlVector, double[] xFinalControlVector, double[] yInitialControlVector, double[] yFinalControlVector) | | | | | x |
| | | | | | | | | | protected SimpleMatrix getCoefficients() | not needed, use cluster unpack | | | | x |
| SPLINE (Abstract class) | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | | | | Spline_getPoint.vi | public PoseWithCurvature getPoint(double t) | | | | | x |
| | | | | | | | | | Spline(int degree) | | | | | x |
| | | | | | | | | | public static class ControlVector | | | | | x |
| | | | | | | | | | public ControlVector(double[] x, double[] y) | implemented as data structure | | | | x |
| SPLINE HELPER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | SI | | | SplineHelp_GetCubicCtrlVector.vi | private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) | | | | | x |
| | X | X | | X | | X | | SplineHelp_GetCubicCtrlVectorsFromWayPts.vi | public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints(Pose2d start, Translation2d[] interiorWaypoints, Pose2d end) | | | | | x |
| | X | X | X | X | | | | SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi | | | | | | x |
| | X | X | X | No | | | | SplineHelp_GetCubicSpline_Calc1.vi | | internal | | | | x |
| | X | X | X | No | | | | SplineHelp_GetCubicSpline_Calc2.vi | | internal | | | | x |
| | X | X | X | No | | | | SplineHelp_GetCubicSpline_Calc3.vi | | internal | | | | x |
| | X | X | | X | | X | | SplineHelp_getCubicSplinesFromControlVectors.vi | public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) | | | | | x |
| | X | X | | X | SI | | | SplineHelp_GetQuinticCtrlVector.vi | private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) | | | | | x |
| | | | | | | | | SplineHelp_GetQuinticCtrlVectorsFromWayPts.vi | public static List<Spline.ControlVector> getQuinticControlVectorsFromWaypoints(List<Pose2d> waypoints) | REMOVED 2762 | | | | x |
| | | | | | | | | SplineHelp_GetQuinticCtrlVectorsFromWeightedWayPts.vi | | REMOVED 2762 | | | | x |
| | X | X | | X | | | | SplineHelp_getQuinticSplinesFromControlVectors.vi | public static QuinticHermiteSpline[] getQuinticSplinesFromControlVectors(Spline.ControlVector[] controlVectors) | | | | | x |
| | X | X | X | X | | | | SplineHelp_GetQuinticSplinesFromWeightedWayPts.vi | | New 2762 | | | | x |
| | X | X | | X | | | | SplineHelp_GetQuinticSplinesFromWayPts.vi | | New 2762 | | | | x |
| | X | X | | No | | | | SplineHelp_ThomasAlgorithm.vi | private static void thomasAlgorithm(double[] a, double[] b, double[] c, double[] d, double[] solutionVector) | internal | | | | x |
| SPLINE PARAMETERIZER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | | | | SplineParam_Spline_T0_T1.vi | public static List<PoseWithCurvature> parameterize(Spline spline, double t0, double t1) | | | | | x |
| | X | X | | X | | X | | SplineParam_Spline.vi | public static List<PoseWithCurvature> parameterize(Spline spline) | | | | | x |
| | X | X | X | No | | | | SplineParam_StackGet.vi | | internal | | | | x |

| | | | | | | | | | | | | | |
|---|---|---|----|--|--|--|--------------------------|--|----------|--|--|--|--|
| X | X | X | No | | | | SplineParam_StackPop.vi | | internal | | | | |
| X | X | X | No | | | | SplineParam_StackPush.vi | | internal | | | | |

=====

TRAJECTORY

=====

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------|--|---|-------------|--------------|----------------|
| TRAJECTORY | X | X | | X | | | | Trajectory_Concatenate.vi | | | | | |
| | X | X | | X | | | | Trajectory_equals.vi | boolean equals(other obj) | FUTURE | | | |
| | X | X | | X | SI | | | Trajectory_GetStates.vi | public List<State> getStates() | not needed, use unpack | | | |
| | X | X | | X | SI | | | Trajectory_GetTotalTime.vi | public double getTotalTimeSeconds() | not needed, use unpack | | | |
| | X | X | | No | SI | | | Trajectory_lerp_double.vi | private static double lerp(double startValue, double endValue, double t) | internal | | | |
| | X | X | | No | SI | | | Trajectory_lerp_Pose.vi | private static Pose2d lerp(Pose2d startValue, Pose2d endValue, double t) | internal | | | |
| | X | X | | X | SI | | | Trajectory_New_Empty.vi | | | | | |
| | X | X | | X | SI | | | Trajectory_New.vi | public Trajectory(final List<State> states) | | | | |
| | X | X | | X | | | | Trajectory_RelativeTo.vi | public Trajectory relativeTo(Pose2d pose) | | | | |
| | X | X | | X | | | | Trajectory_Sample.vi | public State sample(double timeSeconds) | | | | |
| | X | X | X | X | | | | Trajectory_SampleReverse.vi | | Sample in reverse order. Negate sample. | | | |
| | X | X | | X | | | | Trajectory_TransformBy.vi | public Trajectory transformBy(Transform2d transform) | | | | |
| | | | | | | | | | public Pose2d getInitialPose() | can use cluster unpack, array index | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|--|-------|-------------|--------------|----------------|
| TRAJECTORY_STATE | X | X | | X | SI | | | TrajectoryState_Equals.vi | boolean equals(other obj) | | | | |
| | X | X | X | X | SI | | | TrajectoryState_GetAll.vi | | | | | |
| | X | X | | X | SI | | | TrajectoryState_GetPose.vi | | | | | |
| | X | X | | X | | | | TrajectoryState_Interpolate.vi | State interpolate(State endValue, double i) | | | | |
| | X | X | | X | SI | | | TrajectoryState_New.vi | public State(double timeSeconds, double velocityMetersPerSecond, double accelerationMetersPerSecondSq, Pose2d poseMeters, double curvatureRadPerMeter) | | | | |
| | | | | | | | | | public State() | | | | |
| | | | | | | | | | | | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|---|---|-------------|--------------|----------------|
| TRAJECTORY CONFIG | X | X | | X | | | | TrajectoryConfig_AddConstraint.vi | public TrajectoryConfig addConstraint(TrajectoryConstraint constraint) | Implemented differently, can't duplicate. | | | |
| | X | X | | X | | | | TrajectoryConfig_AddConstraints.vi | public TrajectoryConfig addConstraints(List<? extends TrajectoryConstraint> constraints) | Implemented differently, can't duplicate. | | | |
| | X | X | | X | SI | | | TrajectoryConfig_Create.vi | public TrajectoryConfig(double maxVelocityMetersPerSecond, double maxAccelerationMetersPerSecondSq) | | | | |
| | X | X | | X | | | | TrajectoryConfig_GetCentripetalAccel.vi | | | | | |
| | X | X | X | X | | | | TrajectoryConfig_GetConstraints.vi | public List<TrajectoryConstraint> getConstraints() | Implemented differently, can't duplicate. | | | |
| | X | X | | X | | | | TrajectoryConfig_GetEndVelocity.vi | public double getEndVelocity() | can use cluster unpack | | | |
| | X | X | | X | | | | TrajectoryConfig_GetKinematicsDiffDrive.vi | | | | | |
| | X | X | | X | | | | TrajectoryConfig_GetKinematicsMecanumfDrive.vi | | | | | |
| | X | X | | X | | | | TrajectoryConfig_GetKinematicsSwerveDrive.vi | | | | | |
| | X | X | X | X | | | | TrajectoryConfig_GetMaxVelAccel.vi | | | | | |
| | X | X | | X | | | | TrajectoryConfig_GetStartVelocity.vi | public double getStartVelocity() | can use cluster unpack | | | |
| | X | X | | X | | | | TrajectoryConfig_GetVoltageDiffDrive.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|----|--|--|--|---|---------------------------------|--|--|--|
| X | X | | X | | | | TrajectoryConfig_IsReversed.vi | public boolean isReversed() | can use cluster unpack | | | |
| X | X | X | X | SI | | | TrajectoryConfig_setCentripetalAccel.vi | | | | | |
| X | X | | X | | | | TrajectoryConfig_SetEndVelocity.vi | public TrajectoryConfig setEndVelocity(double endVelocityMetersPerSecond) | | | | |
| X | X | | X | SI | | | TrajectoryConfig_setKinematicsDiffDrive.vi | public TrajectoryConfig setKinematics(DifferentialDriveKinematics kinematics) | | | | |
| X | X | | X | SI | | | TrajectoryConfig_setKinematicsMecanumfDrive.vi | public TrajectoryConfig setKinematics(MecanumDriveKinematics kinematics) | | | | |
| X | X | | X | SI | | | TrajectoryConfig_setKinematicsSwerveDrive.vi | public TrajectoryConfig setKinematics(SwerveDriveKinematics kinematics) | | | | |
| X | X | | X | SI | | | TrajectoryConfig_setReversed.vi | public TrajectoryConfig setReversed(boolean reversed) | | | | |
| X | X | | X | | | | TrajectoryConfig_SetStartVelocity.vi | public TrajectoryConfig setStartVelocity(double startVelocityMetersPerSecond) | | | | |
| X | X | X | X | SI | | | TrajectoryConfig_setVoltageDiffDrive.vi | | | | | |
| | | | | | | | | public double getMaxVelocity() | Created function to return both | | | |
| | | | | | | | | public double getMaxAcceleration() | Created function to return both | | | |
| NOTE ADD OTHER "SET" ROUTINES FOR OTHER CONSTRAINTS HERE, SINCE NEW CONSTRAINTS ARE SPECIFIC AND NOT GENERIC. | | | | | | | | | | | | |

| | Implemented | Documented | Not WPLIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|---------------------|-------------|------------|-----------|-----------|---------------------|--------------|----------------|---|---|----------------------|-------------|--------------|----------------|
| TRAJECTORY GENERATE | X | X | | X | | | | TrajectoryGenerate_Make_Cubic_CtrlVect.vi | public static Trajectory generateTrajectory(Spline.ControlVector initial, List<Translation2d> interiorWaypoints, Spline.ControlVector end, TrajectoryConfig config) | uses cubic splines | | | |
| | X | X | | X | | | | TrajectoryGenerate_Make_Cubic.vi | public static Trajectory generateTrajectory(Pose2d start, List<Translation2d> interiorWaypoints, Pose2d end, TrajectoryConfig config) | uses cubic splines | | | |
| | X | X | X | X | | | | TrajectoryGenerate_Make_Generic.vi | Helper to bring these all together.... | Use this one!!! | | | |
| | X | X | | X | | | | TrajectoryGenerate_Make_Quintic_CtrlVect.vi | public static Trajectory generateTrajectory(ControlVectorList controlVectors, TrajectoryConfig config) | uses quintic splines | | | |
| | X | X | X | X | | | | TrajectoryGenerate_Make_Quintic_Weighted.vi | | New 2762 | | | |
| | X | X | | X | | | | TrajectoryGenerate_Make_Quintic.vi | public static Trajectory generateTrajectory(List<Pose2d> waypoints, TrajectoryConfig config) | uses quintic splines | | | |
| | X | X | | X | | | | TrajectoryGenerate_splinePointsFromSplines.vi | public static List<PoseWithCurvature> splinePointsFromSplines(Spline[] splines) | | | | |

| TRAJECTORY GENERATE (Control Vector) | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|--------------------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|---------|---|-------------------------|-------------|--------------|----------------|
| | | | | | | | | | public ControlVectorList(int initialCapacity) | may not need, just data | | | |
| | | | | | | | | | public ControlVectorList() | may not need, just data | | | |
| | | | | | | | | | public ControlVectorList(Collection<? extends Spline.ControlVector> collection) | may not need, just data | | | |
| | | | | | | | | | | | | | |

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|------------------------------------|--|---|-------------|--------------|----------------|
| TRAJECTORY PARAMETERIZE | X | X | X | No | | | | TrajectoryParam_calcStuffFwd.vi | | | | | |
| | X | X | X | No | | | | TrajectoryParam_calcStuffRev.vi | | | | | |
| | X | X | | No | | | | TrajectoryParam_enforceAccel.vi | private static void enforceAccelerationLimits(boolean reverse, List<TrajectoryConstraint> constraints, ConstrainedState state) | This routines needs to be changed when new constraints are added. | | | |
| | X | X | X | No | | | | TrajectoryParam_enforceVelocity.vi | | This routines needs to be changed when new constraints are added. | | | |

CENTRIPETAL ACCELERATION CONSTRAINT

| | | | | | | | | | |
|---|---|--|---|----|--|--|--|---|------------------------------|
| X | X | | X | | | | CentripetalAccelConstraint_getMaxVelocity.vi | public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | | | | CentripetalAccelConstraint_getMinMaxAccel.vi | public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | SI | | | CentripetalAccelConstraint_New.vi | public CentripetalAccelerationConstraint(double maxCentripetalAccelerationMetersPerSecondSq) | Can use cluster pack for now |

x
x
x
x

DIFF DRIVE KINEMATIC CONSTRAINT

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|---|-------|
| X | X | | X | | | | DiffDriveKinematicsConstraint_getMaxVelocity.vi | public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | | | | DiffDriveKinematicsConstraint_getMinMaxAccel.vi | public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | SI | | | DiffDriveKinematicsConstraint_New.vi | public DifferentialDriveKinematicsConstraint(final DifferentialDriveKinematics kinematics, double maxSpeedMetersPerSecond) | |

x
x
x
x
x

DIFF DRIVE VOLTAGE CONSTRAINT

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|---|-------|
| X | X | | X | | | | DiffDriveVoltageConstraint_getMaxVelocity.vi | public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | | | | DiffDriveVoltageConstraint_getMinMaxAccel.vi | public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond) | |
| X | X | | X | SI | | | DiffDriveVoltageConstraint_New.vi | public DifferentialDriveVoltageConstraint(SimpleMotorFeedforward feedforward, DifferentialDriveKinematics kinematics, double maxVoltage) | |

x
x
x
x
x

ELLIPTICAL REGION CONSTRAINT

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|
| X | X | | X | | | | EllipRegionConstraint_getMaxVelocity.vi | | |
| X | X | | X | | | | EllipRegionConstraint_getMinMaxAccel.vi | | |
| X | X | | X | | | | EllipRegionConstraint_IsPoseInRegion.vi | | |
| X | X | | X | | | | EllipRegionConstraint_New.vi | | |

x
x
x
x
x
x

JERK CONSTRAINT

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------------------|------------------------------------|--------|
| / | | X | | | | | JerkConstraint_getMaxVelocity.vi | Routine exists, it is just a shell | FUTURE |
| / | | X | | | | | JerkConstraint_getMinMaxAccel.vi | Routine exists, it is just a shell | FUTURE |
| / | | X | | SI | | | JerkConstraint_New.vi | Routine exists, it is just a shell | FUTURE |

x
x
x
x

| | |
|---|---|
| X | |
| | X |
| | X |
| | X |
| | X |
| | X |

X
X
X
X
X

X
X
X
X
X
X

X
X
X
X
X

X
X
X
X
X

```
'=====
UTILITY
'=====
```

| | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|------|-------------|------------|------------|-----------|---------------------|--------------|----------------|---|--------------------|---|
| UTIL | X | X | X | X | SI | | | Util_ApproxEqual.vi | | |
| | X | X | X | X | | | | Util_Array_PoseWCurv_to_XY.vi | | |
| | X | X | X | X | SI | | | Util_CalcDist.vi | | |
| | X | X | X | X | SI | | | Util_GetLibraryVersion.vi | | |
| | X | X | X | X | SI | | | Util_GetLibUsage.vi | | |
| | X | X | X | X | | | | Util_GetTime.vi | | Once tested completely, this should be optimized! |
| | X | X | X | No | I | | | Util_GetTime_U32.vi | | |
| | X | X | X | No | I | | | Util_GetTime_U64.vi | | |
| | X | X | X | No | N/A | | | Util_LibraryGlobals.vi | | Global Variables – no block diag. |
| | X | X | X | X | | | | Util_Trajectory_Absolute_To_Relative.vi | | |
| | X | X | X | X | | | | Util_Trajectory_ReadFile.vi | | |
| | X | X | X | X | | | | Util_Trajectory_to_XY.vi | | |
| | X | X | X | No | | | | Util_Trajectory_WriteFile_Config.vi | | internal |
| | X | X | X | No | | | | Util_Trajectory_WriteFile_OneState.vi | | internal |
| | X | X | X | X | | | | Util_Trajectory_WriteFile_PathFinder.vi | | |
| | X | X | X | No | | | | Util_Trajectory_WriteFile_PathFinderConfig.vi | | internal |
| | X | X | X | X | | | | Util_Trajectory_WriteFile_Pathweaver.vi | | |
| | X | X | X | No | | | | Util_Trajectory_WriteFile_States.vi | | internal |
| | X | X | X | No | | | | Util_Trajectory_WriteFile_WayPoints.vi | | internal |
| | X | X | X | X | | | | Util_Trajectory_WriteFile.vi | | |
| | X | X | X | X | | | | Util_TrajectoryState_Meters_To_Inches.vi | | |
| | X | X | X | X | | | | Util_TrajState_to_DiffDrive_WheelPos.vi | | |
| | X | X | X | X | | | | Util_DispWaypoint_Eng_To_SI.vi | | |
| | X | X | X | X | | | | Util_DispWaypoint_To_CubicInput.vi | | |
| | X | X | X | X | | | | Util_DispWaypoint_To_QuinticInput.vi | | |
| | X | X | X | X | | | | Util_DispWeightedWaypiont_Eng_To_WeightedWaypoint | | |
| | X | X | X | No | | | | Util_DispWeightedWayPoint_To_WeightedWayPoint.vi | | Sorry about the confusing name.. |

```
=====
CONVERSIONS
=====
```

FRC_LabVIEW_Trajectory_Library_Routines.xlsx

| | | | | | | | | | |
|---|---|---|---|----|--|--|------------------------------|--|--|
| X | X | X | X | SI | | | Conv_GyroDegrees_Heading.vi | | |
| X | X | X | X | SI | | | Conv_Heading_AngleRadians.vi | | |
| X | X | X | X | SI | | | Conv_Inches_Meters.vi | | |
| X | X | X | X | SI | | | Conv_Kilograms_Pounds.vi | | |
| X | X | X | X | SI | | | Conv_Meters_Feet.vi | | |
| X | X | X | X | SI | | | Conv_Meters_Inches.vi | | |
| X | X | X | X | SI | | | Conv_Pose2d_SI_Eng.vi | | |
| X | X | X | X | SI | | | Conv_Pounds_Kilograms.vi | | |
| X | X | X | X | SI | | | Conv_Radians_Deg.vi | | |
| X | X | X | X | SI | | | Conv_Radians_Rotations.vi | | |
| X | X | X | X | SI | | | Conv_Rotations_Deg.vi | | |
| X | X | X | X | SI | | | Conv_Rotations_Radians.vi | | |
| X | X | X | X | SI | | | Conv_Yards_Meters.vi | | |

| UNITS | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|-------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|
| | X | X | | X | SI | | | Units_DegreesToRadians.vi | | |
| | X | X | | X | SI | | | Units_DegreesToRotations.vi | | |
| | X | X | | X | SI | | | Units_FeetToMeters.vi | | |
| | X | X | | X | SI | | | Units_InchesToMeters.vi | | |
| | X | X | | X | SI | | | Units_MetersToFeet.vi | | |
| | X | X | | X | SI | | | Units_MetersToInches.vi | | |
| | X | X | | X | SI | | | Units_MillisecondsToSeconds.vi | | |
| | X | X | | X | SI | | | Units_RadiansPerSecondToRotationsPerMinute.vi | | |
| | X | X | | X | SI | | | Units_RadiansToDegrees.vi | | |
| | X | X | | X | SI | | | Units_RadiansToRotations.vi | | |
| | X | X | | X | SI | | | Units_RotationsPerMinuteToRadiansPerSecond.vi | | |
| | X | X | | X | SI | | | Units_RotationsToDegrees.vi | | |
| | X | X | | X | SI | | | Units_RotationsToRadians.vi | | |
| | X | X | | X | SI | | | Units_SecondsToMilliseconds.vi | | |

=====

PATHFINDER UTIL

=====

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A
JAVA / C++ WPILIB EQUIVALENT

| PATHFINDERUTIL | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes |
|----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|
| | X | X | X | X | | | | PathfinderUtil_Continuous_Heading_Difference.vi | | |
| | X | X | X | X | | | | PathfinderUtil_OptimizeTrajectoryStates.vi | | |
| | X | X | X | X | | | | PathfinderUtil_ToTrajectory.vi | | |
| | X | X | X | X | | | | PathfinderUtil_ToTrajectoryStates.vi | | |

=====

STATE SPACE MODEL

=====

| DC MOTOR | Implemented | Documented | Not WPI/LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------|--------------------|-------|-------------|--------------|----------------|
| | X | X | | X | SI | | | DCMotor_GetAndymark9015.vi | | | | | |
| | X | X | | X | SI | | | DCMotor_GetAndymarkAM2235A.vi | | | | | |
| | X | X | | X | SI | | | DCMotor_GetAndymarkAM3493.vi | | | | | |
| | X | X | | X | SI | | | DCMotor_GetAndymarkRs775_125.vi | | | | | |
| | X | X | | X | SI | | | DCMotor_GetBag.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|--|---|----|--|--|-----------------------------|--|--|--|--|--|
| X | X | | X | SI | | | DCMotor_GetBanebotsRs550.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetBanebotsRs775.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetCIM.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetCurrent.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetFalcon500.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetMiniCIM.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetNEO.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetNEO550.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetRomiBuiltIn.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetSpeed.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetTorque.vi | | | | | |
| X | X | | X | SI | | | DCMotor_GetVex775Pro.vi | | | | | |
| X | X | | X | SI | | | DCMotor_New.vi | | | | | |
| X | X | | X | SI | | | DCMotor_PickMotor.vi | | | | | |
| X | X | | X | SI | | | DCMotor_WithReduction.vi | | | | | |
| | | | | | | | | | | | | |

| LINEAR SYSTEM ID | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|-----------------------------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | LinearSystemId_CreateDCMotorSystem.vi | | | | | |
| | X | X | | X | | | | LinearSystemId_CreateDriveTrainVelocitySystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_CreateElevatorSystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_CreateFlywheelSystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_CreateSingleJointedArmSystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_IdentifyDriveTrainSystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_IdentifyPositionSystem.vi | | Update to use create matrix | | | |
| | X | X | | X | | | | LinearSystemId_IdentifyVelocitySystem.vi | | Update to use create matrix | | | |
| | | | | | | | | | | | | | |

STATE SPACE ESTIMATION

| DIFFERENTIAL DRIVE POSE ESTIMATOR | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-----------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_AddVisionMeasurement.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_FillStateVector.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_GetEstimatedPosition.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_Kalman_F_Callback.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_Kalman_H_Callback.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_New.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_ResetPosition.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_SetVisionMeasurementStdDevs.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_Update.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_UpdateWithTime.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_VisionCorrect_Callback.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi | | | | | |

| DIFFERENTIAL DRIVE POSE ESTIMATOR 2 | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst2_AddVisionMeasurement.vi | | | | | |
| | X | | X | NO | SI | | | DiffDrivePoseEst2_BufferDuration.vi | | | | | |
| | X | X | | X | | | | DiffDrivePoseEst2_GetEstimatedPosition.vi | | | | | |
| | X | X | X | No | | | | DiffDrivePoseEst2_InterpRecord_ExtractFromVar.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|--|----|--|--|--|--|--|--|--|--|--|
| X | X | | No | | | | DiffDrivePoseEst2_InterpRecord_Interp.vi | | | | | |
| X | X | | No | | | | DiffDrivePoseEst2_InterpRecord_New.vi | | | | | |
| X | X | | X | | | | DiffDrivePoseEst2_New.vi | | | | | |
| X | X | | X | | | | DiffDrivePoseEst2_ResetPosition.vi | | | | | |
| X | X | | X | | | | DiffDrivePoseEst2_SetVisionMeasurementStdDevs.vi | | | | | |
| X | X | | X | | | | DiffDrivePoseEst2_Update.vi | | | | | |
| X | X | | X | | | | DiffDrivePoseEst2_UpdateWithTime.vi | | | | | |
| | | | | | | | | | | | | |

| EXTENDED KALMAN FILTER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|-------------------------------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_Correct_OnlyUY.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_Correct.vi | | Just a shell, not functional! | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_GetP_Single.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_GetP.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_GetXHat_Single.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_GetXHat.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_New.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_Predict.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_Reset.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_SetP.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_SetXHat_Single.vi | | | | | |
| | X | X | | X | | | | ExtendedKalmanFilter_SetXHat.vi | | | | | |
| | | | | | | | | | | | | | |

| KALMAN FILTER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | X | | KalmanFilter_Correct.vi | | | | | |
| | X | X | | X | | | | KalmanFilter_GetK | | | | | |
| | X | X | | X | | | | KalmanFilter_GetK_Single.vi | | | | | |
| | X | X | | X | | | | KalmanFilter_GetXHat | | | | | |
| | X | X | | X | | X | | KalmanFilter_GetXHAT_Single | | | | | |
| | X | X | | X | | X | | KalmanFilter_New.vi | | | | | |
| | X | X | | X | | X | | KalmanFilter_Predict.vi | | | | | |
| | X | X | | X | | | | KalmanFilter_Reset.vi | | | | | |
| | X | X | | X | | | | KalmanFilter_SetXHat | | | | | |
| | X | X | | X | | X | | KalmanFilter_SetXHat_Single | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| KALMAN FILTER LATENCY COMPENSATOR | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-----------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_AddObserverState.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_FindClosestMeasurement.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_New.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_Observer_New.vi | | | | | |
| | X | X | | X | | | | KalmanFilterLatencyComp_Reset.vi | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|-------------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|-------------|--------------|----------------|---|
| MECANUM DRIVE POSE ESTIMATOR | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | | | | | | | | MecaDrivePoseEst_AddVisionMeasurement_StdDev.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_AddVisionMeasurement.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_GetEstimatedPosition.vi | | | | | | x |
| | X | X | | No | | | | MecaDrivePoseEst_Kalman_F_Callback.vi | | | | | | x |
| | X | X | | No | | | | MecaDrivePoseEst_Kalman_H_Callback.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_New.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_ResetPosition.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_SetVisionMeasurementStdDevs.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_Update.vi | | | | | | x |
| | X | X | | X | | | | MecaDrivePoseEst_UpdateWithTime.vi | | | | | | x |
| | X | X | | No | | | | MecaDrivePoseEst_VisionCorrect_Callback.vi | | | | | | x |
| | X | X | | No | | | | MecaDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| SWERVE DRIVE POSE ESTIMATOR | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | | | | | | | | SwerveDrivePoseEst_AddVisionMeasurement_StdDev.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_AddVisionMeasurement.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_GetEstimatedPosition.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_Kalman_F_Callback.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_Kalman_H_Callback.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_New.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_ResetPosition.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_SetVisionMeasurementStdDevs.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_Update.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_UpdateWithTime.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_VisionCorrect_Callback.vi | | | | | | x |
| | X | X | | X | | | | SwerveDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| SWERVE DRIVE POSE ESTIMATOR 2 | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | | | X | | | | SwerveDrivePoseEst2_AddVisionMeasurement.vi | | | | | | x |
| | X | | X | NO | SI | | | SwerveDrivePoseEst2_BufferDuration.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_GetEstimatedPosition.vi | | | | | | x |
| | X | | X | No | | | | SwerveDrivePoseEst2_InterpRecord_ExtractFromVar.vi | | | | | | x |
| | X | | | No | | | | SwerveDrivePoseEst2_InterpRecord_Interp.vi | | | | | | x |
| | X | | | No | | | | SwerveDrivePoseEst2_InterpRecord_New.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_New.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_ResetPosition.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_SetVisionMeasurementStdDevs.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_Update.vi | | | | | | x |
| | X | | | X | | | | SwerveDrivePoseEst2_UpdateWithTime.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| | | | | | | | | | | | | | | x |

| | | | | | | | | | | | | | |
|--|-------------|------------|------------|-----------|---------------------|--------------|----------------|--|--------------------|-------|-------------|--------------|----------------|
| UNSCENTED KALMAN FILTER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | | | | UnscentedKalmanFilter_Correct_FuncGroup.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Correct_OnlyUY.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Correct_OnlyUYR.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Correct.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_GetP_Single.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_GetP.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_GetXHat_Single.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_GetXHat.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_New_Default.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_New_FuncGroup.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_New.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Predict.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Reset.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_SetP.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_SetXHat_Single.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_SetXHat.vi | | | | | |
| | X | X | | X | | | | UnscentedKalmanFilter_Transform.vi | | | | | |
| | | | | | | | | | | | | | |
| STATE SPACE CONTROL | | | | | | | | | | | | | |
| CONTROL AFFINE PLANT INVERSION FEEDFORWARD | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| DIFFERENTIAL DRIVE ACCELERATION LIMITER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | | X | | DiffDrvAccelLimit_Calculate.vi | | | | | |
| | X | X | | X | | X | | DiffDrvAccelLimit_New.vi | | | | | |
| IMPLICIT MODEL FOLLOWER | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | | X | | ImplModelFollow_Calculate.vi | | | | | |
| | X | X | | X | | X | | ImplModelFollow_GetU.vi | | | | | |
| | X | X | | X | | X | | ImplModelFollow_GetU_Single.vi | | | | | |
| | X | X | | X | | X | | ImplModelFollow_New.vi | | | | | |
| | X | X | | X | | X | | ImplModelFollow_New_Plant.vi | | | | | |
| | X | X | | X | | X | | ImplModelFollow_Reset.vi | | | | | |
| | | | | | | | | | | | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|------------------------------------|--------------------|-------|-------------|--------------|----------------|
| LINEAR PLANT INVERSION FEEDFORWARD | X | X | | X | | | | LinearPlntInvFF_Calculate_NextR.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_Calculate.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_GetR_Single.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_GetR.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_GetUff_Single.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_GetUff.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_New_Plant.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_New.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_Reset_Initial.vi | | | | | |
| | X | X | | X | | | | LinearPlntInvFF_Reset_Zero.vi | | | | | |
| | | | | | | | | | | | | | |

x

x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|---|-------------|--------------|----------------|
| LINEAR QUADRATIC REGULATOR | X | X | | X | | | | LinearQuadraticRegulator_Calculate_NextR.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_Calculate.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_GetK_Single.vi | | NOT ORIGINAL... | | | |
| | X | X | | X | | X | | LinearQuadraticRegulator_GetK.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_GetR_Single.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_GetR.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_GetU_Single.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_GetU.vi | | | | | |
| | X | X | | X | | X | | LinearQuadraticRegulator_LatencyCompensate.vi | | Routine exists, but it only has interger raise matrix to power. | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_New_ELMS.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_New_N.vi | | | | | |
| | | | | | | | | LinearQuadraticRegulator_New_Raw.vi | | | | | |
| | X | X | | X | | X | | LinearQuadraticRegulator_New_SystemELMS.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_New.vi | | | | | |
| | X | X | | X | | | | LinearQuadraticRegulator_Reset.vi | | | | | |
| | | | | | | | | | | | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------------|--------------------|-------|-------------|--------------|----------------|
| LINEAR SYSTEM | X | X | | X | / | | | LinearSystem_CalculateX.vi | | | | | |
| | X | X | | X | / | | | LinearSystem_CalculateY.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetA.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetAElement.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetB.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetBElement.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetC.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetCElement.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetD.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_GetDElement.vi | | | | | |
| | X | X | | X | SI | | | LinearSystem_New.vi | | | | | |
| | | | | | | | | | | | | | |

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

x

[illegible]

Y

X
X
X
X
X
X
X
X
X
X
X
X

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|-------|-------------|--------------|----------------|
| CALLBACK HELPER | X | X | X | X | | | | CallbackHelp_MatrixMinus.vi | | | | | |
| | X | X | X | X | | | | CallbackHelp_MatrixMult_CoerceSizeB.vi | | | | | |
| | X | X | X | X | | | | CallbackHelp_MatrixMult.vi | | | | | |
| | X | X | X | X | | | | CallbackHelp_MatrixPlus.vi | | | | | |
| | | | | | | | | | | | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------------|--------------------|-------|-------------|--------------|----------------|
| DISCRETIZATION | X | X | | X | | X | | Discretization_DiscretizeA.vi | | | | | |
| | X | X | | X | | X | | Discretization_DiscretizeAB.vi | | | | | |
| | X | X | | X | | X | | Discretization_DiscretizeABTaylor.vi | | | | | |
| | X | X | | X | | X | | Discretization_DiscretizeAQ.vi | | | | | |
| | X | X | | X | | X | | Discretization_DiscretizeAQTaylor.vi | | | | | |
| | X | X | | X | | | | Discretization_DiscretizeR.vi | | | | | |
| | | | | | | | | | | | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|------------------------------------|-------------|--------------|----------------|
| STATE SPACE UTIL | X | X | X | No | | | | StateSpaceUtil_Check_Stabalizable.vi | | Internal routine | | | |
| | X | X | | X | | | | StateSpaceUtil_ClampInputMaxMagnitude.vi | | Routine exists, it is just a shell | | | |
| | X | X | | X | | | | StateSpaceUtil_IsDetectable.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_IsStabalizable.vi | | | | | |
| | X | X | | X | | X | | StateSpaceUtil_MakeCostMatrix.vi | | | | | |
| | X | X | | X | | X | | StateSpaceUtil_MakeCovarianceMatrix.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_MakeWhiteNoiseVector.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_NormalizeInputVector.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_PoseTo3dVector.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_PoseTo4dVector.vi | | | | | |
| | X | X | | X | | | | StateSpaceUtil_PoseToVector.vi | | | | | |
| | | | | | | | | | | | | | |

=====

SIMULATION

=====

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|-------|-------------|--------------|----------------|
| BATTERY SIM | X | X | | X | SI | | | BatterySim_CalculateDefaultBatteryLoadedVoltage.vi | | | | | |
| | X | X | | X | SI | | | BatterySim_CalculateLoadedVoltage.vi | | | | | |
| | X | | X | | | | | BatterySim_Execute.vi | | | | | |

| | | | | | | | | | | | | | | |
|------------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|--|--------------------|-------|-------------|--------------|----------------|---|
| DC MOTOR SIM | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | | X | | | | | DCMotorSim_Execute.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_getAngularPositionRad.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_getAngularPositionRotations.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_getAngularVelocityRadPerSec.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_getAngularVelocityRPM.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_GetCurrentDrawAmps.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_New_MOI.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_New_Plant.vi | | | | | | x |
| | X | | X | | | | | DCMotorSim_Pack_Model_Params.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_SetInputVoltage.vi | | | | | | x |
| | X | X | | X | | | | DCMotorSim_Update.vi | | | | | | x |
| DIFFERENTIAL DRIVE TRAIN SIM | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | X | | X | | | | DiffDriveTrainSim_ClampInput.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_CreateKitbotSim_EstMass.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_CreateKitbotSim_EstMassMOI.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_CreateKitbotSim.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetCurrentDrawAmps.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetCurrentGearing.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetDynamics.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetHeading.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetLeftCurrentDrawAmps.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetLeftPositionMeters.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetLeftVelocityMetersPerSecond.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetOutput_Single.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetPose.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetRightCurrentDrawAmps.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetRightPositionMeters.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetRightVelocityMetersPerSecond.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetState_Single.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_GetState.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_KitBotWheelSize.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_New_Mass_MOI.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_New.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_SetCurrentGearing.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_SetInputs.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_SetPose.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_SetState.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_ToughBoxMiniGearRatio.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_ToughBoxMiniMotor.vi | | | | | | x |
| | X | X | | X | | | | DiffDriveTrainSim_Update.vi | | | | | | x |
| ELEVATOR SIM | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | x |
| | X | | X | | | | | ElevatorSim_Execute.vi | | | | | | x |
| | X | X | | X | | | | ElevatorSim_GetCurrentDraw.vi | | | | | | x |
| | X | X | | X | | | | ElevatorSim_GetPositionMeters.vi | | | | | | x |
| | X | X | | X | | | | ElevatorSim_GetVelocityMetersPerSecond.vi | | | | | | x |
| | X | X | | X | | | | ElevatorSim_HasHitLowerLimit.vi | | | | | | x |

| | | | | | | | | | | | |
|---|---|---|----|--|--|---------------------------------------|--|-------------------------------------|--|--|--|
| X | X | | X | | | ElevatorSim_HasHitUpperLimit.vi | | | | | |
| | | | | | | ElevatorSim_New_LinSys_NoNoise.vi | | | | | |
| | | | | | | ElevatorSim_New_LinSys.vi | | | | | |
| | | | | | | ElevatorSim_New_NoNoise.vi | | | | | |
| X | X | | X | | | ElevatorSim_New.vi | | | | | |
| X | | X | | | | ElevatorSim_Pack_Model_Params.vi | | | | | |
| X | | X | | | | ElevatorSim_Pack_Simulation_Params.vi | | | | | |
| X | X | X | No | | | ElevatorSim_RKF45_Func.vi | | | | | |
| X | X | | X | | | ElevatorSim_SetInputVoltage.vi | | | | | |
| X | X | | X | | | ElevatorSim_SetState.vi | | | | | |
| X | X | X | X | | | ElevatorSim_Update.vi | | Needed because this doesn't extend. | | | |
| X | X | | X | | | ElevatorSim_UpdateX.vi | | | | | |
| X | X | | X | | | ElevatorSim_WouldHitLowerLimit.vi | | | | | |
| X | X | | X | | | ElevatorSim_WouldHitUpperLimit.vi | | | | | |

| FLYWHEEL SIM | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|--------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|--------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | | X | | | | | FlyWheelSim_Execute.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_GetAngularVelocityRadPerSec.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_GetAngularVelocityRPM.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_GetCurrentDrawAmps | | | | | |
| | | | | | | | | FlyWheelSim_New_LinSys | | Future | | | |
| | | | | | | | | FlyWheelSim_New_LinSys_MOI_NoNoise | | Future | | | |
| | | | | | | | | FlyWheelSim_New_LinSys_NoNoise | | Future | | | |
| | X | X | | X | | | | FlyWheelSim_New_MOI.vi | | | | | |
| | X | | X | | | | | FlyWheelSim_Pack_Model_Params.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_SetInput.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_SetState.vi | | | | | |
| | X | X | | X | | | | FlyWheelSim_Update.vi | | | | | |
| | | | | | | | | | | | | | |

| LINEAR SYSTEM SIM | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------------|--------------------|---------------------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | LinearSystemSim_ClampInput.vi | | | | | |
| | | | | | | | | LinearSystemSim_GetCurrentDrawAmps.vi | | DONT IMPLEMENT... | | | |
| | X | X | | X | | | | LinearSystemSim_GetOutput_Single.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_GetOutput.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_New | | | | | |
| | | | | | | | | LinearSystemSim_New_NoNoise.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_SetInput_Array.vi | | Doesn't use clamp ? | | | |
| | X | X | | X | | | | LinearSystemSim_SetInput_Single.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_SetInput.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_Setstate.vi | | | | | |
| | X | X | | X | | | | LinearSystemSim_Update.vi | | | | | |
| | X | X | | No | | | | LinearSystemSim_UpdateX.vi | | | | | |
| | X | X | X | No | | | | LinearSystemSim_UpdateY.vi | | | | | |

| SINGLE JOINT ARM SIM | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|----------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|--------------------|-------|-------------|--------------|----------------|
| | | | | | | | | | | | | | |
| | X | X | | X | | | | SngJntArmSim_EsitmateMOI.vi | | | | | |
| | X | | X | | | | | SngJntArmSim_Execute.vi | | | | | |
| | X | X | | X | | | | SngJntArmSim_GetAngleRads.vi | | | | | |
| | X | X | | X | | | | SngJntArmSim_GetCurrentDraw.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|---|----|--|--|--|--|--|--|--|--|--|
| X | X | | X | | | | SngJntArmSim_GetVelocityRadsPerSec.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_HasHitLowerLimit.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_HasHitUpperLimit.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_New.vi | | | | | |
| X | | X | | | | | SngJntArmSim_Pack_Model_Params.vi | | | | | |
| X | | X | | | | | SngJntArmSim_Pack_Simulation_Params.vi | | | | | |
| X | X | | No | | | | SngJntArmSim_Rkf45_Func.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_SetInputVoltage.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_SetState.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_Update.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_UpdateX.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_WouldHitLowerLimit.vi | | | | | |
| X | X | | X | | | | SngJntArmSim_WouldHitUpperLimit.vi | | | | | |
| | | | | | | | | | | | | |

=====

MATRIX UTILITIES

=====

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------|--------------------|-------|-------------|--------------|----------------|
| MAT BUILDER | X | X | | X | SI | | | MatBuilder_Create.vi | | | | | |
| | X | X | | X | SI | | | MatBuilder_Fill.vi | | | | | |

| | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|--------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---------------------------------|--------------------|-----------------------|-------------|--------------|----------------|
| MATRIX | X | X | | X | SI | | | Matrix_AssignBlock.vi | | | | | |
| | X | X | | X | SI | | | Matrix_Block.vi | | | | | |
| | | | | | | | | Matrix_ChangeBoundsUnchecked.vi | | | | | |
| | X | X | | X | SI | | | Matrix_Create.vi | | | | | |
| | | | | | | | | Matrix_Det.vi | | | | | |
| | X | X | | X | SI | | | Matrix_Diag.vi | | | | | |
| | | | | | | | | Matrix_Div_Scalar.vi | | labview has function | | | |
| | | | | | | | | Matrix_ElementPower.vi | | | | | |
| | X | X | | X | SI | | | Matrix_ElementSum.vi | | | | | |
| | | | | | | | | Matrix_ElementTimes.vi | | | | | |
| | | | | | | | | Matrix_Equals.vi | | | | | |
| | X | X | | X | I | | | Matrix_Exp.vi | | | | | |
| | X | X | | X | SI | | | Matrix_ExtractColumnVector.vi | | | | | |
| | X | X | | X | SI | | | Matrix_ExtractFrom.vi | | | | | |
| | | | | | | | | Matrix_ExtractMatrix.vi | | | | | |
| | X | X | | X | SI | | | Matrix_ExtractRowVector.vi | | | | | |
| | X | X | | X | SI | | | Matrix_Fill.vi | | | | | |
| | | | | | | | | Matrix_Get.vi | | labview has function | | | |
| | X | X | | X | I | | | Matrix_Ident.vi | | WPILIB calls this EYE | | | |
| | | | | | | | | Matrix_Inv.vi | | | | | |
| | X | X | | X | SI | | | Matrix_IsEqual.vi | | | | | |
| | | | | | | | | Matrix_IsIdentical.vi | | | | | |
| | X | X | | X | I | | | Matrix_LLTDecompose.vi | | | | | |
| | | | | | | | | Matrix_Max.vi | | | | | |
| | | | | | | | | Matrix_MaxAbs.vi | | | | | |
| | | | | | | | | Matrix_Mean.vi | | | | | |
| | | | | | | | | Matrix_MinInternal.vi | | | | | |
| | | | | | | | | Matrix_Minus_Matrix.vi | | | | | |
| | | | | | | | | Matrix_Minus_Scalar.vi | | | | | |
| | X | X | | X | I | | | Matrix_NormF.vi | | | | | |
| | | | | | | | | Matrix_NormIndP1.vi | | | | | |
| | | | | | | | | Matrix_Plus_Matrix.vi | | | | | |
| | | | | | | | | Matrix_Plus_Scalar.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|----|--|--|---------------------------|--|---------------------|--|--|--|
| X | X | | X | I | | | Matrix_Pow.vi | | THIS NEEDS WORK!!!! | | | |
| X | X | | X | SI | | | Matrix_SetColumn.vi | | | | | |
| X | X | | X | SI | | | Matrix_SetRow.vi | THERE ARE LOTS OF OTHER MATRIX FUNCTIONS THAT SHOULD BE INCLUDED HERE FOR ISOLATION. | | | | |
| | | | | | | | Matrix_Solve.vi | | | | | |
| | | | | | | | Matrix_Times_Matrix.vi | | | | | |
| | | | | | | | Matrix_Times_Scalar.vi | | | | | |
| | | | | | | | Matrix_Trace.vi | | | | | |
| X | X | | X | SI | | | Matrix_Transpose.vi | | | | | |
| X | X | X | X | | | | Matrix_WithinTolerance.vi | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-------------------------------|--------------------|--|-------------|--------------|----------------|
| SIMPLE MATRIX | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | SimpleMatrix_ExtractMatrix.vi | | NOTE Matrix also has an ExtractMatrix with different calling parameters.... YUK. | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------------------|--------------------|-------|-------------|--------------|----------------|
| MATRIX HELPER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | SI | | | MatrixHelper_CooerceSize.vi | | | | | |
| | X | X | X | X | SI | | | MatrixHelper_MultCooerceBSize.vi | | | | | |
| | X | X | X | X | SI | | | MatrixHelper_Zero.vi | | | | | |

| | | | | | | | | | | | | | |
|----------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------------------|--------------------|-------|-------------|--------------|----------------|
| VECTOR BUILDER | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | VecBuilder_1x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_2x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_3x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_4x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_5x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_6x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_7x1Fill.vi | | | | | |
| | X | X | | X | SI | | | VecBuilder_8x1Fill.vi | | | | | |
| | | | | | | | | VecBuilder_9x1Fill.vi | | | | | |
| | | | | | | | | VecBuilder_10x1Fill.vi | | | | | |
| | X | X | X | X | SI | | | VecBuilder_ArrayBy1Fill.vi | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|--------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|----------------|--------------------|-------|-------------|--------------|----------------|
| VECTOR | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | Vector_Dot.vi | | | | | |
| | X | X | | X | SI | | | Vector_Norm.vi | | | | | |
| | | | | | | | | | | | | | |

=====

| | | | | | | | | | | | | | | |
|---------------------------|-------------|------------|------------|-----------|---------------------|--------------|----------------|--|--------------------|---|-------------|--------------|----------------|---|
| ANGLE STATISTICS | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | |
| | X | X | X | X | X | | | AngleStats_AngleAdd_CallbackHelp.vi | | | | | | x |
| | X | X | | X | / | X | | AngleStats_AngleAdd.vi | | | | | | x |
| | X | X | X | X | X | | | AngleStats_AngleMean_CallbackHelp.vi | | | | | | x |
| | X | X | | X | / | X | | AngleStats_AngleMean.vi | | | | | | x |
| | X | X | X | X | X | | | AngleStats_AngleResidual_CallbackHelp.vi | | | | | | x |
| | X | X | | X | / | X | | AngleStats_AngleResidual.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| MATH UTILITY | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | |
| | X | X | | X | SI | | | MathUtil_AngleModulus.vi | | | | | | x |
| | X | X | | X | SI | | | MathUtil_ApplyDeadband.vi | | | | | | x |
| | X | X | | X | SI | | | MathUtil_Clamp_Int.vi | | | | | | x |
| | X | X | | X | SI | | | MathUtil_Clamp.vi | | | | | | x |
| | X | X | | X | SI | | | MathUtil_InputModulus.vi | | | | | | x |
| | X | X | | X | SI | | | MathUtil_Interpolate.vi | | | | | | x |
| | | | | | | | | | | | | | | x |
| MERWE SCALED SIGMA POINTS | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | |
| | X | X | | X | / | | | MerweScSigPts_ComputeWeights.vi | | | | | | x |
| | X | X | | X | SI | | | MerweScSigPts_GetNumSigmas.vi | | | | | | x |
| | X | X | | X | SI | | | MerweScSigPts_GetWc_Single.vi | | | | | | x |
| | X | X | | X | SI | | | MerweScSigPts_GetWc.vi | | | | | | x |
| | X | X | | X | SI | | | MerweScSigPts_GetWm_Single.vi | | | | | | x |
| | X | X | | X | SI | | | MerweScSigPts_GetWm.vi | | | | | | x |
| | X | X | | X | / | | | MerweScSigPts_New_Default.vi | | | | | | x |
| | X | X | | X | / | | | MerweScSigPts_New.vi | | | | | | x |
| | X | X | | X | / | | | MerweScSigPts_SigmaPoints.vi | | | | | | x |
| NUMERICAL INTEGRATION | Implemented | Documented | Not WPILIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking | |
| | X | X | | X | / | | | NumIntegrate_Func_Ax_Bu_K.vi | | NOT USED. Should this be used or abandoned??? | | | | x |
| | X | X | | X | | | | NumIntegrate_Rk4_Dbl_X_U.vi | | | | | | x |
| | X | X | | X | | | | NumIntegrate_Rk4_Dbl_X.vi | | | | | | x |
| | X | X | | X | | | | NumIntegrate_Rk4_Mat_X_U.vi | | | | | | x |
| | X | X | | X | | | | NumIntegrate_Rk4_Mat_X.vi | | | | | | x |
| | X | X | | No | SI | | | NumIntegrate_Rkdp_Func_A.vi | | | | | | x |
| | X | X | | No | SI | | | NumIntegrate_Rkdp_Func_B1.vi | | | | | | x |
| | X | X | | No | SI | | | NumIntegrate_Rkdp_Func_B1B2.vi | | | | | | x |
| | X | X | | No | SI | | | NumIntegrate_Rkdp_Func_B2.vi | | | | | | x |
| | X | X | | No | / | | | Numintegrate_Rkdp_Impl.vi | | | | | | x |
| | X | X | | X | | | | NumIntegrate_RKDP_Mat_X_U.vi | | New replacement for RKF45 | | | | x |

| | | | | | | | | | | | | | |
|---|---|---|----|----|--|--|---------------------------------|--|--|--|--|--|--|
| X | X | | No | SI | | | NumIntegrate_Rkf45_Func_A.vi | | | | | | |
| X | X | | No | SI | | | NumIntegrate_Rkf45_Func_B1.vi | | | | | | |
| X | X | | No | SI | | | NumIntegrate_Rkf45_Func_B1B2.vi | | | | | | |
| X | X | | No | SI | | | NumIntegrate_Rkf45_Func_B2.vi | | | | | | |
| | | | | | | | NumIntegrate_RKf45_Func_Bs.vi | | Removed. Replaced with newer functions. | | | | |
| | | | | | | | NumIntegrate_RKf45_Func_Ch.vi | | Removed. Replaced with newer functions. | | | | |
| | | | | | | | NumIntegrate_RKf45_Func_Ct.vi | | Removed. Replaced with newer functions. | | | | |
| X | X | | No | I | | | NumIntegrate_Rkf45_Impl.vi | | | | | | |
| X | X | | X | | | | NumIntegrate_Rkf45_Mat_X_U.vi | | Note that this Feinberg method has been changed and a Dormand Price method has been implemented.... TODO | | | | |
| | | | | | | | NumIntegrate_RKf45_New.vi | | Removed. Never used. | | | | |
| X | X | X | X | SI | | | NumIntegrate_Trap_Dbl.vi | | | | | | |
| X | X | X | X | I | | | NumIntegrate_Trap_Mat.vi | | | | | | |
| | | | | | | | | | | | | | |

RUNGE KUTTA TIME VARYING

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------------|--------------------|-------|-------------|--------------|----------------|
| X | X | | No | | | | RungeKuttaTimeVarying_RK4_Mat_T_Y.vi | | | | | |
| | | | | | | | | | | | | |

NUMERICAL JACOBIAN

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|------------------|--------------------|-------|-------------|--------------|----------------|
| X | X | | X | | | | NumJacobian_U.vi | | | | | |
| X | X | | X | | | | NumJacobian_X.vi | | | | | |
| | | | | | | | | | | | | |

RICCATI

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------|--------------------|--|-------------|--------------|----------------|
| X | X | | X | | | | Riccati_Check_Detectable.vi | | Routine exists, it is just a shell | | | |
| X | X | | X | | | | Riccati_Check_Stabilizable.vi | | Not really done !!! | | | |
| | | | | | | | Riccati_DARE_Choose.vi | | Intended to allow DARE method testing. | | | |
| X | X | X | X | | X | | Riccati_DARE_Iterate.vi | | | | | |
| X | X | X | X | | X | | Riccati_DARE_StructDoubling.vi | | | | | |
| X | X | | X | | | | Riccati_DARE_N.vi | | | | | |
| X | X | | X | | X | | Riccati_DARE.vi | | | | | |
| X | X | | X | | | | Riccati_Input_Check.vi | | | | | |

VISION

COMPUTER VISION UTILITIES

| Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|--------------------|-------|-------------|--------------|----------------|
| X | X | | X | | | | CompVisionUtil_CalculateDistanceToTarget.vi | | | | | |
| X | X | | X | | | | CompVisionUtil_EstimateCameraToTarget.vi | | | | | |

| | | | | | | | | | | | | |
|---|---|--|---|--|--|--|--|--|--|--|--|--|
| X | X | | X | | | | CompVisionUtil_EstimateFieldToCamera.vi | | | | | |
| X | X | | X | | | | CompVisionUtil_EstimateFieldToRobot.vi | | | | | |
| X | X | | X | | | | CompVisionUtil_EstimateFieldToRobot_Alt.vi | | | | | |
| X | X | | X | | | | CompVisionUtil_ObjectToRobotPose.vi | | | | | |
| | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|-----------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------|-------------------|-------|-------------|--------------|----------------|
| APRIL TAG | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototye | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | AprilTag_Equals.vi | | | | | |
| | X | X | X | X | SI | | | AprilTag_GetAll.vi | | | | | |
| | X | X | | X | SI | | | AprilTag_New.vi | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|---|-------------------|-------|-------------|--------------|----------------|
| APRIL TAG FIELD LAYOUT | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototye | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | AprilTagFieldLayout_GetField.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_GetOriginPosition.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_GetTagPose.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_GetTags.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_New.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_New2022.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_New2023.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_NewSelect.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_SetOrigin.vi | | | | | |
| | X | X | | X | SI | | | AprilTagFieldLayout_SetOrigin_Position.vi | | | | | |
| | | | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|-------------------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--------------------------------------|-------------------|-------|-------------|--------------|----------------|
| APRIL TAG POSE ESTIMATE | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototye | Notes | Code Review | Test Program | Error Checking |
| | X | X | | X | SI | | | AprilTagPoseEstimate_GetAll.vi | | | | | |
| | X | X | | X | SI | | | AprilTagPoseEstimate_GetAmbiguity.vi | | | | | |
| | X | X | | X | SI | | | AprilTagPoseEstimate_New.vi | | | | | |
| | | | | | | | | | | | | | |

=====

COMMUNICATIONS

=====

| | | | | | | | | | | | | | |
|-------------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|-----------------------|-------------------|-------|-------------|--------------|----------------|
| NETWORK UDP | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototye | Notes | Code Review | Test Program | Error Checking |
| | X | X | X | X | SI | | | NetworkUDP_Close.vi | | | | | |
| | X | X | X | X | I | | | NetworkUDP_Receive.vi | | | | | |
| | X | X | X | X | I | | | NetworkUDP_Send.vi | | | | | |
| | | | | | | | | | | | | | |

=====

TYPE DEFINITIONS

=====

| TypeDef | Implemented | Documented | Not WPI LIB | Menu Item | Execution Optimized | Test Routine | Sample Program | VI Name | Function Prototype | Notes | Code Review | Test Program | Error Checking |
|---------|-------------|------------|-------------|-----------|---------------------|--------------|----------------|--|--------------------|--|-------------|--------------|----------------|
| | Z | Z | X | X | N/A | | | AprilTag.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | AprilTagFieldLayout.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | AprilTagFieldLayoutOriginPosition_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | AprilTagFields_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | AprilTagPoseEstimate.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | ARM_FF.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | BANG_BANG.CTL | | | | | x |
| | I | | X | X | N/A | | | BICon-Matrix_FUNC_TYPE.CTL | | NOT USED. Should this be deleted or abandoned??? | | | x |
| | Z | Z | X | X | N/A | | | CALLBACK_FUNC_TYPE.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | CHASSIS_SPEEDS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | CONSTRAINED_STATE.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | COORDINATE_AXIS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | COORDINATE_SYSTEM.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DCMOTOR_SIM.CTL | | | | | x |
| | Z | | Z | | N/A | | | DCMOTOR_SIM_MODEL_PARAMS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DCMOTOR_TYPES_ENUM.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DCMOTOR.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DEBOUNCER_TYPE_ENUM.Ctl | | | | | x |
| | Z | Z | X | X | N/A | | | DEBOUNCER.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_ACCEL_LIMIT.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_KINEMATICS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_Kitbot_WheelSize_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_ODOM2.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_Pose_EST.ctf | | | | | x |
| | Z | | X | X | N/A | | | DIFF_DRIVE_POSE_EST2.ctf | | | | | x |
| | Z | | X | No | N/A | | | DIFF_DRIVE_POSE_EST2_INTERP_RECORD.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_ToughBoxMini_GearChoice_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_ToughBoxMini_MotorChoice_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_TRAIN_SIM_STATE_ENUM.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | DIFF_DRIVE_TRAIN_SIM.ctf | | | | | x |
| | Z | Z | X | X | NA | | | DISPLAY_WAYPOINT.ctf | | Was UTIL_WAYPOINT.VI | | | x |
| | Z | Z | X | X | NA | | | DISPLAY_WEIGHTED_WAYPOINT.ctf | | New V1.5. was UTIL_WEIGHTED_WAYPOINT.VI | | | x |
| | Z | Z | X | X | N/A | | | ELEV_FF.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | ELEVATOR_SIM.CTL | | | | | x |
| | Z | | Z | | N/A | | | ELEVATOR_SIM_MODEL_PARAMS.CTL | | | | | x |
| | Z | | Z | | N/A | | | ELEVATOR_SIM_SIMULATION_PARAMS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | EXTENDED_KALMAN_CORRECT_FUNC_GROUP.CTL | | | | | x |
| | Z | | X | X | N/A | | | EXTENDED_KALMAN_FILTER.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | FLYWHEEL_SIM.ctf | | | | | x |
| | Z | | Z | | N/A | | | FLYWHEEL_SIM_MODEL_PARAMS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | FUNCTION_GENERATOR_MATRIX.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | FUNCTION_GENERATOR.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | HOLONOMIC_DRV_CTRL.CTL | | New 1/26/21 | | | x |
| | Z | Z | X | X | N/A | | | KALMAN_FILTER_LATENCY_COMP_FUNC_GROUP.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | KALMAN_FILTER_LATENCY_COMP.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | KALMAN_FILTER.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_FILTER.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_PLANT_INV_FF.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_QUADRATIC_REGULATOR.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_SYSTEM_LOOP.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_SYSTEM_SIM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LINEAR_SYSTEM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LTV_DIFF_DRIVE_CTRL_STATE_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LTV_DIFF_DRIVE_CTRL.ctf | | | | | x |
| | N/A | | N/A | | N/A | | | LTV_UNICYCLE_CONTROLLER_INPUT_ENUM.ctf | | OBSOLETE – Removed | | | x |
| | Z | Z | X | X | N/A | | | LTV_UNICYCLE_CONTROLLER_STATE_ENUM.ctf | | | | | x |
| | Z | Z | X | X | N/A | | | LTV_UNICYCLE_CONTROLLER.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | MECA_DRIVE_KINEMATICS.CTL | | | | | x |
| | Z | Z | X | X | N/A | | | MECA_DRIVE_ODOMETRY.CTL | | | | | x |

| | | | | | | | | | |
|---|---|---|----|-----|--|---|--|------------------------------------|---|
| Z | Z | X | X | N/A | | MECA_DRIVE_POSE_EST.CTL | | | X |
| Z | Z | X | X | N/A | | MECA_WHEEL_POSITIONS.CTL | | | X |
| Z | Z | X | X | N/A | | MECA_WHEEL_SPEEDS.CTL | | | X |
| Z | Z | X | X | N/A | | MEDIAN_FILTER.CTL | | | X |
| Z | Z | X | X | N/A | | MERWE_SCALED_SIGMA_PTS.ctf | | | X |
| Z | Z | X | X | N/A | | OBSERVER_SNAP_LIST_ITEM.CTL | | | X |
| Z | Z | X | X | N/A | | OBSERVER_SNAPSHOT.CTL | | | X |
| Z | Z | X | X | N/A | | PARAM_STACK_ITEM.CTL | | | X |
| Z | Z | X | X | N/A | | PARAM_STACK.CTL | | | X |
| Z | Z | X | X | N/A | | PID_ADV_LIMITS.CTL | | | X |
| Z | Z | X | X | N/A | | PID_ADV_TUNING.CTL | | | X |
| Z | Z | X | X | N/A | | PID_CONTROLLER.CTL | | | X |
| Z | Z | X | X | N/A | | PID_ERROR_TOLERANCE.CTL | | | X |
| Z | Z | X | X | N/A | | PID_INPUT_LIMITS.CTL | | | X |
| Z | Z | X | X | N/A | | PID_TUNING.CTL | | | X |
| Z | Z | X | X | N/A | | POSE2D.CTL | | | X |
| Z | Z | X | X | N/A | | POSE3D.CTL | | | X |
| Z | Z | X | X | N/A | | POSEwCURVATURE.CTL | | | X |
| Z | Z | X | X | N/A | | PROFILED_PID_CONTROLLER.CTL | | | X |
| Z | Z | X | X | N/A | | QUATERNION.CTL | | | X |
| Z | Z | X | X | N/A | | RAMSETE_EXE_TUNING.CTL | | | X |
| Z | Z | X | X | N/A | | RAMSETE.CTL | | | X |
| Z | Z | X | X | N/A | | ROTATION2D.CTL | | | X |
| Z | Z | X | X | N/A | | ROTATION3D.CTL | | | X |
| Z | Z | X | | N/A | | SIMPLE_MOTOR_FF_KA_TUNE_PARAMS.CTL | | | X |
| Z | Z | X | X | N/A | | SIMPLE_MOTOR_FF.CTL | | | X |
| Z | Z | X | X | N/A | | SINGLE_JOINT_ARM_SIM.CTL | | | X |
| Z | | X | | N/A | | SINGLE_JOINT_ARM_SIM_MODEL_PARAMS.CTL | | | X |
| Z | | X | | N/A | | SINGLE_JOINT_ARM_SIM_SIMULATION_PARAMS.CTL | | | X |
| Z | Z | X | X | N/A | | SLEW_RATE_LIMITER.CTL | | | X |
| Z | Z | X | X | N/A | | SPLINE_CTRL_VECTOR.CTL | | | X |
| Z | Z | X | X | N/A | | SPLINE.CTL | | | X |
| Z | Z | X | X | N/A | | SWERVE_DRIVE_KINEMATICS.CTL | | | X |
| Z | Z | X | X | N/A | | SWERVE_DRIVE_MODULE_POSITION.CTL | | | X |
| Z | Z | X | X | N/A | | SWERVE_DRIVE_MODULE_STATE.CTL | | | X |
| Z | Z | X | X | N/A | | SWERVE_DRIVE_ODOMETRY.CTL | | | X |
| Z | Z | X | X | N/A | | SWERVE_DRIVE_Pose_EST.CTL | | | X |
| Z | | X | X | N/A | | SWERVE_DRIVE_POSE_EST2.ctf | | | X |
| Z | | X | No | N/A | | SWERVE_DRIVE_POSE_EST2_INTERP_RECORD.CTL | | | X |
| Z | Z | X | X | N/A | | TIME_INTERPOLATABLE_BOOLEAN.CTL | | | X |
| Z | Z | X | X | N/A | | TIME_INTERPOLATABLE_DOUBLE.CTL | | | X |
| Z | Z | X | X | N/A | | TIME_INTERPOLATABLE_POSE2D.CTL | | | X |
| Z | Z | X | X | N/A | | TIME_INTERPOLATABLE_ROTATION2D.CTL | | | X |
| Z | Z | X | | N/A | | TIME_INTERPOLATABLE_VARIANT.CTL | | | X |
| Z | Z | X | X | N/A | | TIMER.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONFIG.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_CENTRIPETAL_ACCEL.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_DIIF_DRIVE_KINEMATICS.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_DIIF_DRIVE_VOLTAGE.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_ELLIP_REGION.CTL | | | X |
| I | | X | | N/A | | TRAJ_CONSTRAINT_JERK.CTL | | Routine exists, it is just a shell | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_MAX_VELOCITY.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_MECA_DRIVE_KINEMATICS.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_MINMAX.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_RECT_REGION.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_CONSTRAINT_SWERVE_DRIVE_KINEMATICS.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJ_STATE.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJECTORY_SPLINE_TYPE_ENUM.CTL | | | X |
| Z | Z | X | X | N/A | | TRAJECTORY.CTL | | | X |
| Z | Z | X | X | N/A | | TRANSFORM2D.CTL | | | X |
| Z | Z | X | X | N/A | | TRANSFORM3D.CTL | | | X |
| Z | Z | X | X | N/A | | TRANSLATION2D.CTL | | | X |
| Z | Z | X | X | N/A | | TRANSLATION3D.CTL | | | X |
| Z | Z | X | X | N/A | | TRAPEZOID_PROFILE_CONSTRAINT.CTL | | | X |
| Z | Z | X | X | N/A | | TRAPEZOID_PROFILE_STATE.CTL | | | X |
| Z | Z | X | X | N/A | | TRAPEZOID_PROFILE.CTL | | | X |
| Z | Z | X | X | N/A | | TWIST2D.CTL | | | X |
| Z | Z | X | X | N/A | | TWIST3D.CTL | | | X |
| Z | Z | X | X | N/A | | UNSCENTED_KALMAN_CORRECT_FUNC_GROUP.CTL | | | X |
| Z | Z | X | X | N/A | | UNSCENTED_KALMAN_FILTER.ctf | | | X |
| Z | Z | X | X | N/A | | UNSCENTED_KALMAN_NEW_FUNC_GROUP.CTL | | | X |

| | | | | | | | | | |
|-----|---|-----|---|-----|--|--|----------------------------|--|-------------------|
| Z | Z | X | X | N/A | | | UTIL_PATHFINDER_CONFIG.CTL | | |
| N/A | | N/A | | N/A | | | WAYPOINTS.CTL | | Delete – obsolete |
| Z | Z | X | X | NA | | | WEIGHTED_WAYPOINT.CTL | | New V1.5 |
| N/A | | N/A | | N/A | | | X_Y_HEADINGS.CTL | | Delete – obsolete |
| Z | Z | X | X | N/A | | | X_Y_PAIR.CTL | | |

x

x

x

x

x