


Terraform Task


Step 1:



The screenshot shows the Visual Studio Code editor with a Terraform project named 'multi-ec2-multi-region'. The Explorer sidebar on the left shows the project structure with files: main.tf, variables.tf, outputs.tf, providers.tf, and main.tf modules. The 'variables.tf' file is selected and open in the editor. The code in 'variables.tf' defines a variable named 'regions' of type 'list(string)'. It has a default value of a list containing two objects: one for 'mumbai' with 'instance_type' of 't3.micro', and one for 'singapore' with 'instance_type' of 't3.micro'. The variable is also constrained to be a list of strings.

```
1 variable "regions" {  
    type = list(string)  
    default = [  
        {  
            instance_type = "t3.micro"  
        },  
        {  
            instance_type = "t3.micro"  
        },  
    ]  
}
```


Step 2:




The screenshot shows the Visual Studio Code editor with the same Terraform project. The 'providers.tf' file is selected and open in the editor. The code defines two providers of type 'aws'. The first provider is named 'mumbai' and has a region of 'ap-south-1'. The second provider is named 'singapore' and has a region of 'ap-southeast-1'.

```
1 provider "aws" {  
    alias = "mumbai"  
    region = "ap-south-1"  
}  
  
2 provider "aws" {  
    alias = "singapore"  
    region = "ap-southeast-1"  
}
```

Step 3:



Step 4:



Step 5:

```

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\harin\OneDrive\Desktop\LearningTerraform\multi-ec2-multi-region> terraform init
Initializing provider plugins found in the configuration...

Initializing the backend...

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
PS C:\Users\harin\OneDrive\Desktop\LearningTerraform\multi-ec2-multi-region>

```

Step 6:

```

PS C:\Users\harin\OneDrive\Desktop\LearningTerraform\multi-ec2-multi-region> terraform validate
Success! The configuration is valid.

PS C:\Users\harin\OneDrive\Desktop\LearningTerraform\multi-ec2-multi-region> |

```

Step 7:

Instances (1/1) Info Refresh Connect Instance state Actions Launch instances

Saved filter sets
Choose filter set

Instance state = running Clear filters

☒	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic I
☒	Mumbai-Server	i-0f011bb643673a561	Running	t3.micro	3/3 checks passed	ap-south-1a	ec2-13-207-68-83.ap-s...	13.207.68.83	-

Step 8:

Instances (1) Info Last updated less than a minute ago Refresh Connect Instance state Actions Launch instances

Saved filter sets
Choose filter set

☐	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic I
☐	Singapore-Ser...	i-09efe16daf2da5622	Running	t3.micro	Initializing	ap-southeast-1c	ec2-18-141-206-17.ap-...	18.141.206.17	-