



Beautiful 3 Set



by lifting

Problem

Submissions

Leaderboard

Discussions

Editorial

You are given an integer n . A set, S , of triples (x_i, y_i, z_i) is *beautiful* if and only if:

- $0 \leq x_i, y_i, z_i$
- $x_i + y_i + z_i = n, \forall i : 1 \leq i \leq |S|$
- Let X be the set of different x_i 's in S , Y be the set of different y_i 's in S , and Z be the set of different z_i in S . Then $|X| = |Y| = |Z| = |S|$.

The third condition means that all x_i 's are pairwise distinct. The same goes for y_i and z_i .

Given n , find any *beautiful* set having a maximum number of elements. Then print the [cardinality](#) of S (i.e., $|S|$) on a new line, followed by $|S|$ lines where each line contains 3 space-separated integers describing the respective values of x_i, y_i , and z_i .

Input Format

A single integer, n .

Constraints

- $1 \leq n \leq 300$

Output Format

On the first line, print the cardinality of S (i.e., $|S|$).

For each of the $|S|$ subsequent lines, print three space-separated numbers per line describing the respective values of x_i, y_i , and z_i for triple i in S .

Sample Input

```
3
```

Sample Output

```
3
0 1 2
2 0 1
1 2 0
```

Explanation

In this case, $n = 3$. We need to construct a set, S , of non-negative integer triples (x_i, y_i, z_i) where $x_i + y_i + z_i = n$. S has the following triples:

1. $(x_1, y_1, z_1) = (0, 1, 2)$
2. $(x_2, y_2, z_2) = (2, 0, 1)$
3. $(x_3, y_3, z_3) = (1, 2, 0)$

We then print the cardinality of this set, $|S| = 3$, on a new line, followed by 3 lines where each line contains three space-separated values describing a triple in S .

Solved score: 60.00pts

Submissions: [914](#)

Max Score: 60

Difficulty: Hard

Rate This Challenge:

[More](#)

Current Buffer (saved locally, editable)

Java 7

```
1 import java.io.*;
2 import java.util.*;
3 import java.text.*;
4 import java.math.*;
5 import java.util.regex.*;
6
7 public class Solution {
8
9     public static void main(String[] args) {
10         /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be named Solution. */
11     }
12 }
```

Line: 1 Col: 1

[Upload Code as File](#)☐ Test against custom input[Run Code](#)[Submit Code](#)Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)