Best spot

by shaka_shadows

Problem | Submissions | Leaderboard | Discussions | Editorial

In Chile, land are partitioned into a one large grid, where each element represents a land of size *1x1*.

Shaka is a newcomer in Chile and is trying to start his own business. He is planning to build a store. He has his own ideas for the "perfect store" which can be represented by a *HxW* grid. Element at position *(i, j)* represents height of land at index *(i, j)* in the grid.

Shaka has purchased a land area which can be represented *RxC* grid (*H <= R, W <= C*). Shaka is interested in finding best *HxW* sub-grid in the acquired land. In order to compare the possible sub-grids, Shaka will be using the sum of squared difference between each cell of his "perfect store" and it's corresponding cell in the subgrid. Amongst all possible sub-grids, he will choose the one with smallest such sum.

Note

- The grids are 1-indexed and rows increase from top to bottom and columns increase from left to right.
- If *x* is the height of a cell in the "perfect store" and *y* is the height of the corresponding cell in a sub-grid of the acquired land, then the squared difference is defined as $(x-y)^2$

Input Format

The first line of the input consists of two integers, *R C*, separated by single space.
Then *R* lines follow, each one containing *C* space separated integers, which describe the height of each land spot of the purchased land.
The next line contains two integers, *H W*, separated by a single space, followed by *H* lines with *W* space separated integers, which describes the "perfect store".

Constraints

1 <= *R, C* <= 500
1 <= *H* <= *R*
1 <= *W* <= *C*
No height will have an absolute value greater than 20.

Output Format

In the first line, output the smallest possible sum (as defined above) Shaka can find on exploring all the sub-grids (of size *HxW*) in the purchased land.
In second line, output two space separated integers, *i j*, which represents the index of top left corner of sub-grid (on the acquired land) with the minimal such sum. If there are multiple sub-grids with minimal sum, output the one with the smaller row index. If there are still multiple sub-grids with minimal sum, output the one with smaller column index.

Sample Input

```
3 3
19 19 -12
5 8 -14
-12 -11 9
2 2
-18 -12
-10 -7
```

Sample Output

```
937
2 2
```

Explanation

The result is computed as follows: $(8 - (-18))^2 + (-14 - (-12))^2 + (-11 - (-10))^2 + (9 - (-7))^2 = 937$

Submissions:322

Max Score:100

Difficulty: Advanced

Rate This Challenge:

More

Current Buffer (saved locally, editable) Java 7

```
1  import java.io.*;
2  import java.util.*;
3  import java.text.*;
4  import java.math.*;
5  import java.util.regex.*;
6
7  public class Solution {
8
9      public static void main(String[] args) {
10         /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be named Solution. */
11     }
12 }
```

Line: 1 Col: 1

Upload Code as File Test against custom input Run Code Submit Code