



Insertion Sort - Part 1



Problem

Submissions

Leaderboard

Discussions

Sorting

One common task for computers is to sort data. For example, people might want to see all their files on a computer sorted by size. Since sorting is a simple problem with many different possible solutions, it is often used to introduce the study of algorithms.

Insertion Sort

These challenges will cover *Insertion Sort*, a simple and intuitive sorting algorithm. We will first start with an already sorted list.

Insert element into sorted list

Given a sorted list with an unsorted number e in the rightmost cell, can you write some simple code to *insert* e into the array so that it remains sorted?

Print the array every time a value is shifted in the array until the array is fully sorted. The goal of this challenge is to follow the correct order of insertion sort.

Guideline: You can copy the value of e to a variable and consider its cell "empty". Since this leaves an extra cell empty on the right, you can shift everything over until V can be inserted. This will create a duplicate of each value, but when you reach the right spot, you can replace it with e .

Input Format

There will be two lines of input:

- *Size* - the size of the array
- *Arr* - the array containing *Size* - 1 sorted integers and 1 unsorted integer e in the rightmost cell

Output Format

On each line, output the entire array every time an item is shifted in it.

Constraints

$$1 \leq \text{Size} \leq 1000$$

$$-10000 \leq e \leq 10000, e \in \text{Arr}$$

Sample Input

```
5
2 4 6 8 3
```

Sample Output

```
2 4 6 8 8
2 4 6 6 8
2 4 4 6 8
2 3 4 6 8
```

Explanation

3 is removed from the end of the array.

In the 1st line **8** > **3**, so **8** is shifted one cell to the right.

In the 2nd line **6** > **3**, so **6** is shifted one cell to the right.

In the 3rd line $4 > 3$, so **4** is shifted one cell to the right.
In the 4th line $2 < 3$, so **3** is placed at position **2**.

Task

Complete the method `insertionSort` which takes in one parameter:

- **Arr** - an array with the value **e** in the right-most cell.

Next Challenge

In the [next Challenge](#), we will complete the insertion sort itself!

[f](#) [t](#) [in](#)

Submissions: [95665](#)


Max Score: 30


Difficulty: Easy

Rate This Challenge:

☆☆☆☆☆

[More](#)

Current Buffer (saved locally, editable)  

Java 7   

```
1 import java.io.*;
2 import java.util.*;
3 import java.text.*;
4 import java.math.*;
5 import java.util.regex.*;
6
7 public class Solution {
8
9
10
11 public static void insertIntoSorted(int[] ar) {
12     // Fill up this function
13 }
14
15
16 
```

Line: 1 Col: 1

 [Upload Code as File](#) ☐ Test against custom input

Run Code

Submit Code

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.

[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)