16/11/2017 HackerRank















Points: 25 Rank: 183204



Dashboard > Data Structures > Advanced > BST maintenance

BST maintenance





Consider a binary search tree T which is initially empty. Also, consider the first N positive integers $\{1, 2, 3, 4, 5,, N\}$ and its permutation $P\{a_1, a_2, ..., a_N\}$.

If we start adding these numbers to the binary search tree T, starting from a_1 , continuing with a_2 , ... (and so on) ..., ending with a_N . After every addition we ask you to output the sum of distances between every pair of T's nodes.

Input Format

The first line of the input consists of the single integer N, the size of the list.

The second line of the input contains **N** single space separated numbers the permutation $a_1, a_2, ..., a_N$ itself.

Constraints

 $1 \le N \le 250000$

Output Format

Output N lines.

On the i^{th} line output the sum of distances between every pair of nodes after adding the first i numbers from the permutation to the binary search tree T

Sample Input #00

8 4 7 3 1 8 2 6 5

Sample Output #00

0 1

4

10

20

35 52

76

Explanation #00

After adding the first element, the distance is 0 as there is only 1 element

4

After adding the second element, the distance between 2 nodes is 1.

4 \ 7

/

After adding the third element, the distance between every pair of elements is 2+1+1=4



After adding the fourth element, the distance between every pair of elements is 3 + 2 + 1 + 2 + 1 + 1 = 10



After adding the fifth element, the distance between every pair of elements is 4 + 3 + 2 + 1 + 3 + 2 + 1 + 1 + 1 = 20



After adding the sixth element, the distance between every pair of elements is 5 + 4 + 3 + 2 + 1 + 4 + 3 + 2 + 1 + 3 + 2 + 1 + 2 + 1 + 1 = 35



After adding the seventh element, the distance between every pair of elements is 5+5+4+3+2+1+4+4+3+2+1+3+3+2+1+2+2+1+1+1+2=52



After adding the final element, the distance between every pair of elements is 6+5+5+4+3+2+1+5+4+4+3+2+1+4+3+2+1+3+2+1+3+2+1+2+1+1+2+1+3=76



f ⊌ in

Submissions:430

Max Score:140 Difficulty: Advanced

More

16/11/2017 HackerRank

```
Current Buffer (saved locally, editable) & • •
                                                                                           Java 7
 1 ▼ import java.io.*;
 2 import java.util.*;
 3 import java.text.*;
 4 import java.math.*;
 5
   import java.util.regex.*;
 6
 7 ▼ public class Solution {
 8
        public static void main(String[] args) {
 9 ₹
            /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be named Solution. */
10 ▼
11
12 }
                                                                                                                    Line: 1 Col: 1
1 Upload Code as File
                     Test against custom input
                                                                                                       Run Code
                                                                                                                     Submit Code
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature