H | Practice | Compete | Jobs | Rank | Leaderboard

Dashboard > Data Structures > Advanced > Mr. X and His Shots   Points: 25   Rank: 183204

Mr. X and His Shots 🔖

by bokamvinaykumar

| Problem | Submissions | Leaderboard | Discussions | Editorial 🔒 |

A cricket match is going to be held. The field is represented by a 1D plane. A cricketer, Mr. X has N favorite shots. Each shot has a particular range. The range of the i^{th} shot is from A_i to B_i. That means his favorite shot can be anywhere in this range. Each player on the opposite team can field only in a particular range. Player i can field from C_i to D_i. You are given the N favorite shots of Mr. X and the range of M players.

Si represents the strength of each player i.e. the number of shots player i can stop.
Your task is to find:

$(\sum_{i=1}^{m} Si)$.

Game Rules: A player can stop the i^{th} shot if the range overlaps with the player's fielding range.

For more clarity about overlapping, study the following figure:

Input Format

The first line consists of two space separated integers, N and M.
Each of the next N lines contains two space separated integers. The i^{th} line contains A_i and B_i.
Each of the next M lines contains two integers. The i^{th} line contains integers C_i and D_i.

Output Format

You need to print the sum of the strengths of all the players: $(\sum_{i=1}^{m} Si)$.

Constraints:

$1 \leq N, M \leq 10^5$
$1 \leq A_i, B_i, C_i, D_i \leq 10^8$

Sample Input

```
4 4
1 2
2 3
4 5
6 7
1 5
2 3
4 7
5 7
```

Sample Output

9

Explanation

Player 1 can stop the 1st, 2nd and 3rd shot so the strength is 3.
Player 2 can stop the 1st and 2nd shot so the strength is 2.
Player 3 can stop the 3rd and 4th shot so the strength is 2.
Player 4 can stop the 3rd and 4th shot so the strength is 2.

The sum of the strengths of all the players is $3 + 2 + 2 + 2 = 9$.

f   ✗   in

Submissions:1406

Max Score:50
Difficulty: Medium

Rate This Challenge:
☆ ☆ ☆ ☆ ☆

More

Current Buffer (saved locally, editable)   ⑂ 🕓   Java 7 ⌄   ⤢   ⚙

```java
1  import java.io.*;
2  import java.util.*;
3  import java.text.*;
4  import java.math.*;
5  import java.util.regex.*;
6
7  public class Solution {
8
9      public static void main(String[] args) {
10         /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be named Solution. */
11     }
12  }
```

Line: 1 Col: 1

⬆ Upload Code as File   ☐ Test against custom input   Run Code   Submit Code

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature