


AI Emotion Lab (Explore Pyspark)- Instructions



Welcome to your personal Spark-based lab!

This guide will help you explore a real dataset using PySpark, and learn how AI-generated art is being perceived emotionally

Requirements

LET'S START!

TASK OR TOOL	STATUS
Google Colab	To Do ▾
Internet access	Done ▾
This repository	Done ▾

Getting Started

1. Open the notebook:
2. Save a copy to your Drive:

File > Save a copy in Drive

3. Upload the dataset (ai_emotions.csv) if needed



What to Explore ?

Commands



- View the first rows:

```
df_filtered.show(5)
```

- Count emotions:

```
df_filtered.groupBy("emotion").count().show()
```

- Filter tweets:


```
df_filtered.filter(df_filtered["emotion"] ==  
"Admiration").show()
```

Challenges



1. How many sarcastic tweets are there?
2. Which tweet has the highest likes with emotion "Anger"?
3. What is the most admired tweet?

Explore



- 🔍 What are the most used words in tweets?
- ❤️ Which emotion gets the most likes?
- 💬 Are positive tweets longer than sarcastic ones?
- 📈 What's the most retweeted emotion?
- 🔄 Do angry tweets get shared more than admired ones?

Best Practices

<i>Item</i>	<i>Description</i>	<i>Example</i>
Personalizing Interactions	Use filters and queries that reflect your own curiosity	Filter tweets with specific emotions you're interested in
Seeking Solutions	Don't stop at show() — explore different transformations and outputs	Try <code>.groupBy().agg()</code> or <code>.filter().count()</code> to extract more insights
Going Above and Beyond	Try challenges beyond what's asked to better understand distributed logic	Add your own UDF to classify tweets by emotion intensity
Communicating Clearly	Use clear variable names and comment your code	Rename <code>df</code> to <code>df_filtered</code> and write <code># filter</code> for admired tweets

Visualise

- Use our dashboard on Looker Studio to explore the visual side of the analysis.