

# **Presentation Title**

**Presentation Subtitle** 

**Author's Name** 

## **Outline for Section 1**

- 1. Light Frames
  - 1.1 Blind Text
  - 1.2 Structuring Elements
  - 1.3 Numerals and Mathematics
  - 1.4 Figures and Code Listings
  - 1.5 Citations and Bibliography
- Dark Frames
  - 2.1 Blind Text
  - 2.2 Structuring Elements
  - 2.3 Numerals and Mathematics
  - 2.4 Figures and Code Listings
  - 2.5 Citations and Bibliography

# Jabberwocky

Lewis Carroll

'Twas brillig, and the slithy toves Did gyre and gimble in the wabe; All mimsy were the borogoves, And the mome raths outgrabe.

"Beware the Jabberwock, my son!
The jaws that bite, the claws that catch!
Beware the Jubjub bird, and shun
The frumious Bandersnatch!"



### Lists and locales

## Lorem ipsum dolor sit amet

- Nulla nec lacinia odio.
   Curabitur urna tellus.
  - Fusce id sodales dolor. Sed id metus dui.
    - Cupio virtus licet mi vel feugiat.

- 1. Donec porta, risus porttitor egestas scelerisque video.
  - 1.1 Nunc non ante fringilla, manus potentis cario.
    - 1.1.1 Pellentesque servus morbi tristique.

Nechť již hříšné saxofony ďablů rozzvučí síň úděsnými tóny waltzu, tanga a quickstepu! Nezvyčajné kŕdle šťastných figliarskych ďatľov učia pri kótovanom ústí Váhu mĺkveho koňa Waldemara obžierať väčšie kusy exkluzívnej kôry. The quick, brown fox jumps over a lazy dog. DJs flock by when MTV ax quiz prog. "Now fax quiz Jack!"

### Text blocks

In plain, example, and alert flavour

This text is highlighted.

## A plain block

This is a plain block containing some highlighted text.

## An example block

This is an example block containing some highlighted text.

## An alert block

This is an alert block containing some highlighted text.

# Definitions, theorems, and proofs

All integers divide zero

# Definition

 $\forall a, b \in \mathbb{Z} : a \mid b \iff \exists c \in \mathbb{Z} : a \cdot c = b$ 

#### Theorem

 $\forall a \in \mathbb{Z} : a \mid 0$ 

## Proof

$$\forall a \in \mathbb{Z} : a \cdot 0 = 0$$

## **Numerals and Mathematics**

 $+ x^3/31 + x^4/41$ 

Formulae, equations, and expressions

1234567890 1234567890  $\hat{x}, \check{x}, \tilde{a}, \bar{a}, \dot{y}, \ddot{y} \iiint f(x, y, z) dxdydz$ 

$$\frac{1}{1 + \frac{1}{2 + \frac{1}{3 + x}}} + \frac{1}{1 + \frac{1}{2 + \frac{1}{3 + x}}} \qquad F: \begin{vmatrix} F''_{xx} & F''_{xy} & F'_{x} \\ F''_{xx} & F''_{yy} & F'_{y} \\ F'_{x} & F'_{y} & 0 \end{vmatrix} = 0$$

$$\iint_{\mathbf{x} \in \mathbb{R}^{2}} \langle \mathbf{x}, \mathbf{y} \rangle \, d\mathbf{x} \qquad \frac{\overline{a} \overline{\alpha}^{2} + \underline{b} \underline{\beta} + \overline{d} \overline{\delta}}{\overline{a} \overline{\alpha}^{2} + \underline{b} \underline{\beta} + \overline{d} \overline{\delta}} \quad ]0, 1[ + \lceil x \rfloor - \langle x, y \rangle$$

$$e^{x} \approx 1 + x + x^{2} / 2! + \binom{n+1}{k} = \binom{n}{k} + \binom{n}{k-1}$$

**Figures** *Tables, graphs, and images* 

| Faculty                   | With T <sub>E</sub> X | Total   | %     |
|---------------------------|-----------------------|---------|-------|
| Faculty of Informatics    | 1716                  | 2 904   | 59.09 |
| Faculty of Science        | 786                   | 5 275   | 14.90 |
| Faculty of Administration | 64                    | 4 5 9 1 | 1.39  |
| Faculty of Arts           | 69                    | 10 000  | 0.69  |
| Faculty of Medicine       | 8                     | 2014    | 0.40  |
| Faculty of Law            | 15                    | 4824    | 0.31  |
| Faculty of Education      | 19                    | 8 219   | 0.23  |
| Faculty of Social Studies | 12                    | 5 599   | 0.21  |
| Faculty of Sports Studies | 3                     | 2 0 6 2 | 0.15  |

Table: The distribution of theses written using TEX during 2010-15 at MU

# **Figures**

Tables, graphs, and images




Figure: Tree of probabilities - Flipping a coin<sup>1</sup>

<sup>&</sup>lt;sup>1</sup>A derivative of a diagram from texample.net by cis, CC BY 2.5 licensed

# **Code listings**

An example source code in C

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>
// This is a comment
int main(int argc, char **argv)
        while (--c > 1 \&\& !fork());
        sleep(c = atoi(v[c]));
        printf("%d\n", c);
        wait(0);
        return 0;
```

## Citations

T<sub>E</sub>X, LaT<sub>E</sub>X, and Beamer

T<sub>E</sub>X is a programming language for the typesetting of documents. It was created by Donald Erwin Knuth in the late 1970s and it is documented in *The T<sub>E</sub>Xbook* [1].

In the early 1980s, Leslie Lamport created the initial version of LTEX, a high-level language on top of TEX, which is documented in LTEX: A Document Preparation System [2]. There exists a healthy ecosystem of packages that extend the base functionality of LTEX; The LTEX Companion [3] acts as a guide through the ecosystem.

In 2003, Till Tantau created the initial version of Beamer, a MEX package for the creation of presentations. Beamer is documented in the *User's Guide to the Beamer Class* [4].

# **Bibliography**

T<sub>F</sub>X, ŁT<sub>F</sub>X, and Beamer

- [1] Donald E. Knuth. The TeXbook. Addison-Wesley, 1984.
- [2] Leslie Lamport. LaTeX: A Document Preparation System. Addison-Wesley, 1986.
- [3] M. Goossens, F. Mittelbach, and A. Samarin. The Top Companion. Addison-Wesley, 1994.
- [4] Till Tantau. User's Guide to the Beamer Class Version 3.01.

  Available at http://latex-beamer.sourceforge.net.
- [5] A. Mertz and W. Slough. Edited by B. Beeton and K. Berry. Beamer by example In TUGboat, Vol. 26, No. 1., pp. 68-73.

# **Outline for Section 2**

- Light Frames
  - 1.1 Blind Text
  - 1.2 Structuring Elements
  - 1.3 Numerals and Mathematics
  - 1.4 Figures and Code Listings
  - 1.5 Citations and Bibliography

#### 2. Dark Frames

- 2.1 Blind Text
- 2.2 Structuring Elements
- 2.3 Numerals and Mathematics
- 2.4 Figures and Code Listings
- 2.5 Citations and Bibliography

# Jabberwocky Lewis Carroll

'Twas brillig, and the slithy toves Did gyre and gimble in the wabe; All mimsy were the borogoves, And the mome raths outgrabe.

"Beware the Jabberwock, my son! The jaws that bite, the claws that catch! Beware the Jubjub bird, and shun The frumious Bandersnatch!"



# Lists and locales Lorem ipsum dolor sit amet

- Nulla nec lacinia odio.
   Curabitur urna tellus.
  - Fusce id sodales dolor. Sed id metus dui.
    - » Cupio virtus licet mi vel feugiat.

- 1. Donec porta, risus porttitor egestas scelerisque video.
  - 1.1 Nunc non ante fringilla, manus potentis cario.
    - 1.1.1 Pellentesque servus morbi tristique.

Nechť již hříšné saxofony ďablů rozzvučí síň úděsnými tóny waltzu, tanga a quickstepu! Nezvyčajné kŕdle šťastných figliarskych ďatľov učia pri kótovanom ústí Váhu mĺkveho koňa Waldemara obžierať väčšie kusy exkluzívnej kôry. The quick, brown fox jumps over a lazy dog. DJs flock by when MTV ax quiz prog. "Now fax quiz Jack!"

# Text blocks

In plain, example, and alert flavour

This text is highlighted.

## A plain block

This is a plain block containing some highlighted text.

## An example block

This is an example block containing some highlighted text.

#### An alert block

This is an alert block containing some highlighted text.

# Definitions, theorems, and proofs All integers divide zero

# Definition

 $\forall a, b \in \mathbb{Z} : a \mid b \iff \exists c \in \mathbb{Z} : a \cdot c = b$ 

## Theorem

 $\forall a \in \mathbb{Z} : a \mid 0$ 

## Proof

$$\forall a \in \mathbb{Z} : a \cdot 0 = 0$$

# Numerals and Mathematics Formulae, equations, and expressions

1234567890 1234567890  $\hat{x}, \check{x}, \tilde{a}, \bar{a}, \dot{y}, \ddot{y} \iiint f(x, y, z) dxdydz$ 

$$\frac{1}{1 + \frac{1}{2 + \frac{1}{3 + x}}} + \frac{1}{1 + \frac{1}{2 + \frac{1}{3 + x}}} \qquad F: \begin{vmatrix} F''_{xx} & F''_{xy} & F'_{x} \\ F''_{xx} & F''_{xy} & F'_{x} \\ F''_{yx} & F''_{yy} & F'_{y} \\ F'_{x} & F'_{y} & 0 \end{vmatrix} = 0$$

$$\iint_{\mathbf{x} \in \mathbb{R}^{2}} \langle \mathbf{x}, \mathbf{y} \rangle \, d\mathbf{x} \qquad \overline{aa^{2} + \underline{b\beta} + \overline{d\delta}} \qquad ]0, 1[ + \lceil x \rceil - \langle x, y \rangle$$

$$\stackrel{\times}{=} \mathbf{x} + x + x^{2}/2! + \binom{n+1}{k} = \binom{n}{k} + \binom{n}{k-1}$$

$$+ x^{3}/3! + x^{4}/4!$$

Figures
Tables, graphs, and images

| Faculty                                 | With T <sub>E</sub> X | Total   | %     |
|---|-----------------------|---------|-------|
| Faculty of Informatics                  | 1716                  | 2 904   | 59.09 |
| Faculty of Science                      | 786                   | 5 275   | 14.90 |
| Faculty of Economics and Administration | 64                    | 4 5 9 1 | 1.39  |
| Faculty of Arts                         | 69                    | 10 000  | 0.69  |
| Faculty of Medicine                     | 8                     | 2014    | 0.40  |
| Faculty of Law                          | 15                    | 4824    | 0.31  |
| Faculty of Education                    | 19                    | 8 219   | 0.23  |
| Faculty of Social Studies               | 12                    | 5 599   | 0.21  |
| Faculty of Sports Studies               | 3                     | 2 0 6 2 | 0.15  |

Table: The distribution of theses written using TEX during 2010-15 at MU

Figures Tables, graphs, and images




Figure: Tree of probabilities – Flipping a coin<sup>1</sup>

<sup>&</sup>lt;sup>1</sup>A derivative of a diagram from texample.net by cis, CC BY 2.5 licensed

# **Code listings**

## An example source code in C

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>
// This is a comment
int main(int argc, char **argv)
        while (--c > 1 \&\& !fork());
        sleep(c = atoi(v[c]));
        printf("%d\n", c);
        wait(0);
        return 0;
```

# Citations T<sub>F</sub>X, ET<sub>F</sub>X, and Beamer

T<sub>E</sub>X is a programming language for the typesetting of documents. It was created by Donald Erwin Knuth in the late 1970s and it is documented in *The T<sub>E</sub>Xbook* [1].

In the early 1980s, Leslie Lamport created the initial version of ETEX, a high-level language on top of TEX, which is documented in ETEX: A Document Preparation System [2]. There exists a healthy ecosystem of packages that extend the base functionality of ETEX; The ETEX Companion [3] acts as a guide through the ecosystem.

In 2003, Till Tantau created the initial version of Beamer, a MEX package for the creation of presentations. Beamer is documented in the User's Guide to the Beamer Class [4].

# Bibliography T<sub>E</sub>X, ET<sub>E</sub>X, and Beamer

- [1] Donald E. Knuth. *The T<sub>E</sub>Xbook*. Addison-Wesley, 1984.
- [2] Leslie Lamport. Lambert: A Document Preparation System. Addison-Wesley, 1986.
- [3] M. Goossens, F. Mittelbach, and A. Samarin. *The ET<sub>E</sub>X Companion*. Addison-Wesley, 1994.
- [4] Till Tantau. User's Guide to the Beamer Class Version 3.01. Available at http://latex-beamer.sourceforge.net.
- [5] A. Mertz and W. Slough. Edited by B. Beeton and K. Berry. Beamer by example In TUGboat, Vol. 26, No. 1., pp. 68-73.