




Dashboard Plugin Manager

- Back to Dashboard
- 🧱 Manage Jenkins



into authentication tokens in Jenkins.

_	bouncycastle API			
✓	This nlugin provides an stable API to Rouncy Castle	2.17		Uninstall
ashboa	rd Plugin Manager			
✓	Branch API	2.0.20		Uninstall
	This plugin provides an API for multiple branch based projects.			
	Build Timeout			
	This plugin allows builds to be automatically terminated after the specified amount of time has elapsed.			
✓	This plugin is up for adoption! We are looking for new maintainers. Visit our <u>Adopt a Plugin</u> initiative for more information.	1.19		Uninstall
✓	Command Agent Launcher			
	Allows agents to be launched using a specified command.	1.2		Uninstall
	Credentials Binding Plugin			
~	Allows credentials to be bound to environment variables for use from miscellaneous build steps.	1.24	Downgrade to 1.16	Uninstall
~	Credentials Plugin			
	This plugin allows you to store credentials in Jenkins.	2.3.11	Downgrade to 2.1.18	Uninstall
	Display URL API			
~	Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications	2.3.1		Uninstall
	Docker Commons Plugin			

2.11

Maintained by CloudBees, Inc.

☑ Git Changelog

Uninstall

Dashboard

Plugin Manager

Creates a highly configurable changelog, or relasenotes, from Git.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

Allows plugins make full use of the <1:icon> layout tag

• Credentials stored in plain text

~	Git client plugin Utility plugin for Git support in Jenkins	3.2.1	Downgrade to 2.7.3	Uninstall
~	Git plugin This plugin integrates <u>Git</u> with Jenkins.	4.2.2	Downgrade to 3.9.1	Uninstall
~	GIT server Plugin Allows Jenkins to act as a Git server.	1.9	Downgrade to 1.7	Uninstall
~	Gradle This plugin allows Jenkins to invoke Gradle build scripts directly.	1.29		Uninstall
V	Green Balls Because green is better than blue! For color blind support configure user property.	1.15		Uninstall

Icon Shim Plugin

Uninstall

	when running on newer versions of Jenkins, while still being compatible with older versions.		
Dashboard	l → Plugin Manager		
	This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.		
✓	Javadoc	1.4	Uninstall
~	JavaScript GUI Lib: ACE Editor bundle plugin	1.1	Uninstall
	JavaScript GUI Lib: ACE Editor bundle plugin.	1.1	Offinstall
~	JavaScript GUI Lib: Handlebars bundle plugin	1.1.1	Uninstall
	JavaScript GUI Lib: Handlebars bundle plugin.	1.1.1	Offinstall
	JavaScript GUI Lib: jQuery bundles (jQuery and jQuery		
	UI) plugin	1.2.1	Uninstall
	JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.		
	JavaScript GUI Lib: Moment.js bundle plugin	1.1.1	Uninstall
	JavaScript GUI Lib: Moment.js bundle plugin.	1.1.1	Olinistan
	JSch dependency plugin		
	Jenkins plugin that brings the JSch library as a plugin	0.1.55.2 Downgrade to 0.1.5	4.2 Uninstall
	dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.		
~	JUnit Plugin	4.20	
	Allows JUnit-format test results to be published.	1.29	
~	LDAP	4.22	I la in a da II
	Adds LDAP authentication to Jenkins	1.22	Uninstall

Locale plugin ✓ 1.4 Uninstall This plugin lets you control the language of Jenkins. **Dashboard Plugin Manager** This plugin is up for adoption! We are looking for new maintainers. Visit our **Adopt a Plugin** initiative for more information. **Lockable Resources** This plugin allows to define external resources (such as printers, phones, computers) that can be locked by builds. If a build requires an external resource which is already locked, it will wait for the resource to be free. Warning: The currently installed plugin version may not 2.3 Uninstall be safe to use. Please review the following security notices: • XSS vulnerability • CSRF vulnerability **Mailer Plugin** 1.32.1 Uninstall This plugin allows you to configure email notifications for build results MapDB API Plugin This plugin provides a shared dependency on the 1.0.9.0 Uninstall MapDB library so that other plugins can co-operate

when using this library.



	SSH Agent			
✓	This plugin allows you to provide SSH credentials to	1.17		Uninstall
Dashboai	rd Plugin Manager			
✓	SSH Build Agents	1.28.1		Uninstall
	Allows to launch agents over SSH, using a Java implementation of the SSH protocol.			
✓	SSH Credentials Plugin	1.18.1 Downgrade to 1.14		Uningtall
	Allows storage of SSH credentials in Jenkins	1.18.1	Uninstall	
	Structs Plugin			
✓	Library plugin for DSL plugins that need names for Jenkins objects.	1.20		Uninstall
	Timestamper			
	Adds timestamps to the Console Output	1.8.10		
~	Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:			Uninstall
	• Stored XSS vulnerability			
	Token Macro Plugin			
✓	This plug-in adds reusable macro expansion capability for other plug-ins to use.	2.12	Downgrade to 2.5	Uninstall
	Trilead API Plugin			
~	Trilead API Plugin provides the Trilead library to any dependent plugins in an easily update-able manner.	1.0.10	Downgrade to 1.0.4	Uninstall

Variant 1.1

This user-invisible library plugin allows other multimodal plugins to behave differently depending on where they run.