




Dashboard ▶ Plugin Manager

 [Back to Dashboard](#)

 [Manage Jenkins](#)

 filter

- Updates
- Available
- Installed
- Advanced

| Enabled | Name ↓ | Version | Previously installed version | Uninstall |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|----------------------|
| <input checked="" type="checkbox"/> | Ant Plugin Adds Apache Ant support to Jenkins | 1.11 | <div>Downgrade to 1.8</div> | <div>Uninstall</div> |
| <input checked="" type="checkbox"/> | Apache HttpComponents Client 4.x API Plugin Bundles Apache HttpComponents Client 4.x and allows it to be used by Jenkins plugins. <div>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</div> | 4.5.10-20 | <div>Downgrade to 4.5.5-3.0</div> | <div>Uninstall</div> |
| <input checked="" type="checkbox"/> | Authentication Tokens API Plugin This plugin provides an API for converting credentials | 1.4 | <div>Downgrade to 1.3</div> | <div>Uninstall</div> |

This plugin provides an API for converting credentials into authentication tokens in Jenkins.

**Bouncycastle API Plugin****2.18****Dashboard** ▶ **Plugin Manager**

This plugin provides an stable API to Bouncy Castle related tasks.

**Branch API Plugin**

This plugin provides an API for multiple branch based projects.

2.6.0

Downgrade to 2.0.20

Uninstall

Build Timeout

This plugin allows builds to be automatically terminated after the specified amount of time has elapsed.



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.19.1

Downgrade to 1.19

Uninstall

**Command Agent Launcher Plugin**

Allows agents to be launched using a specified command.

1.5

Downgrade to 1.2

Uninstall

**Credentials Binding Plugin**

Allows credentials to be bound to environment variables for use from miscellaneous build steps.

1.24

Downgrade to 1.16

Uninstall

**Credentials Plugin**

This plugin allows you to store credentials in Jenkins.

2.3.11

Downgrade to 2.1.18

Uninstall

**Display URL API**

Provides the DisplayURLProvider extension point to

2.3.3

Downgrade to 2.3.1

Uninstall

provide alternate URLs for use in notifications

**Docker API Plugin****3.1.5.2**

Uninstall

Dashboard ▶ Plugin Manager

This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

**Docker Commons Plugin**

Provides the common shared functionality for various Docker-related plugins.

1.16

Downgrade to 1.13

Uninstall

**Docker Pipeline**

Build and use Docker containers from pipelines.

1.24

Downgrade to 1.17

Uninstall

**Docker plugin**

This plugin integrates Jenkins with [Docker](#)

1.21

Uninstall

**Durable Task Plugin**

Library offering an extension point for processes which can run outside of Jenkins yet be monitored.

1.35

Downgrade to 1.26

Uninstall

**Email Extension Plugin**

This plugin is a replacement for Jenkins's email publisher. It allows to configure every aspect of email notifications: when an email is sent, who should receive it and what the email says

2.77

Downgrade to 2.63

Uninstall

**External Monitor Job Type Plugin**

Adds the ability to monitor the result of externally executed jobs

1.7

Uninstall

| | | | | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------------|-----------|
| Dashboard | Plugin Manager This plugin allows users to create "folders" to organize project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc. | 6.14 | Downgrade to 6.6 | Uninstall |
| | | | | |
| | Git Changelog Creates a highly configurable changelog, or relasenotes, from Git. | 3.0 | Downgrade to 2.11 | Uninstall |
| | | | | |
| | Git client plugin Utility plugin for Git support in Jenkins | 3.21 | Downgrade to 2.7.3 | Uninstall |
| | | | | |
| | Git plugin This plugin integrates Git with Jenkins. | 4.2.2 | Downgrade to 3.9.1 | Uninstall |
| | | | | |
| | GIT server Plugin Allows Jenkins to act as a Git server. | 1.9 | Downgrade to 1.7 | Uninstall |
| | | | | |
| | GitHub API Plugin This plugin provides GitHub API for other plugins. | 1.116 | | Uninstall |
| | | | | |
| | GitHub Branch Source Plugin Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc. | 2.9.1 | | Uninstall |
| | | | | |
| | GitHub plugin This plugin integrates GitHub to Jenkins. | 1.31.0 | | Uninstall |
| | | | | |
| | Gradle Plugin This plugin allows Jenkins to invoke Gradle build scripts directly | 1.36 | Downgrade to 1.29 | Uninstall |
| | | | | |

uninstall.

**Green Balls****1.15**

Uninstall

Dashboard ▶ **Plugin Manager**

Because green is better than blue! For color blind support configure user property.

Icon Shim Plugin

Allows plugins make full use of the <!:icon> layout tag when running on newer versions of Jenkins, while still being compatible with older versions.

203

Uninstall

Jackson 2 API Plugin

This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.

211.1

Downgrade to 2.8.11.3

Uninstall

**Javadoc Plugin****1.6**

Downgrade to 1.4

Uninstall

**JavaScript GUI Lib: ACE Editor bundle plugin**

JavaScript GUI Lib: ACE Editor bundle plugin.

1.1

Uninstall

**JavaScript GUI Lib: Handlebars bundle plugin**

JavaScript GUI Lib: Handlebars bundle plugin.

1.1.1

Uninstall

**JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin**

JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.

1.2.1

Uninstall

**JavaScript GUI Lib: Moment.js bundle plugin**

JavaScript GUI Lib: Moment.js bundle plugin.

1.1.1

Uninstall

JSch dependency plugin



Jenkins plugin that brings the JSch library as a plugin dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.

Q1.55.2[Downgrade to Q1.54.2](#)[Uninstall](#)

Dashboard ▸ Plugin Manager

Allows JUnit-format test results to be published.

[Uninstall](#)

LDAP Plugin

Adds LDAP authentication to Jenkins

1.25[Downgrade to 1.22](#)[Uninstall](#)

Locale plugin

This plugin lets you control the language of Jenkins.



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.4[Uninstall](#)

Lockable Resources plugin



This plugin allows to define external resources (such as printers, phones, computers) that can be locked by builds. If a build requires an external resource which is already locked, it will wait for the resource to be free.

2.10[Downgrade to 2.3](#)[Uninstall](#)

Mailer Plugin



This plugin allows you to configure email notifications for build results

1.32.1[Uninstall](#)

MapDB API Plugin



This plugin provides a shared dependency on the [MapDB](#) library so that other plugins can co-operate when using this library.

1.0.9.0[Uninstall](#)

Matrix Authorization Strategy Plugin





Offers matrix-based security authorization strategies (global and per-project).

26.2

Uninstall

Dashboard ▶ Plugin Manager

Multi-configuration (matrix) project type.

Maven Integration plugin



This plug-in provides, for better and for worse, a deep integration of Jenkins and Maven: Automatic triggers between projects depending on SNAPSHOTS, automated configuration of various Jenkins publishers (JUnit, ...).

3.7

Downgrade to 3.1.2

Uninstall



Metrics Plugin

This plugin exposes the Metrics API to Jenkins plugins.

4.0.26

Downgrade to 4.0.2.2

Uninstall



OkHttp Plugin

This plugin provides [OkHttp](#) for other plugins.

3.14.9

Uninstall



OpenID plugin

This plugin enables user authentication via OpenID.

2.4

Downgrade to 2.2

Uninstall

OpenID4Java API



This plugin provides a shared dependency on the [openid4java](#) library so that other plugins can co-operate when using this library.

0.9.8.0

Uninstall



Oracle Java SE Development Kit Installer Plugin

Allows the Oracle Java SE Development Kit (JDK) to be installed via download from Oracle's website.

1.4

Downgrade to 1.1

Uninstall

OWASP Markup Formatter Plugin



Uses the [OWASP Java HTML Sanitizer](#) to allow safe-seeming HTML markup to be entered in project

2.1

Downgrade to 1.5

Uninstall

replaced by Pipeline: Declarative Extension Points API plugin.

This plugin is deprecated. To ensure that

Dashboard ▸ Plugin Manager

no longer work. [Learn more.](#)

| | | | | |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------|-----------|
| <input checked="" type="checkbox"/> | Pipeline: Declarative Extension Points API APIs for extension points used in Declarative Pipelines. | 1.7.2 | Downgrade to 1.3.2 | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Groovy Pipeline execution engine based on continuation passing style transformation of Groovy scripts. | 2.83 | Downgrade to 2.58 | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Input Step Adds the Pipeline step <code>input</code> to wait for human input or approval. | 2.12 | Downgrade to 2.8 | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Job Defines a new job type for pipelines and provides their generic user interface. | 2.40 | Downgrade to 2.26 | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Milestone Step Plugin that provides the milestone step | 1.3.1 | | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Model API Model API for Declarative Pipeline. | 1.7.2 | Downgrade to 1.3.2 | Uninstall |
| <input checked="" type="checkbox"/> | Pipeline: Multibranch Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches. | 2.22 | Downgrade to 2.20 | Uninstall |

Pipeline: Nodes and Processes



Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection.

235

Downgrade to 2.22

Uninstall

Dashboard ▶ Plugin Manager



Pipeline: REST API Plugin

218

Downgrade to 2.10

Uninstall

Provides a REST API to access pipeline and pipeline run data.



Pipeline: SCM Step

211

Downgrade to 2.7

Uninstall

Adds a Pipeline step to check out or update working sources from various SCMs (version control).



Pipeline: Shared Groovy Libraries

217

Downgrade to 2.12

Uninstall

Shared libraries for Pipeline scripts.



Pipeline: Stage Step

25

Downgrade to 2.3

Uninstall

Adds the Pipeline step `stage` to delineate portions of a build.



Pipeline: Stage Tags Metadata

1.7.2

Downgrade to 1.3.2

Uninstall

Library plugin for Pipeline stage tag metadata.



Pipeline: Stage View Plugin

218

Downgrade to 2.10

Uninstall

Pipeline Stage View Plugin.



Pipeline: Step API

223

Downgrade to 2.22

Uninstall

API for asynchronous build step primitive.



Pipeline: Supporting APIs

35

Downgrade to 2.21

Uninstall

Common utility implementations to build Pipeline Plugin



Plain Credentials Plugin

1.7

Downgrade to 1.4

Uninstall

Allows use of plain strings and files as credentials.

Pub-Sub "light" Bus

1.13

Downgrade to 1.12

A simple Publish-Subscribe light-weight event bus for Jenkins

SCM API Plugin

This plugin provides a new enhanced API for interacting with SCM systems.

264

Downgrade to 2.2.8

Script Security Plugin

Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.

1.75



Server Sent Events (SSE) Gateway Plugin

Server Sent Events (SSE) Gateway.

1.23

Downgrade to 1.16

Library plugin for DSL plugins that need names for Jenkins objects.

Dashboard ▸ Plugin Manager

Adds timestamps to the Console Output

Token Macro Plugin



This plug-in adds reusable macro expansion capability for other plug-ins to use.

2.12

Downgrade to 2.5

Uninstall

Trilead API Plugin



Trilead API Plugin provides the Trilead library to any dependent plugins in an easily update-able manner.

1.0.10

Downgrade to 1.0.4

Uninstall

Variant Plugin

This user-invisible library plugin allows other multi-modal plugins to behave differently depending on where they run.

1.3

Downgrade to 1.1

Uninstall

WMI Windows Agents Plugin

Allows you to setup agents on Windows machines over Windows Management Instrumentation (WMI)



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.6

Downgrade to 1.3.1

Uninstall