

GHOSTWIRE

Threat intelligence, told as narrative.

#ISSUE 002

JUNE 2026

The Wrong Tenant

Hunting APT36 and Finding Infrastructure That Doesn't Fit

// INTELLIGENCE FILE – GW-002-INF //

SUBJECT:	APT36 / Transparent Tribe
PRIMARY TARGET:	India – Gov, Defense, Professional Services
NODES:	5 confirmed
PROVIDERS:	Database Mart LLC, AWS, Psychz Networks
ACTIVE SINCE:	May 2023
THREAT LEVEL:	ACTIVE

5 NODES

3 PROVIDERS

22 MO. ACTIVE

JUNE 2026

An infrastructure pivot from a confirmed APT36 C2 produced a five-node credential harvesting cluster operating across three hosting providers under two domain namespaces – one a lookalike of a real Mexican company. The cluster has been in continuous operation since at least May 2023. None of it appears in any prior threat intelligence report. The operational discipline documented here is inconsistent with publicly attributed APT36 capability.

There is a particular kind of unease that comes from pulling a thread and finding that it leads somewhere you didn't expect. You start with a confirmed malware campaign, a known threat actor, a documented command-and-control server. You expect to find more of the same – maybe a second C2, maybe a staging server, maybe a domain registered the same week with the same sloppy WHOIS. What you don't expect to find is a multi-persona credential harvesting operation running across five VPS nodes, three hosting providers, two domains, and a fresh FRP reverse proxy deployment that went live while you were looking at it.

That's what this investigation produced. What follows is the full account of how it happened, what was found, and why it matters – including the part where the infrastructure stopped fitting the threat actor it was supposedly associated with.

SECTION 1

Starting Point: The CYFIRMA Report

In February 2026, CYFIRMA published a report documenting an active APT36/Transparent Tribe campaign. The attack chain was characteristically low-sophistication: a ZIP lure delivered a double-extension LNK file alongside a macro-enabled PPAM. The PPAM dropped a .bat stager, which retrieved a .NET RAT establishing raw TCP command-and-control. Primary C2: 93.127.130.89 . Fallback domain: sharemaxmel26[.]net . RAT binary: heuzolaisaacthy.exe .

The C2 IP was already in the wild by the time CYFIRMA published. Researchers on X tagged it within days – @PrakkiSathwik and @Lucifer_UD both posted the IOCs under #APT36 #CrimsonRAT , crediting @500mk500 . The Maltrail project added 93.127.130.89:6896 to its static apt_transparenttribe.txt trail. By late February 2026 this IP was documented, distributed, and being used to detect Transparent Tribe traffic in production environments.

That's the public record. This investigation starts where the public record ends.

93.127.130.89 resolves to ASN 401479 – Database Mart LLC, Kansas City, Missouri. The block is 93.127.128.0/20 , allocated February 2025, meaning the entire block came online the same month CYFIRMA's documented campaign was active. The natural next step: enumerate what else Database Mart was running in that /20.

SECTION 2

First Pivot: The Hyper-V Host

The ASN pivot on AS401479 produced multiple IPs within the 93.127.128.0/20 parent block. One immediately stood out: 93.127.140.196 .

At first glance it looked like operator infrastructure – same ASN, same /20, adjacent to the confirmed C2. Closer inspection revealed something more interesting and more complex. This wasn't an operator node. **It was the hosting substrate.**

93.127.140.196 resolved as DBM-HVS-083.cloudclusters.io – Database Mart's own Hyper-V hosting node, running 53 active customer VMs on Windows Server 2022 Datacenter, 16 cores, approximately 384GB RAM. The infrastructure exposure was immediately significant:

- Port 9182: unauthenticated Windows Exporter endpoint – full live telemetry (CPU, memory, disk, network) exposed to any requester
- Port 80: fake Xitami decoy page, Last-Modified December 2011 (Xitami was discontinued in the late 2000s – the date is anachronistic by design)
- Port 443: password-protected Apache 2.4.57 / Python 3.8 / mod_wsgi panel, self-signed cert O=DBM issued September 2023, 28-year validity – no legitimate administrator generates a 28-year self-signed cert
- Ports 10006/10007/10015: RDP with randomized CNs (vps-dwd, vps-zwvz, vps-xkrw), all certs issued April-May 2026
- Three active Windows logon sessions visible at time of discovery
- Running: Supervisor (Python process monitor), Xitami, IIS, SuperMicro hardware management tools, OpenSSH for Windows 9.5

This was the Hyper-V host running 93.127.130.89 as one of its 53 tenant VMs. Continued enumeration of suspicious hosts in the same /20 block – nodes exhibiting TSplus fingerprints, non-standard RDP ports, and deliberate cert naming inconsistent with legitimate commercial use – produced 93.127.128.229. The cert CN firdausd2, appearing in the Hyper-V host's certificate data outside the vps-xxx randomized pattern, provided an additional naming indicator pointing in the same direction. The relationship between the two nodes is suggestive rather than definitively established by a single technical artifact; what it represents is a cluster of co-located suspicious infrastructure on the same commercial hosting provider.

SECTION 3

The Operator Node: 93.127.128.229

Database Mart LLC, ASN 401479, Kansas City. DNS: remotedesk.aisa-nube.com. Nine services, all deliberately configured. Where the Hyper-V host's fingerprint was noisy and exposed, this node's fingerprint was precise.

PORT	SERVICE	CERT / DETAIL
1097/RDP	Remote Desktop	CN=vps-tdfj, issued Jan 20 2026
3389/RDP	Remote Desktop	CN=Server, issued Apr 23 2026
5357/HTTP	HTTPAPI	Microsoft-HTTPAPI/2.0, 503
6000	TSplus relay	CN=Servidor (Spanish: "Server"), issued Apr 28 2026
6100	RDP relay tunnel	CN=ServerRmt.ayamsa.net – reissued Jun 6 2026 (active)
7000	FRP v0.64.0	Run ID 587cde8a44f5df81 – cert Jun 4 2026, 10-year validity
7500/HTTP	FRP dashboard	HTTP 401 Basic auth – dashboard locked

PORT	SERVICE	CERT / DETAIL
8080+8443	TSplus Web Access	Title: "Web Access", porthtml5=6100, Last-Mod Jan 6 2026

The TSplus config on 8080/8443 routes through port 6100 via porthtml5=6100 . Port 6100 carries CN=ServerRmt.ayamsa.net – the relay cert that connects the TSplus portal to the RDP tunnel backend. The FRP deployment on port 7000 went live **June 4 2026** – three days before this investigation session. A 10-year cert validity on a fresh deployment is deliberate: the operator is not planning to rotate this cert on a normal cycle.

Two domain namespaces entered the picture: ayamsa.net from the port 6100 cert CN, and aisa-nube.com from the DNS record on the node itself. These would define everything that followed.

SECTION 4

Domain Infrastructure

ayamsa.net

Registered August 13 2019 through Namecheap, registrant privacy via WithHeld for Privacy ehf – Namecheap's Reykjavik-based privacy proxy. Domain expires August 2026. Apex Sedo-parked at 162.255.119.73 . www.ayamsa.net separately parked at 91.195.240.19 (Server: Parking/1.0). The domain has never hosted a website.

AYAMSA is a real Mexican company. Aceros y Acanalados Monterrey – AYAMSA – is a steel and construction materials manufacturer based in Apodaca, Nuevo León, with over 20 years of continuous operation. Their legitimate domains: ayamsa.com and ayamsa.com.mx . The operator registered ayamsa.net as a deliberate lookalike, occupying the .net TLD while the real company holds .com and .com.mx .


This is not coincidental naming. It is deliberate corporate identity impersonation – and it connects directly to the aisa-nube.com registration strategy. Both domain choices anchor to real Mexican corporate context. The operator was constructing a coherent fake Mexican corporate namespace. The ayamsa.net lookalike would pass a casual Google search. More importantly: targets would only ever encounter ayamsa.net by inspecting the TLS certificate on port 6100 – not in any address bar. That's by design. The impersonation is infrastructure-layer OPSEC, not victim-facing presentation.

Certificate transparency history reconstructs the domain's full lifecycle. LE certs from August 2019 through 2020 covered only the apex and www – the domain was operationally active from day one but had no subdomains yet. Then a **six-year gap**. Nothing until mid-2025.

Starting August 2025, the operational subdomain structure appeared in rapid succession: mail.ayamsa.net (Aug 26), autodiscover.ayamsa.net (Aug 15), api.ayamsa.net (Aug 26), app.ayamsa.net (Aug 30), dev.ayamsa.net (Sep 4), m.ayamsa.net (Aug 18). The autodiscover subdomain – the Outlook/Exchange service discovery endpoint – indicates a mail server was

stood up and configured during this period. A DigiCert commercial certificate (paid, not LE) on www.ayamsa.net appeared March 2025, renewed March 2026.

The predecessor relay hostname, serverremoto.ayamsa.net (Spanish: "remote server"), appeared May 2024. It was replaced by ServerRmt.ayamsa.net in January 2026 – same function, abbreviated naming. One historical data point warrants mention without being overstated: passive DNS records place ayamsa.net on IPs in the 219.239.32.x range in November 2018 – **CHINANET**, China Telecom backbone. This predates the current operator's buildout by years. It may indicate prior use by a different actor, or may be a data artifact. The record is documented; the interpretation remains open.



// VirusTotal Relations tab for ayamsa.net – passive DNS history, subdomain map, historical SSL certificates

aisa-nube.com

"Asia cloud" in Spanish – a phrase combining an Asian geographic reference with Spanish-language presentation. Registrar: **Neubox Internet S.A. de C.V.** (Mexican). Nameservers: NS401/NS402/NS403.CONTROLDNS.MX – Mexican DNS infrastructure. No regional variants exist: europa-nube.com, america-nube.com and similar are all unregistered. The Latin American branding is singular, not systematic. It's a choice, not a compartmentalization scheme.

Domain registered August 20 2024. On the same day – within hours – a wildcard certificate for *.aisa-nube.com was issued. That wildcard has renewed on an automated 60-day cycle ever since: Aug 20, Oct 20, Dec 20, Feb 19, Apr 21, Jun 21, Aug 21, Oct 21, Dec 21, Feb 20, Apr 22. **Ten consecutive renewals, each within one to two days of exactly 60 days prior.** This is a scripted ACME client – most likely acme.sh – on a cron schedule that has never missed a cycle across 22 months of operation.

The wildcard being provisioned before any named subdomain certs establishes automated certificate infrastructure as the foundational layer of the operation. This is not how an

improvised phishing campaign is built. This is how a maintained service platform is built.

SECTION 5

The Persona Cluster

Five VPS nodes confirmed, each carrying a consistent persona across three markers: TSplus portal title, RDP relay certificate CN, and aisa-nube.com subdomain label. The consistency is the finding – this is systematic configuration, not ad-hoc setup.

NODE	SUBDOMAIN	TSPLUS TITLE	RDP CERT	PROVIDER
93.127.128.229	remotedesk	"Web Access"	Servidor	Database Mart
35.86.103.233	compumark	"Web Access CompuMark"	ServCompuMark	AWS Oregon
35.95.0.42	lopezproduce	IIS default (bare)	LOPEZSERVER	AWS Oregon
184.72.115.35	ikconsulting	Unknown	Unknown	AWS US East
108.181.174.67	lagerhaus	"Web Access"	Unknown	Psychz/Dallas

Node 1: RemoteDesk (93.127.128.229 — Database Mart, Kansas City)

The primary operator node, described in full in Section 3. Generic "Web Access" portal title with no persona name – the only node in the cluster without a named business persona in its portal title. DNS: remotedesk.aisa-nube.com . FRP v0.64.0 deployed June 4 2026. Relay cert CN=Servidor on port 6000; CN=ServerRmt.ayamsa.net on port 6100.

Node 2: CompuMark (35.86.103.233 — AWS Oregon)

TSplus portal title: "Web Access CompuMark". Login form labels in Spanish: "Nombre Usuario:", "Contraseña:", "Inicio Sesion". Last-Modified: Mon, 28 Oct 2024 . robots.txt last modified July 30 2024 – the VPS was stood up the same month aisa-nube.com was registered. RDP cert CN=ServCompuMark , issued April 5 2026. A Node.js application on port 3000 returns "It's alive!" – an unexplained backend service of unknown function. CompuMark is a real trademark research company (Clarivate Analytics). Persona choice suggests targeting of legal and IP professionals, or use of a recognizable name to legitimize the fake portal.


Node 3: LopezServer (35.95.0.42 — AWS Oregon)

IIS Windows Server default page on port 80, Last-Modified: Thu, 06 Feb 2025 – provisioned February 2025. RDP cert CN=LOPEZSERVER , issued May 8 2026. No TSplus portal visible – either being provisioned or deliberately bare. "Lopez" is a common Spanish surname; the persona fits the Latin American namespace pattern.

Node 4: IKConsulting (184.72.115.35 — AWS US East)

ikconsulting.aisa-nube.com has been issuing certificates continuously since November 2024. Originally resolving to 189.156.21.13 – Telmex Mexico range – as of August 2024,

consistent with the initial aisa-nube.com registration. Migrated to 184.72.115.35 (AWS US East) in April 2026, coinciding with the cluster-wide infrastructure refresh. VirusTotal classifies this domain as "Phishing and Other Frauds" — the Webroot detection engine's category for active credential harvesting. This is the only node in the cluster with an active malicious classification. IK Consulting is a real Indian professional services firm. An Indian consulting company as a credential harvesting persona maps directly onto APT36's documented victim profile.



// VirusTotal Relations: ikconsulting.aisa-nube.com — 1/91 detection (Webroot: Phishing), passive DNS showing migration from Mexican IP to AWS, full sibling cluster visible

Node 5: Lagerhaus (108.181.174.67 — Psychz Networks, Dallas)

LE cert for lagerhaus.aisa-nube.com issued June 12 2026 — two days before this writing. Psychz Networks (AS40676, Dallas) is the third distinct provider in the cluster, alongside Database Mart and AWS. Service fingerprint matches the cluster exactly: ports 8080/8443 serving "Web Access", port 1097 non-standard RDP, port 80 IIS default, port 5357 HTTPAPI 503.

"Lagerhaus" is German for "warehouse." The persona naming has now crossed three languages: Spanish throughout the cluster, now German on the newest node. This is not a linguistic accident. It is consistent with a deliberate multi-language OPSEC strategy designed to obscure operator origin by distributing the namespace across multiple cultural contexts.

VirusTotal historical SSL certificates show a CN=tst cert on this host first seen May 31 2023 — the default unmodified TSplus cert. This is the cluster's earliest confirmed activity, predating aisa-nube.com registration by 15 months. What subdomain and domain infrastructure this node was operating under before August 2024 remains unknown.

lagerhaus.aisa-nube.com

Community Score: 0 / 91

No security vendors flagged this domain as malicious

Registered: NEUBOX Internet S.A. de C.V. | Creation Date: 1 year ago | Last Analysis Date: 1 day ago

Details: dga, self-signed

DETECTION | DETAILS | RELATIONS | COMMUNITY

Passive DNS Replication (1)

Date resolved	Detections	Resolver	IP
2026-06-12	0 / 91	VirusTotal	108.181.174.67

Siblings (6)

Domain	Detections	IP
aisa-nube.com	1 / 91	198.59.144.174
ayamsa.aisa-nube.com	0 / 91	78.12.11.172
compumark.aisa-nube.com	0 / 91	18.237.82.130
ikconsulting.aisa-nube.com	1 / 91	184.72.115.35
lopezproduce.aisa-nube.com	0 / 91	35.95.0.42
remotedesk.aisa-nube.com	0 / 91	93.127.128.229

Historical SSL Certificates (1)

First seen	Subject	Thumbprint
2023-05-31	tst	58b1d85ce89f7ce38e9257327b8990d34a0bfe

Graph Summary

// VirusTotal Relations: lagerhaus.aisa-nube.com – 0/91 detections, passive DNS resolving to Psychz Networks, historical CN=tst cert from May 2023, full sibling cluster confirming all five nodes

SECTION 6

Infrastructure Timeline

Assembling cert issuance dates, HTTP Last-Modified headers, and passive DNS resolution history produces a coherent operational chronology. The earliest confirmed activity dates to May 2023 (Lagerhaus TSplus cert); the aisa-nube.com infrastructure specifically spans 22 months from August 2024 to publication:

MAY 2023	TSplus default cert (CN=tst) first observed on Lagerhaus node. Earliest confirmed operational activity in the cluster.
MAY 2024	serverremoto.ayamsa.net self-signed cert issued. ayamsa.net operational as RDP relay namespace before aisa-nube.com exists.
JUL 2024	CompuMark VPS (35.86.103.233) robots.txt created. Node stood up.
AUG 20 2024	aisa-nube.com registered via Neubox (Mexico). Wildcard *.aisa-nube.com cert issued same day. Automated 60-day renewal cycle begins.
OCT 2024	TSplus portal on CompuMark node last modified. First LE certs for ikconsulting and compumark subdomains.
NOV 2024	ikconsulting.aisa-nube.com enters continuous cert renewal chain.
FEB 2025	LopezServer IIS provisioned (35.95.0.42). Last-Modified Feb 6 2025.
AUG–SEP 2025	ayamsa.net operational subdomain structure deployed: mail, autodiscover, api, app, dev, m – all within six weeks.
JAN 5 2026	ServerRmt.ayamsa.net replaces serverremoto predecessor. TSplus portal last modified Jan 6 2026.
FEB 2026	CYFIRMA publishes APT36 campaign report documenting 93.127.130.89.
APR 2026	Cluster-wide infrastructure refresh: ServCompuMark RDP cert, CN=Servidor relay cert, ikconsulting migrates from Telmex Mexico to AWS US East.

MAY 2026	LOPEZSERVER RDP cert issued. vps-xkrw cert on Hyper-V host.
JUN 4 2026	FRP v0.64.0 deployed on primary node port 7000. Run ID 587cde8a44f5df81. 10-year cert validity. Fresh deployment.
JUN 6 2026	ServerRmt.ayamsa.net cert reissued (Jun-Dec 2026). Actively maintained.
JUN 12 2026	lagerhaus.aisa-nube.com LE cert issued. Fifth persona node confirmed online.

The cluster's earliest confirmed activity dates to May 2023, placing the overall operational footprint at a minimum of three years. The aisa-nube.com infrastructure specifically has been in continuous automated operation for 22 months – from registration in August 2024 through publication. An active refresh cycle was ongoing at the time of this writing.

SECTION 7

Operational Mechanics

The operational model is credential harvesting via TSplus Web Access portal impersonation. TSplus is a legitimate Windows remote desktop solution. When a company deploys it, employees log in through a browser-based portal presenting a standard username/password form. The cluster replicates this portal under persona names chosen to match the expected legitimate source for a specific target population.

An employee of a company that uses CompuMark trademark research services, receiving a phishing email directing them to log into their "remote access portal," would encounter a plausible-looking TSplus login page. The credentials they enter go to the operator. An Indian government contractor receiving a similar email about "IK Consulting remote access" would see an equally convincing portal. The persona is calibrated to the target.

The FRP deployment completes the picture. FRP (Fast Reverse Proxy) routes traffic from a publicly accessible server to systems behind NAT or firewalls. In this context: the operator harvests credentials via TSplus, uses those credentials to establish RDP access to the victim's internal network, and routes that RDP session through the FRP proxy back to their own systems. The porthtml5=6100 parameter on the TSplus portal, pointing to the ServerRmt.ayamsa.net relay cert on port 6100, confirms the full tunnel chain is implemented and configured.

The ikconsulting.aisa-nube.com Webroot classification as "Phishing and Other Frauds" on VirusTotal confirms this operational model was active on at least that node before the infrastructure migration.

SECTION 8

The Sophistication Problem

Observations: What Public Reporting Documents About APT36

Kaspersky's 2020 reporting describes the group as relying on social engineering over technical exploitation – weaponized Office documents, malicious links, and credential phishing rather than zero-days or sophisticated implants. Talos 2021–2022 documents VBA macros and LNK-based delivery, consistent with commodity tooling. CYFIRMA's February 2026 report – the origin of this investigation – documents a .NET RAT over raw TCP. MITRE ATT&CK; G0134 notes consistent use of CrimsonRAT and ObliqueRAT, both publicly documented with available signatures. The group's hallmark is volume and social engineering quality, not technical sophistication.

Observations: What This Cluster Demonstrates

- Automated certificate management running continuously for 22 months without a single missed renewal
- Five persona nodes across three hosting providers, systematically configured with matching cert CNs, subdomain labels, and portal titles
- A domain (ayamsa.net) used as an operational namespace since at least 2024, predating the primary operational domain by months
- Deliberate hosting provider diversification – Database Mart, AWS, Psychz Networks – across nodes with distinct personas
- A Mexican registrar and DNS infrastructure chosen for a domain whose operational content has no Latin American connection
- Spanish-language portal UI labels and German persona naming spanning multiple languages
- Real corporate identity impersonation (ayamsa.net as a lookalike for a real Mexican manufacturer) deployed at the infrastructure layer, not the victim-facing layer
- Fresh FRP reverse proxy deployment active at the time of discovery, suggesting ongoing operational expansion
- Node.js backend of unknown purpose on the primary operator VPS

Assessment

These characteristics are inconsistent with publicly documented APT36 operational patterns. APT36's documented TTPs are achievable with commodity tooling and moderate technical skill. The infrastructure observed here – sustained automated operation spanning at least three years (May 2023 to present), including 22 months of uninterrupted automated cert management on the [aisa-nube.com](#) infrastructure, multilingual OPSEC, systematic persona management, and deliberate provider diversification – suggests a meaningfully higher capability level than public reporting attributes to Transparent Tribe.

One interpretation: APT36 has developed infrastructure capabilities not captured in public reporting. This cannot be ruled out; absence of documentation is not absence of capability.

A second interpretation: this cluster was built and maintained by a technically distinct actor operating in support of, or alongside, Transparent Tribe. Under this interpretation, the shared ASN space and victim-profile-consistent persona naming represent points of contact between two separate capability sets rather than evidence of a single unified operation.

The available evidence does not allow confident selection between these interpretations. What the evidence supports: this cluster's operational discipline is anomalous relative to the actor it is putatively associated with – and that anomaly is itself a finding worth documenting.

SECTION 9

Working Hypothesis

Observations

FRP deployment: FRP is a Chinese-origin open-source tool. Of 1,152 exposed FRP dashboards indexed by Censys, approximately 456 (~40%) are on Chinese cloud infrastructure (Alibaba Cloud variants). The Shodan population of 111 exposed dashboards shows 79/111 (71%) China-hosted. This cluster's FRP runs on US-hosted infrastructure – a statistical outlier.

Targeting signal: `ikconsulting.aisa-nube.com` impersonates an Indian consulting firm with an active Webroot phishing classification. Indian professional services firms are within APT36's documented victim profile.

Latin American infrastructure framing: The operator domain was registered through a Mexican registrar, uses Mexican DNS nameservers, and the relay namespace impersonates a real Mexican steel manufacturer. No operational content in the cluster has any apparent connection to Latin America. This framing serves no functional purpose other than misdirection – and it suggests familiarity with how attribution analysts look for geographic indicators.

Sophistication delta: As documented in Section 8, the operational discipline of this cluster exceeds what public reporting attributes to APT36.

ASN co-location: This cluster shares ASN space with confirmed APT36 C2 `93.127.130.89` on a commercial hosting provider. Co-location on shared hosting is a weak indicator of relationship; it is documented as context, not as evidence of coordination.

Assessment

The available evidence is insufficient to support a confident attribution claim. What the evidence supports is a set of bounded interpretations, each with explicit confidence levels:

Cluster entirely unrelated to APT36: Low confidence. The IKConsulting victim-profile alignment and ASN co-location with a confirmed APT36 C2, while neither individually conclusive, point toward some operational relationship.

APT36 built and maintains this cluster directly: Low-to-medium confidence. Possible; the evidence does not exclude it. The sophistication gap is the primary argument against, but capability evolution that outpaces public documentation is a known phenomenon.

Technically distinct actor operating in support of Transparent Tribe: Low-to-medium confidence. Consistent with the sophistication delta and the Latin American misdirection framing. Not confirmed by any direct evidence.

The identity of any supporting actor, if one exists, is **unknown**. The evidence base for this investigation does not support naming a specific group or nation-state. Readers should treat any more specific claim as speculation beyond what this report's evidence

supports.


Assessed at high confidence: this cluster is operationally active, continuously maintained, and undocumented in any prior public threat intelligence reporting. Whatever its precise relationship to APT36, it represents a genuine finding – infrastructure with confirmed activity spanning at least three years (May 2023 to June 2026), with the `aisa-nube.com` persona layer specifically active for 22 months, none of which has appeared in any prior threat intelligence report.

SECTION 10

Open Source Sweep

Prior to publication, a systematic open-source search was conducted across GitHub, grep.app, X/Twitter, IntelX, and PublicWWW to determine whether any component of this infrastructure had been previously documented.

grep.app search on `93.127.130.89` produced two genuine hits. The repository `bobby-tablez/TTP-Threat-Feeds` contains a YAML file (`results/2026/02/20260228-235430-cyfirma-rat.yml`) documenting the CYFIRMA February 2026 report IOCs – the known C2, already public. The `stamparm/maltrail` repository contains `trails/static/malware/apt_transparenttribe.txt` with `93.127.130.89:6896` as a static trail – confirming the known C2 is in active production threat feeds. Neither repository contains any reference to `93.127.128.229`, `aisa-nube.com`, `ayamsa.net`, or any node in the operator cluster.



// **grep.app** results for `93.127.130.89`: two hits – CYFIRMA YAML IOC file and Maltrail APT static trail. Zero results for operator cluster IOCs. IntelX shows `aisa-nube.com` in bulk DNS dumps only – no analytical reports.

GitHub code search on all five node IPs and both operator domains returned only false positives – proxy lists, obfuscated JS, and font CSS files where the number sequences appear coincidentally. Zero genuine infrastructure references for any operator node.

X/Twitter search on 93.127.130.89 confirmed the known C2 was publicly posted by researchers (@PrakkiSathwik , @Lucifer_UD) approximately three months ago. Zero posts mentioning aisa-nube.com , ayamsa.net , or any operator cluster node.

IntelX search on aisa-nube.com produced hits in three files: a 2024-08-22 full database CSV (bulk domain registration dump from shortly after the domain was registered), a February 2025 domains-detailed CSV, and a 654-million DNSTXT records file. These are bulk passive DNS and domain registration datasets – aisa-nube.com appears in them because it exists, not because it has been analyzed. No named threat report or analytical document referencing this infrastructure was found anywhere in the search sweep.

Conclusion of sweep: The known C2 (93.127.130.89) is publicly documented and in active threat feeds. The operator cluster – five nodes, two domain namespaces, earliest confirmed activity May 2023 – has zero prior analytical coverage. This report is the first documented analysis of this infrastructure.

SECTION 11

FRP Population Context

The Shodan query `http.title:"frps" port:7500` – targeting exposed FRP dashboard instances – returned **111 results**. The geographic distribution of the operator base is analytically relevant:

COUNTRY	COUNT	SHARE	NOTABLE ORGS
China	79	71%	Aliyun (37), Tencent (19), Huawei (5), CHINANET variants
United States	12	11%	RackNerd, Vultr, OVH SAS, generic VPS
Hong Kong	8	7%	HKT, Aceville
Singapore	3	3%	–
France	2	2%	OVH SAS
Other	7	6%	Various

The Censys equivalent query (`services.http.response.body:"frps dashboard"` and `services.port=7500`) returned **1,152 results**, with Chinese cloud infrastructure (Alibaba Cloud variants) accounting for approximately 456 instances (~40%). The tool is overwhelmingly deployed within Chinese operator ecosystems.

This cluster's FRP deployment on US-hosted infrastructure – Database Mart, Kansas City – is a statistical outlier. The run ID 587cde8a44f5df81 returned no results in any public threat intelligence feed, paste site, GitHub search, or Shodan/Censys index. The FRP dashboard on port 7500 returned HTTP 401 Basic auth at the time of discovery – preventing Shodan and Censys from indexing its content. This deployment was not previously

documented anywhere.

SECTION 12

Current Status and Ongoing Monitoring

At the time of publication, the following infrastructure changes occurred within the two weeks preceding this report:

- FRP v0.64.0 deployed on 93.127.128.229 port 7000 (June 4 2026)
- ServerRmt.ayamsa.net cert reissued, valid June–December 2026 (June 6 2026)
- lagerhaus.aisa-nube.com LE cert issued – fifth persona node online (June 12 2026)

The cluster is in active expansion. A monitoring pipeline tracking certificate transparency logs for *.aisa-nube.com and *.ayamsa.net via crt.sh is running and will capture new persona deployments as they occur. The ayamsa.net domain expires August 2026 – whether the operator renews it will be an observable infrastructure event.

SECTION 13

Indicators of Compromise

INDICATOR	TYPE	NOTE
93.127.130.89	IP	Known APT36 C2, CYFIRMA Feb 2026
93.127.128.229	IP	Primary operator node, Database Mart ASN 401479
93.127.140.196	IP	Database Mart Hyper-V host (DBM-HVS-083)
35.86.103.233	IP	CompuMark persona, AWS Oregon
35.95.0.42	IP	LopezServer persona, AWS Oregon
184.72.115.35	IP	IKConsulting persona, AWS US East (current)
189.156.21.13	IP	IKConsulting persona, Telmex Mexico (historical)
108.181.174.67	IP	Lagerhaus persona, Psychz Networks Dallas
sharemaxme126[.]net	Domain	Known APT36 fallback C2
aisa-nube.com	Domain	Primary operator domain, Neubox/Mexico
ayamsa.net	Domain	Operator relay namespace, lookalike of real MX company
remotedesk.aisa-nube.com	Domain	Primary operator node DNS
compumark.aisa-nube.com	Domain	CompuMark persona
lopezproduce.aisa-nube.com	Domain	LopezServer persona
ikconsulting.aisa-nube.com	Domain	IKConsulting persona – Webroot: Phishing and Other Frauds
lagerhaus.aisa-nube.com	Domain	Lagerhaus persona, cert issued Jun 12 2026
ayamsa.aisa-nube.com	Domain	Operational subdomain, active cert chain
ServerRmt.ayamsa.net	Domain	RDP relay endpoint, cert reissued Jun 6 2026
serverremoto.ayamsa.net	Domain	Predecessor relay hostname (May–Nov 2024)

INDICATOR	TYPE	NOTE
587cde8a44f5df81	FRP Run ID	FRP v0.64.0 run ID on port 7000
heuzolaisaacthy.exe	Filename	CrimsonRAT dropper (CYFIRMA report)
ff1a302651019277d90c814c2e0940ec	MD5	PPAM lure document (CYFIRMA report)

SECTION 14

Confidence Assessment

FINDING	CONFIDENCE	BASIS
93.127.128.229 is operator infrastructure	HIGH	Service fingerprint, cert chain, DNS resolution
Five-node cluster is a single coordinated operation	HIGH	Consistent persona pattern across all nodes
ikconsulting actively harvesting credentials	HIGH	Webroot Phishing classification on VirusTotal
Cluster undocumented in prior public TI	HIGH	Full OSINT sweep – zero prior analytical reports
Some operational relationship to APT36/Transparent Tribe	LOW-MED	ASN co-location; IKConsulting victim profile
APT36 built and maintains this cluster directly	LOW-MED	Possible; sophistication gap is primary counterargument
Technically distinct actor supporting Transparent Tribe	LOW-MED	Consistent with evidence; not confirmed
Identity of any supporting actor	UNKNOWN	Insufficient evidence – not named in this report
ayamsa.net 2018 CHINANET resolution significant	LOW	May be artifact; predates current operators by years

// GhostWire publishes original collection-based threat intelligence research. IOCs from this report should be treated as investigative findings, not confirmed attributions. Independent verification is recommended before operationalizing any indicator. All research conducted on publicly available information. No affiliations. No ads.

[ghostwireintel.page](#) // @GhostWireCTI // PUBLISHED JUNE 2026