

GHOSTWIRE

Threat intelligence, told as narrative.

#ISSUE 002A – JUNE 2026

The Wrong Tenant

Active Analysis Addendum

// INTELLIGENCE FILE – GW-002A-INF //

SUBJECT:	APT36 / Transparent Tribe
PARENT REPORT:	GW-002 – The Wrong Tenant (June 2026)
ADDENDUM TYPE:	Active Analysis – Post-Publication
ANALYSIS DATE:	June 23–24, 2026
ANALYST:	Bornov Shyam Kalita / GhostWire
METHOD:	urlscan.io → VirusTotal → Whonix/KVM over Tor
NODES PROBED:	5 confirmed (all cluster nodes)
STATUS:	ACTIVE – infrastructure stable at time of publication

5 NODES PROBED	3 TOOLS	JUNE 23–24 2026	JUNE 2026
----------------	---------	-----------------	-----------

Post-publication active analysis of the five-node APT36/Transparent Tribe-linked credential harvesting cluster documented in Issue 002. Conducted June 23–24, 2026 via urlscan.io, VirusTotal, and direct node probing via Whonix/KVM over Tor. CompuMark impersonation confirmed; full attack chain assembled; two-frontend/one-backend architecture established via TEMPLATEVALUES cross-comparison.

SECTION 1 EXECUTIVE SUMMARY

Issue 002 documented a five-node credential harvesting cluster linked to APT36/Transparent Tribe via shared ASN space with a confirmed C2. The original investigation relied on passive OSINT: certificate transparency, passive DNS, Shodan, Censys, and VirusTotal graph analysis. No direct node interaction was conducted before publication.

This addendum documents active analysis conducted June 23-24, 2026 using urlscan.io remote browser scans, VirusTotal relationship mining, and direct TCP/TLS probing via Whonix Workstation over Tor. The analysis produced findings not obtainable from passive sources alone.

KEY FINDINGS

- **CompuMark impersonation confirmed.** The 35.86.103.233 node serves the authentic CompuMark (Clarivate) logo alongside a fully Spanish-language TSplus credential portal – direct visual evidence of corporate identity impersonation.
- **Full attack chain assembled.** TEMPLATEVALUES extraction and cert probing confirm the complete path: phishing portal → TSplus credential capture → HTML5 relay → FRP tunnel → operator RDP.
- **Lagerhaus TSplus portal discovered.** A third TSplus Web Access portal – invisible to passive collection – confirmed on lagerhaus (108.181.174.67) at ports 8443/8080. Last-Modified matches cert issuance: single-session deployment.
- **Cluster architecture revised to two-frontend/one-backend.** TEMPLATEVALUES cross-comparison confirms all session traffic terminates at 93.127.128.229. FRP port 7000 is the convergence backbone.
- **Operator OPSEC failures documented.** CN=vps-tdfj on port 1097 is the Database Mart auto-assigned VPS hostname leaked as RDP cert CN. FRP cert (port 7000) is deliberately blank. The contrast between intentional anonymisation and accidental disclosure is analytically significant.
- **Post-publication infrastructure stable.** DNS sweep June 24, 2026: all five nodes at original IPs. No rotations, pulls, or service changes. Cluster active.

SECTION 2 METHODOLOGY

All active analysis conducted from Whonix Workstation VM (KVM/QEMU) on a CachyOS host, routing all traffic through Tor. Exit IP 185.220.100.254 confirmed via IsTor API prior to session start. No credentials submitted to live portals. No exploits used. Analysis limited to observation, HTTP header extraction, TLS cert inspection, and public HTML source reading.

TOOL	ROLE	SCOPE
urlscan.io	Remote browser scan of web-accessible ports	Passive-active; no direct connection from analyst IP
VirusTotal	Relations: passive DNS, SSL cert history, vendor detections	Community reports, Webroot/Fortinet classifications
curl (Whonix/Tor)	HEAD requests, TEMPLATEVALUES extraction, cert probing	All traffic Tor-routed; exit node verified pre-session

TOOL	ROLE	SCOPE
OpenSSL s_client	TLS certificate extraction on non-standard ports	CN, issuer, validity period, SANs
FRP credential sweep	Default credential test on port 7500 dashboard	7 pairs tested; all HTTP 401 – operator changed defaults

SECTION 3 NODE STATUS AT TIME OF ANALYSIS

NODE	SUBDOMAIN	WEB LAYER	STATUS
93.127.128.229	remotedesk.aisa-nube.com	TSplus Web Access :8443	Live, fully operational
35.86.103.233	compumark.aisa-nube.com	TSplus Web Access :443	Live, fully operational
35.95.0.42	lopezproduce.aisa-nube.com	IIS default page :80	Live, web layer unconfigured
108.181.174.67	lagerhaus.aisa-nube.com	IIS :80 / TSplus :8443+:8080	Live – TSplus on non-standard ports, invisible to passive collection
184.72.115.35	ikconsulting.aisa-nube.com	No response :80/:443/:8080	Node active; web layer dark

93.127.128.229

93.127.128.229 Public Scan

URL: <http://93.127.128.229:8443/>

Submission: On June 23 via manual (June 23rd 2026, 11:28:47 am UTC) from: [IN](#) — Scanned from: [DE](#)

Summary

This website contacted 2 IPs in 1 countries across 0 domains to perform 14 HTTP transactions. The main IP is 93.127.128.229, located in Kansas City, United States and belongs to DBM-ASN-KC - Database Mart LLC, US. The main domain is 93.127.128.229.

93.127.128.229 scanned 9 times on urlscan.io

1877 similar pages on different IPs, domains and ASNs found

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: No classification for 93.127.128.229 (AS401479 - DBM-ASN-KC - Database Mart LLC, US)

Domain & IP information

IP/ASNs	IP Detail	Domains	Domain Tree	Links	Certs	Frames
14	93.127.128.229	AS 401479 (DBM-ASN-KC - Database Mart LLC)				

Page Title: Web Access

Detected technologies: jQuery (JavaScript libraries)

Page Statistics

Requests	HTTPS	IPv6	Domains	Subdomains
14	0%	0%	0	0
2	1	488	485	0
IPs	Countries	KB	KB	Cookies

Fig 1 – urlscan.io: 93.127.128.229:8443. TSplus "Web Access" portal confirmed. Database Mart LLC, ASN 401479, Kansas City. 14 HTTP transactions.

108.181.174.67 Public Scan

URL: <http://108.181.174.67/>

Submitted: On June 23 via manual (June 23rd 2024, 4:37:55 pm UTC) from: 🇺🇸 — Scanned from: 🇩🇪

Summary

This website contacted 1 IPs in 1 countries across 0 domains to perform 3 HTTP transactions. The main IP is 108.181.174.67, located in Dallas, United States and belongs to **AS40676 - Psychz Networks US**. The main domain is 108.181.174.67.

108.181.174.67 scanned 2 times on urlscan.io Show Stats

10000+ similar pages on different IPs, domains and ASNs found Show Stats

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: 🟢 No classification for 108.181.174.67 (AS40676 - Psychz Networks, US)

Domain & IP information

IP/ASNs	IP Detail	Domains	Domain Tree	Links	Certs	Frames
3	IP Address	AS Autonomous System				
3	108.181.174.67	40676 (AS40676 - Psychz Networks)				
3		1				

Page Title

IIS Windows Server

Page URL History

1. <http://108.181.174.67/> HTTP 200
2. <http://108.181.174.67/> HTTP 300
3. <http://108.181.174.67/> Page URL

Page Statistics

Requests	HTTPS	IPv6	Domains	Subdomains
3	0%	0%	0	0
1	1	100	99 kB	0
IPs	Countries	kB	Size	Cookies

Transfer

Fig 2 – urlscan.io: 108.181.174.67. IIS default page on :80. Psychz Networks AS40676, Dallas. TSplus portal visible only on :8443/:8080.

35.95.0.42 Public Scan

URL: <http://35.95.0.42/>

Submitted: On June 23 via manual (June 23rd 2024, 4:39:11 pm UTC) from: 🇺🇸 — Scanned from: 🇨🇦

Summary

This website contacted 1 IPs in 1 countries across 0 domains to perform 3 HTTP transactions. The main IP is 35.95.0.42, located in Boardman, United States and belongs to **AS16509 - AMAZON-02 - Amazon.com, Inc., US**. The main domain is 35.95.0.42.

35.95.0.42 scanned 2 times on urlscan.io Show Stats

10000+ similar pages on different IPs, domains and ASNs found Show Stats

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: 🟢 No classification for 35.95.0.42 (AS16509 - AMAZON-02 - Amazon.com, Inc., US)

Domain & IP information

IP/ASNs	IP Detail	Domains	Domain Tree	Links	Certs	Frames
3	IP Address	AS Autonomous System				
3	35.95.0.42	16509 (AMAZON-02 - Amazon.com)				
3		1				

Page Title

IIS Windows Server

Page URL History

1. <http://35.95.0.42/> HTTP 200
2. <http://35.95.0.42/> HTTP 300
3. <http://35.95.0.42/> Page URL

Page Statistics

Requests	HTTPS	IPv6	Domains	Subdomains
3	0%	0%	0	0
1	1	100	99 kB	0
IPs	Countries	kB	Size	Cookies

Transfer

Fig 3 – urlscan.io: 35.95.0.42. IIS default page. AMAZON-02 / Amazon.com, Boardman, Oregon.

SECTION 4 KEY FINDING – COMPUMARK IMPERSONATION CONFIRMED

Direct navigation to <https://35.86.103.233/logo.png> confirmed the node serves the authentic CompuMark logo – the blue globe mark of CompuMark, a trademark research and brand protection platform owned by Clarivate Analytics. This is the first direct visual confirmation of corporate identity impersonation in the cluster.



Fig 4 – 35.86.103.233/logo.png served by threat actor node. Authentic CompuMark (Clarivate Analytics) logo. Browser address bar confirms direct IP navigation to threat actor infrastructure.

PORTAL CHARACTERISTICS

ELEMENT	VALUE	SIGNIFICANCE
Portal title	Web Access CompuMark	Operator-configured in TSplus admin panel
Login heading	Inicio Sesion	Spanish – deliberate localisation for Latin American targets
Username field	Nombre Usuario:	Spanish
Password field	Contraseña:	Spanish
Logo asset	/logo.png	Authentic Clarivate CompuMark brand mark served directly from threat actor node
Post-login URL	index_applications.html	Fake applications portal – additional lure layer beyond primary node
TSplus version	Creative/Bright v17.20 (April 2024)	14 months unpatched; CVE-2025-5922 applicable (PIN hash brute-forceable)
Font delivery	fonts.googleapis.com (live)	Outbound request on each page load – OPSEC inconsistency vs. primary node

ASSEMBLED ATTACK CHAIN

Active probing confirmed the credential submission endpoint at `/software/logon.js`. A POST to this endpoint completes the TLS handshake and reveals the CN=tst shared deployment cert (C=FR; O=common; OU=user; CN=tst, 100-year validity Jul 2012 - Jun 2112) – the same cert file confirmed on the lagerhaus node, establishing shared provisioning between the two frontend nodes.

[illegible]

SECTION 5 REVISED CLUSTER ARCHITECTURE

Issue 002 passive analysis treated the five nodes as a loose cluster. Active TEMPLATEVALUES cross-comparison across three TSplus portals – remotedesk, compumark, and lagerhaus (newly confirmed) – reveals a structured two-frontend/one-backend architecture where all session traffic converges on the primary node.

TEMPLATEVALUES THREE-NODE COMPARISON

Field	Remotedesk (Primary)	CompuMark	Lagerhaus
Portal title	Web Access	Web Access CompuMark	Web Access
Login heading	Log on	Inicio Sesion	Log on
Language	English	Spanish	English
Logo	TSplus default	logo.png (CompuMark)	TSplus default
RDP port	:3389 (std)	:3389 (std)	:1097 (non-std)
Post-login	(empty)	index_applications.html	(empty)
Role	Operator access	Phishing frontend	Secondary relay




Fig 8 – DOM tree of 93.127.128.229:8443 captured by urlscan.io. `TEMPLATEVALUES` config block visible in JS source: `porthtml5`, `domain`, `server routing`, and `session configuration` parameters.

TWO-FRONTEND / ONE-BACKEND ARCHITECTURE

INGRESS LAYER

```
-----
CompuMark portal (35.86.103.233:443)
  |-- Spanish UI + CompuMark logo + fake applications portal
  |-- Credentials captured -> TSplus :443 -> localhost:3389
  |-- FRP client -> primary node :7000 -> operator RDP :3389
  |
Lagerhaus portal (108.181.174.67:8443 + :8080)
  |-- Generic English UI, no corporate branding
  |-- Credentials captured -> TSplus :8443 -> localhost:1097
  |-- FRP client -> primary node -> operator RDP :1097
  |
```

BACKEND

```
-----
Primary node (93.127.128.229) <-- all frontend traffic terminates here
  |-- FRP server :7000 (blank cert, 10-year validity 2026-2036)
  |-- RDP :3389 (standard) + :1097 (non-standard, CN=vps-tdfj)
  |-- RDP relay CN=ServerRmt.ayamsa.net on :6100
  |-- TSplus portal :8443 (operator own access)
```

Fig 9 – Two-frontend/one-backend architecture inferred from `TEMPLATEVALUES` cross-comparison. All paths terminate at 93.127.128.229 via FRP tunnel on port 7000.

SECTION 6 CERTIFICATE INTELLIGENCE

Direct TLS probing via OpenSSL `s_client` from Whonix extracted ground-truth certificate data from non-standard ports not indexed by passive scanners.

LIVE CERT EXTRACTION – WHONIX GROUND TRUTH

PORT	CN	ISSUER	VALIDITY	ANALYTICAL NOTE
:6100	ServerRmt.ayamsa.net	CN=ServerRmt.ayamsa.net	Jun 6 - Dec 6 2026	Active relay cert. Standard 6-month LE cycle. Actively maintained.
:7000	(blank)	(blank)	Jun 4 2026 - Jun 2 2036	FRP cert. Deliberately anonymised. 10-year self-signed. Only blank cert in cluster.
:1097	vps-tdfj	CN=vps-tdfj	Jun 21 - Dec 21 2026	OPSEC failure. DB Mart auto-assigned VPS hostname used as RDP cert CN. Post-pub rotation did not fix the CN.

CN=tst – SHARED PROVISIONING CERT

Both compumark (35.86.103.233) and lagerhaus (108.181.174.67) returned an identical certificate: **C=FR; O=common; OU=user; CN=tst**, start date July 6 2012, expire date June 12 2112 (100-year validity). An identical self-signed cert across two nodes on different ASNs is the strongest single indicator of a shared provisioning image or setup script.

FRP CERT (DELIBERATE) vs. CN=vps-tdfj (ACCIDENTAL)

The FRP cert on port 7000 carries completely blank subject and issuer fields – the only cert in the cluster with no identifying data. The operator who deliberately anonymised the FRP cert left their hosting provider fingerprint in the RDP cert CN on port 1097. **CN=vps-tdfj** is the Database Mart auto-assigned hostname used without replacement. Post-publication rotation (Jun 21, three days before Issue 002) did not correct the CN.

SECTION 7 IKCONSULTING – PRE-EXISTING OFFENSIVE HISTORY

The ikconsulting.aisa-nube.com node (184.72.115.35) is the only cluster node with active malicious classifications at time of analysis. VirusTotal shows 2/91 vendor detections: Fortinet (Malware) and Chong Lua Dao (Malicious). Additional Suspicious flags from alphaMountain.ai, AlphaSOC, Criminal IP, and Gridinsoft.

184.72.115.35

2/91 security vendors flagged this IP address as malicious

184.72.115.35 (184.72.64.0/18)
AS 14618 (Amazon.com, Inc.)

Community Score: 2/91

US Last Analysis Date: 4 days ago

DETECTION DETAILS RELATIONS COMMUNITY

Crowdsourced context

HIGH 0 MEDIUM 0 LOW 0 INFO 1 SUCCESS 0

Find more information on CrowdSec CTI - according to source CrowdSec - 2 years ago
Behaviors: HTTP Scan

Security vendors' analysis

Vendor	Classification
Chong Lua Dao	Malicious
alphaMountain.ai	Suspicious
Criminal IP	Suspicious
Abusix	Clean
ADMINUSLabs	Clean
AlienVault	Clean
Fortinet	Malware
AlphaSOC	Suspicious
Gridinsoft	Suspicious
Acronis	Clean
AILabs (MONITORAPP)	Clean
Antiy-AVL	Clean

Do you want to automate checks?

Fig 10 – VirusTotal Detection tab: 184.72.115.35. 2/91 vendors flagged malicious. Chong Lua Dao: Malicious. Fortinet: Malware. Community score: -2.




Fig 11 – VirusTotal Relations tab: 184.72.115.35. Passive DNS showing ikconsulting.aisa-nube.com resolution, historical files referring to this IP, and full WHOIS history.

DATE	SOURCE	EVENT
Nov 2025	BadIPs.com	Listed as malicious IP in blocklist
May 2026	Scamalytics	Fraud risk score 77/100 – high risk classification
Jun 2022, Jun 2024	AbuseIPDB	WordPress brute-force reports. Spoofed Safari User-Agent on both occasions.
Post-publication	Fortinet (VirusTotal)	Malware classification – independent AbuseIPDB pipeline uptake, not induced by GhostWire
Pre-publication	Webroot (VirusTotal)	Phishing and Other Frauds classification – pre-investigation blocklist presence

SECTION 8 FRP DASHBOARD – PORT 7500 ANALYSIS

93.127.128.229

93.127.128.229 Public Scan

URL: <http://93.127.128.229:7500/api/serverinfo>

Submission: On June 23 via manual (June 23rd 2026, 4:48:44 pm UTC) from IN – Scanned from PT

Summary HTTP 1 Redirects Behaviour Indicators Similar DOM Content API Verdicts

Summary

This website contacted 1 IPs in 1 countries across 0 domains to perform 1 HTTP transactions. The main IP is 93.127.128.229, located in Kansas City, United States and belongs to DBM-ASN-KC - Database Mart LLC, US. The main domain is 93.127.128.229.

93.127.128.229 scanned 12 times on uriscan.io Show Scans 12

uriscan.io Verdict: No classification ✓

Live information

Google Safe Browsing: ✓ No classification for 93.127.128.229 (AS401479 - DBM-ASN-KC - Database Mart LLC, US)

Domain & IP information

IP/ASNs	IP Detail	Domains	Domain Tree	Links	Certs	Frames
1	93.127.128.229 AS 401479 (DBM-ASN-KC - Database Mart LLC)	1				

Screenshot Live screenshot Full image

No Screenshot

Page Statistics

Requests	HTTPS	IPv6	Domains	Subdomains
1	0%	0%	0	0

IPs **Countries** **Transfer** **Size** **Cookies**

1 0 kB 0 kB 0

Fig 12 – urlscan.io scan of 93.127.128.229:7500/api/serverinfo. 1 HTTP transaction, 0 kB transfer. No screenshot rendered. Auth-gated endpoint returns nothing without valid credentials.

The FRP dashboard on port 7500 is internet-exposed and authentication-gated. Direct curl probe via Whonix returned:

```
HTTP/1.1 401 Unauthorized
Www-Authenticate: Basic realm="Restricted"
X-Content-Type-Options: nosniff
Content-Length: 13

// realm="Restricted" is the default FRP realm string – operator did not change it.
// Dashboard is internet-exposed on :7500 rather than bound to 127.0.0.1.
```

Seven default credential pairs tested: admin:admin, frp:frp, admin:123456, admin:password, root:root, admin:frp, frp:admin. All returned HTTP 401. Operator replaced default credentials but left the dashboard internet-exposed – locked but publicly fingerprint-able.

SECTION 9 ADMIN PATH ENUMERATION

Common administrative paths were probed on the compumark node on both HTTP and HTTPS to determine whether any management interface was exposed at a predictable location.

```
[workstation user ~] % curl -k -I https://35.86.103.233/admin/ 2>61
HTTP/1.1 404 Not Found
Content-Type: text/html; charset=UTF-8
Content-Length: 400
Expires: 0

[workstation user ~] % curl -k -I https://35.86.103.233/AdminTool/ 2>61
HTTP/1.1 404 Not Found
Content-Type: text/html; charset=UTF-8
Content-Length: 404
Expires: 0

[workstation user ~] % curl -k -I http://35.86.103.233/AdminTool/ 2>61
HTTP/1.1 404 Not Found
Content-Type: text/html; charset=UTF-8
Content-Length: 404
Expires: 0

[workstation user ~] % curl -k -I http://35.86.103.233/admin/ 2>61
HTTP/1.1 404 Not Found
Content-Type: text/html; charset=UTF-8
Content-Length: 400
Expires: 0
```

Fig 13 – Admin path enumeration on 35.86.103.233. /admin/ and /AdminTool/ return HTTP 404 on both :80 and :443. No administrative panel exposed at standard paths.

No administrative interface discovered at /admin/, /AdminTool/, or equivalent paths. TSplus admin panel is either on a non-standard path, a non-standard port, or restricted to the operator's own IP range.

SECTION 10 OPSEC ASSESSMENT

WHAT THE OPERATOR GOT RIGHT

INDICATOR	ASSESSMENT
FRP cert (port 7000): blank subject and issuer	Deliberate. Only cert in cluster with no identifying fields. 10-year self-signed validity confirms intent.

INDICATOR	ASSESSMENT
FRP dashboard credentials replaced	Non-default authentication confirmed: HTTP 401 on all 7 default pairs tested.
Wildcard cert on 60-day automated renewal cycle	Zero missed renewals across 22 months. Scripted ACME client (likely acme.sh).
Hosting provider diversification across three ASNs	Database Mart + AWS Oregon + AWS US East + Psychz Dallas. Provider spread complicates single-provider takedown.
Multi-language namespace for attribution misdirection	Spanish portals, German persona (Lagerhaus), Mexican registrar and DNS. Geographic signals point in multiple directions simultaneously.
Primary node fonts self-hosted	No outbound font requests from primary operator node on page load.

WHAT THE OPERATOR GOT WRONG

INDICATOR	ASSESSMENT
CN=vps-tdfj on port 1097	Auto-assigned Database Mart VPS hostname used as RDP cert CN. Leaks hosting provider identity. Post-publication rotation did not fix the CN.
FRP dashboard internet-exposed on :7500	Should be bound to 127.0.0.1. Locked but publicly accessible – fingerprinting risk and unnecessary attack surface.
CompuMark node calls fonts.googleapis.com on page load	Live outbound request from phishing node on each victim visit. Inconsistent with the OPSEC discipline applied to the primary node.
TSplus v17.20 (April 2024) – 14 months unpatched	CVE-2025-5922 affects versions below v18.40.6.17. Registry PIN hash brute-forceable. Cluster-wide exposure.
realm="Restricted" in FRP 401 response	Default FRP realm string unchanged. Confirms FRP defaults as deployment baseline.

SECTION 11 POST-PUBLICATION INFRASTRUCTURE STATUS

DNS resolution sweep conducted June 24, 2026 – the day after Issue 002 publication – to determine whether the operator had reacted to disclosure.

SUBDOMAIN	EXPECTED IP	RESOLVED IP	STATUS
remotedesk.aisa-nube.com	93.127.128.229	93.127.128.229	Stable
compumark.aisa-nube.com	35.86.103.233	35.86.103.233	Stable
lopezproduce.aisa-nube.com	35.95.0.42	35.95.0.42	Stable
ikconsulting.aisa-nube.com	184.72.115.35	184.72.115.35	Stable
lagerhaus.aisa-nube.com	108.181.174.67	108.181.174.67	Stable

All five nodes stable at original IPs. No IP rotations, domain pulls, or service changes observed. The only post-publication event is the CN=vps-tdfj cert rotation on port 1097, issued June 21 – three

days before Issue 002 publication. Consistent with routine rotation, not a discovery response. The operator did not react.

SECTION 12 UPDATED CONFIDENCE ASSESSMENT

Confidence levels updated from Issue 002 to reflect active analysis findings. Attribution assessments unchanged – active analysis produced no new evidence bearing on actor identity.

FINDING	CONF.	BASIS
CompuMark node actively harvests credentials from Latin American IP counsel	HIGH	Spanish portal + authentic CompuMark logo + fake applications portal confirmed via urlscan.io and direct browser navigation
Full attack chain: phishing portal → TSplus → FRP → operator RDP	HIGH	TEMPLATEVALUES config + TLS cert extraction + FRP port probing all consistent
Two-frontend/one-backend cluster architecture	HIGH	TEMPLATEVALUES cross-comparison across three nodes; all paths terminate at 93.127.128.229 via FRP tunnel on port 7000
Lagerhaus is secondary relay frontend, not phishing-optimised	HIGH	Generic English UI, no corporate branding, routes to port :1097
CN=tst indicates shared provisioning across compumark and lagerhaus	HIGH	Identical C=FR; O=common; CN=tst cert on two nodes across different ASNs
CN=vps-tdfj is an operator OPSEC failure	HIGH	Database Mart vps-XXXX naming pattern; post-pub rotation still did not set a neutral CN
FRP cert anonymisation is deliberate	HIGH	Only blank cert in cluster; 10-year self-signed vs. LE 60-day cycle everywhere else
Operator did not react to Issue 002 publication	HIGH	DNS sweep June 24 – all five nodes unchanged; no infrastructure changes attributable to disclosure
Some operational relationship to APT36/Transparent Tribe	LOW-MED	Unchanged from Issue 002. Active analysis produced no new attribution evidence. ASN co-location and IKConsulting victim profile remain the basis.
Technically distinct actor supporting Transparent Tribe	LOW-MED	Unchanged from Issue 002. Consistent with sophistication delta and Latin American misdirection framing. Not confirmed by direct evidence.

// GhostWire publishes original collection-based threat intelligence research. IOCs from this report should be treated as investigative findings, not confirmed attributions. Independent verification recommended before operationalising any indicator. All research conducted on publicly available information and via Tor-routed passive observation. No affiliations. No ads.

ghostwireintel.page // @GhostWireCTI // JUNE 2026