

YZW 3103

YZW 1005

YZW 1501

YZW 1102

YZW 1403

YZW 5001



Affordable & Household Preferred

Normal Surface Series (Crystal&Silk)

1. Crystal surface is treated with high gloss crystal layer to keep the original wooden texture and to make the surface bright. Silk surface has a silky feeling and give people warm and comfortable feeling on walking.

2. Patent Click system or Arch click. Patent Click system is installed at 45 degree which makes the connection strong and durable. Arch click is easy to install to balance the force and to realize seamless assembly.

3. Grooves at four sides of the flooring are available for V-groove and water-proof treatment.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*8MM	10	66	1320	20	2646.27
1215*195*8MM	10	60	1200	20	2843.10
2440*235*8MM	6	/	780	/	2683.51
1215*125*12MM	10	60	1200	20	1822.5
1215*195*12MM	10	40	800	20	1895.40
2440*235*12MM	5	/	630	/	1806.21



YZW 1001



YZW 1202



YZW 1002



YZW 1601



YZW 1104



YZW 1203



YZW 1007



Fresh Wood grain & Smoothy Nature

Embossment Series

- Embossment surface fully shows wood drawing process to highlights.
Three-dimensional feeling and long-term using like new.
- Embossment surface series can also be produced 8mm and 12mm thickness of laminate flooring.



SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*8MM	10	66	1320	20	2646.27
1215*195*8MM	10	60	1200	20	2843.10
2440*235*8MM	6	/	780	/	2683.51
1215*125*12MM	10	60	1200	20	1822.5
1215*195*12MM	10	40	800	20	1895.40
2440*235*12MM	5	/	630	/	1806.21

YZW 3102

YZW 3001

YZW 1207

YZW 1402

YZW 1204

YZW 1003



Fresh Wood grain & Smoothy Nature
Semi-Gloss Series

- 1.Semi-gloss design makes surface comfortable, natural and no reflected.
- 2.4-V-groove or 4-U-Groove and Ark click or Double click systems give more choosings for 8mm and 12mm thickness laminate flooring.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*8MM	10	66	1320	20	2646.27
1215*195*8MM	10	60	1200	20	2843.10
2440*235*8MM	6	/	780	/	2683.51
1215*125*12MM	10	60	1200	20	1822.5
1215*195*12MM	10	40	800	20	1895.40
2440*235*12MM	5	/	630	/	1806.21

YZW 3105

YZW 3101

YZW 3106

YZW 1502

YZW 928

YZW 931

YZW 929


General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*8MM	10	66	1320	20	2646.27
1215*195*8MM	10	60	1200	20	2843.10
2440*235*8MM	6	/	780	/	2683.51
1215*125*12MM	10	60	1200	20	1822.5
1215*195*12MM	10	40	800	20	1895.40
2440*235*12MM	5	/	630	/	1806.21

High-tech Products &
Perfect Shinning Product

High Gloss Series

- 1.“HD” highlight technology maximizes to promote gloss and clarity on flooring surface. Moreover, there is also adding big size design for big area house decoration.
2. Also, 4-V-groove or 4-U-Groove and Ark click or Double click systems give more choosings for 8mm and 12mm thickness laminate flooring.



Excellent quality & Pretty style

Art Parquet Series

1. Solid wood parquet design and Pressing on wood grain make the flooring more completely real nature effect.
2. it does not only install on the ground as flooring, but also can be used on the wall as wall decoration.
3. it is easy to install on the base of 4-U-Groove and Ark click system.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1200*400*12MM	5	32	640	20	1536
1206*400*12MM	5	32	640	20	1543.68
1207*402*12MM	5	32	640	20	1552.69



Classic impression & Extreme Grade
**Light Registered
Embossment Series**

1. Wood drawing process with 3D EIR technology gives distinctive classical sensibility.
2. Similarly, 4-V-groove or 4-U-Groove and Arck click or Double click systems give more choosings for 8mm &12mm thickness laminate flooring

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*8MM	10	66	1320	20	1646.27
1217*197*8MM	10	55	1100	20	2637.24
2440*235*8MM	6	/	780	/	2683.51
1215*195*12MM	8	45	900	20	1705.86
2440*235*12MM	5	/	630	/	1806.21




Reminiscence design & Beauty of Spirituality

Deep & Striped Registered Embossment Series

1. Domestic designers firstly join different wood grain colors together with European courts' decoration as template, which highlights different style and grade.
2.4-U-Groove and "3D" EIR technique really reverts traditional wooden flooring effect.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1215*165*12MM	10	45	900	20	1804.28
1215*195*12MM	10	40	800	20	1895.4
2440*235*12MM	5	/	630	/	1806.21



*Huge Space with Great Dream
& Large Size with Further Pursuit*

Classical Registered Embossment Series

- Great dream and further pursuit are assigned to people's huge imagine space to creat "one tree, one piece" idea that come out large size laminate product.
- The big size product is specially suitable for large area buildings' and homes' installation which gives a forceful feeling.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1830*190*12MM	6	65	780	12	1627.24
2440*235*12MM	5	/	630	/	1806.21
2440*235*12MM	5	/	630	/	1806.21



YZW 7304



YZW 7303



YZW 7305



YZW 7301



YZW 7311



YZW 7312



Top Leader's Technology

Wood Grain & Handscraped Series

1. Adopting advanced international large continuous wood grain format and 2-V synchronous mold pressing and cutting technology, It looks like an natural overall view and no installing seam.
- 2.5G click system is very easy to install and makes flooring stitching more inseparable and stable.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
1216*166*12MM	10	45	900	20	1816.70
1215*195*12MM	10	40	800	20	1895.40




Solid Wooden Flooring &Engineered Flooring

- 1.Preferred to search quality wood from different countries in the world, it is very important to add people's element of life and advance technology into the product to show the great of nature.
- 2.You can feel sound of nature and back to nature by pure wooden flooring.
- 3.In order to be better to combine environmental philosophy with elegant life, the new engineered flooring with high abrasion class surface was developed on the base of laminate durable feature, which still keeps engineered flooring elegant grade.
- 4.The tradition engineered flooring is similar to upgrad quickly on workmanship and technology. The new abrasion painting was infiltrated on 0.6mm/1.2mm/2mm thickness veneers more times to be a full solid wood visual effect.

General sizes and loading details

SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
910*127*15MM	18	25	400	20	1040.13
1210*165*15MM	8	48	960	20	1533.31
910*125*18MM	16	24	576	24	1048.32
910*152*18MM	12	32	640	20	1062.30



PVC Flooring Series


- 1,PVC flooring is environmentally friendly and suitable for family and public usage.
- 2,PVC flooring is recyclable,water-proof,frame-proof,super abrasionresistant and antiskid.
- 3,With click system,the colorful PVC flooring is easy to install and maintain.

General sizes and loading details


SIZE	PCS/CTN	CTNS/PALLET	Ctns/20' container	Pallet/20' container	M ² /20' container
913*151*2.5MM	20	72	1440	20	3970.45
914*152*4.0MM	12	66	1320	20	2200.62
1218*145*5.0MM	10	60	1200	20	2119.32

MOISTURE RESISTANT HDF FLOORING PROFILES-


HIGHLY SCRATCH RESISTANT SURFACE

**Wallboard**


for the edges along the walls.

**Reducer**


for lower lever of adjacent surface or floor.

**T-molding**

for same level of adjacent surface or floor.

**End-cap**


for the edges in front of adjacent sills,tiles or other rising.

**Concave**


for the edges along the walls.

**Stairnose**

for staircase/platform at the edge between the raise and step.

**Skirting I**

for the edges along the walls.

**Skirting II**


for the edges along the walls.

WATER RESISTANT VINYL FLOORING PROFILES-

HIGHLY DURABLE AND SCRATCH RESISTANT SURFACE

**Skirting**


Finish the transition between the floor and the wall surface.

**Reducer**

for lower lever of adjacent surface or floor.

**L-molding**

for same level of adjacent surface or floor.

**End-cap**

for the edges in front of adjacent sills,tiles or other rising.

**Stairnose**

for the edges in front of adjacent sills,tiles or other rising.

Laminate flooring is only perfect with our matching flooring accessories. The selection of correct flooring accessories and correct laying procedures are vital for durability and authentic beauty.

Flooring Accessories



Installation Instructions



STEP1:

First,from corner of wall,lay the boards with through against the wall,insert a 8MM wooden plug between the boards and the wall to maintain an expansion space.

STEP2:

After finishing laying the first row,lay the second row with the surplused boards.Please notice that this surplused boards length must be longer than 400mm.

STEP3:

Rule the boards with straight ruler to assure that the first two rows be straight.

STEP4:

Now begin to glue the boards,it is very important spit gum into each board'tronghs,both shorter and longer ends, and immediately mop off the glue spitted out when jointing the boards with wet cloth.

STEP5:

Tighten the boards with knocking board.Notising not to make the tongueedge of the boards bad.

STEP6:

Usually the last row of the boards is narrower than the others. Make the boards edge to the edge of the bottom bard,lining out the distance to the wall with a pencil (the gap to the wall is 8mm).

STEP7:

Put the sawn board into the last row of board with a hook, and tighten it ,then the boards laid well.

STEP8:

There must be 8mm 's gap with any panels and walls.