

1. SYSTEM OVERVIEW & PROBLEM STATEMENT CONTEXT

The Indian Summer Monsoon (June–September) provides over **70% of India's annual precipitation** and sustains the agrarian livelihood of over **600 million rural citizens**. Despite immense strides in supercomputing, operational numerical weather prediction (NWP) models operated by MoES and NCMRWF—such as the Global Forecast System (GFS) and NCMRWF Unified Model (NCUM)—produce outputs on coarse grids (~12 km resolution).

At this scale: **(1) Micro-climatic variations**, localized convective thunderstorms, and terrain rain-shadow effects are averaged out across hundreds of square kilometers; **(2) Monsoon "Breaks"** (critical 5+ day dry spells during peak vegetative growth) are detected too late at the sub-district/block scale; and **(3) Raw millimeter forecasts** (mm/day) lack actionable agronomic translation, leaving farmers unable to schedule herbicide spraying, delay seed drilling, or dig drainage trenches.

MonsoonGuard AI directly resolves this bottleneck. By coupling global atmospheric and oceanic planetary teleconnection indices (**ENSO Niño 3.4, Indian Ocean Dipole, Madden-Julian Oscillation**) with a multi-output **LightGBM Quantile Downscaling Engine**, MonsoonGuard transforms 12 km NWP boundaries into **1 km hyper-local block forecasts**, predicts dry spell break probabilities with **91.2% F1-score**, and dynamically synthesizes **actionable multilingual agronomic advisories in Hindi and English**.

2. DISTRIBUTED SYSTEM TOPOLOGY & ARCHITECTURE

The system implements a 3-tier decoupled microservices topology engineered for high resilience, sub-120ms inference latency, and interactive client visualization:




Figure 1A: Comprehensive System Topology & Microservices Component Architecture.

2.1 END-TO-END DATA & INFERENCE FLOW

The sequence below models the operational path from NWP ingestion to real-time ML downscaling and multilingual farmer advisory dispatching:

Step	Origin / Actor	Target / Interface	Operational Action & Payload
01	NWP Pipeline / NOAA CPC	Ingestion Service (FastAPI)	Ingests 12km GFS/NCUM boundary grids and live teleconnections (ENSO Niño 3.4, IOD DMI, MJO).
02	Farmer / FPO Web User	React 19 Frontend Web Portal	Selects block location (e.g., Bhopal: Berasia) or GPS location via Leaflet map.
03	Frontend Web Portal	Render FastAPI Microservice	GET /api/forecast?block=Berasia and GET /api/advisories?block=Berasia&lang=hi
04	FastAPI Engine	Feature Engineering Pipeline	Interpolates coarse boundaries to block centroid; computes Cumulative Moisture Departure (CMDI).
05	Feature Pipeline	LightGBM Quantile Regressors	Executes pinball loss minimization for quantiles P10, P50, and P90 across 16-day horizon.
06	Dual Classifiers	Extreme Event Classifiers	Computes Break-Monsoon Dry Spell Probability (F1=0.912) and Heavy Rain Deluge Risk (ROC-AUC=0.941).
07	ML Engine Output	Agro-Meteorological Rule Engine	Evaluates crop phenology (Soybean, Paddy) against moisture thresholds to generate spray and drainage advice.
08	Rule Engine	Multilingual Translation Layer	Translates operational advisories into regional Hindi (हिंदी) and English cards.
09	FastAPI Backend	Frontend Dashboard & Map	Streams JSON payload returning confidence curves, risk choropleths, and localized spray timers.
10	District Officer Console	Command Center View	Ranks all administrative blocks by vulnerability; enables push alert broadcasts to registered farmers.




Figure 1B: Structured End-to-End Operational Inference and Advisory Sequence.

3. MATHEMATICAL FORMULATION & FEATURE SPACE

The prediction engine ingests 10 primary atmospheric and teleconnection attributes:

Feature	Type	Domain	Operational Physical Interpretation
x_1 : nwp_rainfall	Float	$[0, \infty)$ mm	Coarse 12 km NWP model grid rainfall prediction from numerical core.
x_2 : temp_2m	Float	$[-10, 50]$ °C	2-meter surface air temperature indicating convective heating potential.
x_3 : rh_2m	Float	$[0, 100]$ %	2-meter relative humidity determining column moisture availability.
x_4 : u_wind_850hpa	Float	$(-\infty, \infty)$ m/s	Zonal wind component at low-level monsoon trough level (850 hPa).
x_5 : v_wind_850hpa	Float	$(-\infty, \infty)$ m/s	Meridional wind component representing Arabian Sea moisture surge.
x_6 : enso_nino34	Float	$[-3.5, 3.5]$ °C	Equatorial Pacific Sea Surface Temperature Anomaly in Niño 3.4 region.
x_7 : iod_dmi	Float	$[-2.5, 2.5]$ °C	Indian Ocean Dipole Mode Index (Western vs. Eastern tropical gradient).
x_8 : mjo_phase	Categorical	$\{1, 2, \dots, 8\}$	Active convective phase of Madden-Julian Oscillation tropical wave.
x_9 : mjo_amplitude	Float	$[0, \infty)$	Convective amplitude envelope of MJO wave.
x_{10} : elevation	Float	$[0, 8848]$ m	Digital Elevation Model (DEM) altitude of the target block centroid.

3.2 Derived Agro-Meteorological Variables

To capture non-linear cumulative soil moisture depletion and atmospheric evaporative demand, two derived indicators are computed prior to model inference:

1. Cumulative Moisture Departure Index (CMDI):
$$CMDI_t = \sum_{k=0}^6 [(R_{t-k} - \bar{R}_k) / \sigma_k]$$

2. Evaporative Stress Quotient (ESQ):
$$ESQ = [T_{max} \times (100 - RH_{2m})] / [R_{7d} + \epsilon]$$

4. MACHINE LEARNING ENGINE & QUANTILE DOWNSCALING

4.1 Quantile Regression Formulation (Pinball Loss)

Rather than outputting a single deterministic estimate, the LightGBM downscaling engine minimizes the asymmetric pinball loss across quantiles $\tau \in \{0.10, 0.50, 0.90\}$:

$$L_{\tau}(y, \hat{y}) = \max(\tau(y - \hat{y}), (\tau - 1)(y - \hat{y}))$$

This provides farmers with risk boundaries rather than misleading point values: $\hat{y}_{(\tau=0.50)}$ represents the median anticipated precipitation; $[\hat{y}_{(\tau=0.10)}, \hat{y}_{(\tau=0.90)}]$ represents the 80% epistemic confidence envelope.

4.2 Break-Monsoon Dry Spell Classifier

Monsoon breaks are defined as ≥ 5 consecutive days with rainfall < 2.5 mm during active Kharif crop vegetative stages:

$$P(\text{DrySpell}) = \sigma(w^T x_{\text{augmented}} + b) \geq 0.65$$

4.3 Model Performance Evaluation Benchmarks

Metric	Raw GFS (12 km)	Bilinear Interpolation	MonsoonGuard LightGBM	Relative Gain
RMSE (mm/day)	14.82 mm	12.45 mm	6.18 mm	-50.4% error
MAE (mm/day)	9.34 mm	8.12 mm	3.72 mm	-54.2% error
Dry Spell Break F1-Score	0.612	0.680	0.912	+34.1% gain
Heavy Rain ROC-AUC	0.724	0.761	0.941	+23.8% gain
Inference Latency	—	25 ms	< 120 ms	Real-Time Ready

5. COMPREHENSIVE MODULE SPECIFICATIONS & UI ARCHITECTURE

Module 1: Real-Time Teleconnections & Monsoon Dashboard

Presents high-level planetary teleconnections paired with real-time agro-climatic KPIs:




Figure 3: Real-Time Monsoon Dashboard displaying live ENSO Niño 3.4 (-0.42°C), IOD Dipole (+0.31°C), and MJO convective wave phase.

Module 2: 16-Day Hyper-Local Downscaled Forecast Engine

Delivers probabilistic quantile curves and break-monsoon risk meters down to specific blocks:




Figure 4: 16-Day Downscaled Forecast console displaying quantile precipitation curves (P10, P50, P90) and active dry spell probability for Bhopal: Berasia.




Figure 5: Detailed 16-day rainfall curves highlighting confidence envelopes and break-monsoon alert indicators.

Module 3: Interactive Geospatial Block-Level Map

Renders sub-district choropleths for district agriculture officers and researchers:




Figure 6: Interactive Leaflet Map presenting block risk choropleths across Bhopal (Berasia, Phanda, Huzur) and Sehore.




Figure 7: High-resolution block zoom showing localized risk rating, soil moisture indicators, and 7-day cumulative precipitation.

Module 4: Multilingual Agronomic Advisory Hub (Hindi & English)

Translates complex meteorological forecasts into immediate, actionable field operations for smallholder farmers:




Figure 8: English Advisory Cards for Soybean and Paddy.




Figure 9: Vernacular Hindi (हिंदी) translation of advisories.

Module 5: Early Warning Alert Stream

Automated dispatching of extreme weather warnings for farming clusters:




Figure 10: Early Warning Alert Center highlighting active threshold triggers for torrential rain, squall winds, and localized waterlogging.

Module 6: District Officer Command Center & Multi-Block Analytics

Operational console for Krishi Vigyan Kendra (KVK) scientists and District Agriculture Officers (DAOs):




Figure 11: District Officer Command Center with block-by-block vulnerability ranking, moisture status, and alert dispatchers.




Figure 12: Longitudinal Multi-Block Analytics comparing seasonal rainfall departures and drought vulnerability curves.

6. API ARCHITECTURE & REST ENDPOINTS

The backend is built with FastAPI (Python 3.11), enforcing strict Pydantic schema validation:

Method	API Endpoint	Description & Payload	Query Parameters
GET	/health	System health check, loaded model status, and GeoJSON block counts.	None
GET	/api/teleconnections	Real-time planetary climate indices (ENSO Niño 3.4, IOD DMI, MJO).	None
GET	/api/forecast	16-day downscaled quantile rainfall forecast and break probabilities.	block_name (e.g. Berasia)
GET	/api/advisories	Crop-specific agronomic advisories with spray window timers.	block_name, lang (en or hi)
GET	/api/alerts	Active severe weather alerts and localized warning feeds.	district (e.g. Bhopal)
GET	/api/blocks	Directory of all supported administrative blocks and coordinates.	None

7. PRODUCT & OPERATIONAL ROADMAP

A phased deployment blueprint designed to scale MonsoonGuard from pilot districts to national agro-climatic coverage:




Figure 13: Phased operational roadmap from SIH prototype to national multi-state agricultural deployment.

8. ENGINEERING VERIFICATION TEAM

Team Member	Engineering Discipline & Core Responsibilities
Puru Yadav	Team Leader · AI / ML & Predictive Meteorology Downscaling Lead
Nishant Pastor	Frontend Architecture & Geospatial UI/UX Specialist
Raghav Jhalani	Meteorological Data Engineering & Teleconnection Pipelines
HarshVardhan Khare	Model Optimization & Quantile Regression Benchmarking
Aarti Misra	Quality Assurance & Agro-Meteorological Domain Research
Sarthak Mittal	Backend Architecture, REST APIs & Cloud Deployment