

```
mysql> CREATE TABLE IF NOT EXISTS Store (
  → id INT NOT NULL AUTO_INCREMENT,
  → YearOfIssue INT NULL,
  → ModelYear INT NULL,
  → AWD TINYINT(1) NULL,
  → Interior VARCHAR(45) NULL,
  → ElectroPacket VARCHAR(45) NULL,
  → Other VARCHAR(50) NULL,
  → CarBrends_id INT NOT NULL,
  → Colors_id INT NOT NULL,
  → BasePrice DECIMAL(10,2) NULL,
  → PRIMARY KEY (id),
  → INDEX fk_Store_CarBrends_idx (CarBrends_id ASC) VISIBLE,
  → INDEX fk_Store_Colors1_idx (Colors_id ASC) VISIBLE,
  → CONSTRAINT fk_Store_CarBrends
  → FOREIGN KEY (CarBrends_id)
  → REFERENCES CarBrends (id)
  → ON DELETE NO ACTION
  → ON UPDATE NO ACTION,
  → CONSTRAINT fk_Store_Colors1
  → FOREIGN KEY (Colors_id)
  → REFERENCES Colors (id)
  → ON DELETE NO ACTION
  → ON UPDATE NO ACTION);
```

Query OK, 0 rows affected, 1 warning (0.03 sec)

```
mysql> CREATE TABLE IF NOT EXISTS CarBrends (
  → id INT NOT NULL AUTO_INCREMENT,
  → BrendName VARCHAR(30) NOT NULL,
  → Vehicle VARCHAR(30) NOT NULL,
  → Coments VARCHAR(45) NULL,
  → PRIMARY KEY (id));
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> CREATE TABLE IF NOT EXISTS Colors (
  → id INT NOT NULL AUTO_INCREMENT,
  → ColorName VARCHAR(25) NOT NULL,
  → ColorCode VARCHAR(15) NOT NULL,
  → PRIMARY KEY (id));
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> CREATE TABLE IF NOT EXISTS Sales (
  → id INT NOT NULL AUTO_INCREMENT,
  → ByerName VARCHAR(45) NULL DEFAULT 'Unknown byer',
  → OrderDate DATE NULL,
  → FinalPrice DECIMAL(10,2) NULL,
  → Store_id INT NOT NULL,
  → PRIMARY KEY (id),
  → INDEX fk_Sales_Store1_idx (Store_id ASC) VISIBLE,
  → CONSTRAINT fk_Sales_Store1
  → FOREIGN KEY (Store_id)
  → REFERENCES Store (id)
  → ON DELETE NO ACTION
  → ON UPDATE NO ACTION);
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> show tables;
```

```
+-----+
| Tables_in_CarsSaloon |
+-----+
| CarBrends             |
| Colors                 |
| Sales                 |
| Store                 |
+-----+
4 rows in set (0.00 sec)
```