MIDI playing bank for Yamaha OPL2 (YMF262) chip

file format specification (WOPL and OPLI)

Created in 23rd of July, 2017

Author: Vitaliy Novichkov "Wohlstand"

Contacts emails: admin@wohlnet.ru, nvd339@yandex.ru

Converted to PDF format by Peter Grootswagers pgrootswagers@planet.nl

Table of Contents

0. Changelog	
1. Single-instrument entry	
2. Instrument file (OPLI)	
3. MIDI playing bank file (WOPL)	
5. WIDT playing bank the (WOTE)	(
=======================================	==

0. Changelog

	n What's new
2	Added banks meta-data arrays into bank format (August, 1, 2017)
3	Added two delay coefficients are needed for ADLMIDI's channel busy (19 th of November, 2017) Change: Added 'blank instrument' flag into existing variable (26 th of March, 2018) Change: Added rhythm-mode drum type three-bit number (29 th of May, 2018) Change: Added two new volume scaling models: DMX and Apogee with fixed AM voices (31 st of August, 2020) Change: Added three new volume scaling models: Audio Interfaces Library, Win9x Generic FM, and HMI Sound Operating System (6 th of September, 2020)
3	Documented operators layout as footnote (May, 12, 2019) also corrected bitwise flags layout and other spelling mistakes

1. Single-instrument entry

Each instrument file contains a set of data for single channel of YMF262 chip to setup the timbre.

Length of each instrument entry is 62 bytes (up to version 2 and in OPLI files). Since version 3, in WOPL banks each instrument has 4 extra bytes for two extra fields.

Bytes-Length	Description			
32	Name of instrument null-terminated string			
2	Big-Endian 16-bit signed integer, MIDI key offset value			
2	(master instrument, or first voice in pseudo 4-operators mode) Big-Endian 16-bit signed integer, MIDI key offset value (second voice in pseudo 4-operators mode)			
1	(second voice in pseudo 4-operators mode) 8-bit signed integer, MIDI Velocity offset			
1	8-bit signed integer, Second voice detune			
_	in pseudo-4-operators mode			
1	8-bit unsigned integer, Percussion instrument key number			
1	8-bit unsigned integer, Bitwise flags:			
	[00DDDCBA]			
	A) 0x00 - 2-operator mode			
	0x01 - 4-operator mode B) 0x02 - pseudo-4-operator (two 2-operator voices) mode			
	C) 0x04 - is 'blank' instrument			
	(instrument which has no sound)			
	D) 0x38 - Reserved for rhythm-mode percussion type number			
	(three bits number)			
	-> 0x08 - is Bass drum			
	-> 0x10 - is Snare			
	-> 0x18 - is Tom-tom -> 0x20 - is Cymbal			
	-> 0x20 - 15 Cymbat -> 0x28 - is Hi-hat			
	0) Reserved / Unused			
1	8-bit unsigned integer, Feedback / Connection			
	for 1'st and 2'nd operators or first voice			
1	8-bit unsigned integer, Feedback / Connection			
0	for 3'st and 4'nd operators or second voice			
	1/2/3/4 (repeats 4 times) ¹ AM/Vib/Env/Ksr/FMult characteristics			
1	AM/VID/ENV/KST/FMULL CHATACLETISTICS Key Scale Level / Total level register data			
	Attack / Decay			
	Sustain and Release register data			
	Wave form			
	WOPL-Bank-only, OPLI doesn't have those fields			
2	Big-Endian 16-bit unsigned integer, Millisecond delay of sound while key is on			
2	White key is on Big-Endian 16-bit unsigned integer, Millisecond delay of sound after key off			

/* Operator indices inside of Instrument En	ntry */
#define WOPL_OP_CARRIER1	0 // Operator 2 for 4-operators mode
#define WOPL_OP_MODULATOR1	1 // Operator 1 for 4-operators mode
#define WOPL_OP_CARRIER2	2 // Operator 4 for 4-operators mode
#define WOPL_OP_MODULATOR2	3 // Operator 3 for 4-operators mode
	#define WOPL_OP_CARRIER1 #define WOPL_OP_MODULATOR1 #define WOPL_OP_CARRIER2

2. Instrument file (OPLI)

Each instrument file contains a set of data for single channel of YMF262 chip to setup the timbre on it.

Total data length: 76 bytes

,	Description
11	Magic number "WOPL3-INST\0". Where '\0' is a zero byte which terminates the string
2	Version. Little endian Unsigned 16-bit integer.
1	Latest version is 2 (no difference between 2 and 1) Is this instrument a percussion. 0 - melodic, or 1 - percussion
62	Data

3. MIDI playing bank file (WOPL)

Bank format designed to store instrument bank for playing MIDI in multiple standards like GM, GS and XG. Format allows to save multiple sets with 128-instruments which is needed to store GS and XG instrument sets which have more than standard 128 instruments with a single bank.

Total data length is sum of: 19 + (62*128*MBanks) + (62*128*PBanks) bytes

```
Description
Bytes-Length
------Header-----
--Header--
                   Magic number "WOPL3-BANK\0". Where '\0' is a zero byte
   11
                       which terminates the string
   2
                    Version. Little endian Unsigned 16-bit integer.
                    Latest version is 2
                   [MBanks] Unsigned 16-bit BE integer, count of melodic
    2
                       MIDI banks (every bank contains 128 instruments)
                   [PBanks] Unsigned 16-bit BE integer, count of percussion
    2
                       MIDI banks (every bank contains 128 instruments)
                   8-bit unsigned integer, Global bank bitwise flags:
    1
                       [000000BA]
                       A) Deep-Tremolo flag
                       B) Deep-Vibrato flag
                       0) Unused / Reserved
                   8-bit unsigned integer, ADLMIDI's volume scaling model
   1
                       enumeration, default is 0:
                       0 - Generic, linearized
                       1 - Native OPL3's logarithmic volume model
                       2 - DMX volume model
                       3 - Apogee Sound System's volume model
                       4 - Windows 9x SB16 driver volume model
                       5 - DMX volume model with fixed AM voices
                       6 - Apogee Sound System volume model with fixed AM voc.
                       7 - Audio Interfaces Library volume model
                       8 - Windows 9x Generic FM driver volume model
                       9 - HMI Sound Operating System volume model
--VERSION >= 2---Melodic bank meta-data----
(repeat MBanks times)
                 | Name of melodic bank null-terminated string
   32
                  LSB index of bank (unsigned char)
   1
                 | MSB index of bank (unsigned char)
--VERSION >= 2---Percussion bank meta-data--
(repeat PBanks times)
                 | Name of melodic bank null-terminated string
   32
   1
                 | LSB index of bank (unsigned char)
   1
                 | MSB index of bank (unsigned char)
InsSize:
    --62 bytes in up to version 2
    --66 bytes since version 3 and later
------Melodic Instruments-----
   InsSize * 128 * MBanks | 128 [Single-instrument entries] per each bank,
                           | look at top of this text file
-----Percussion Instruments-----
   InsSize * 128 * PBanks | 128 [Single-instrument entries] per each bank,
                          | look at top of this text file
```