
Actividad #2

Farid Esteban Martines Hernandez


FrontEnd UX -1F(-2024291 Andrés Chávez


1.Mi primer repositorio:

- Crear repositorio




- Crear un repositorio local en GIT






- Agregar archivos al repositorio



- Subir archivos a GitHub

```
farid@FaridMartinez MINGW64 ~/OneDrive/Escritorio/Proyectos Angular/Segunda-entrega (main)
$ git remoto agregar origen https://github.com/Wolf31H/Segunda-entrega.git
 git branch -M main
git push -u origin main
git: 'remoto' is not a git command. See 'git --help'.
The most similar command is
        remote
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 247 bytes | 247.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Wolf31H/Segunda-entrega.git
 * [new branch]
                   main -> main
branch 'main' set up to track 'origin/main'.
```



```
farid@FaridMartinez MINGW64 ~/OneDrive/Escritorio/Proyectos Angular/Segunda-entrega (main)
$ git add .
 farid@FaridMartinez MINGW64 ~/OneDrive/Escritorio/Proyectos Angular/Segunda-entrega (main)
$ git commit -m "Archivo con las ecendencias de la actividad"
 [main 24607f8] Archivo con las ecendencias de la actividad
  1 file changed, 0 insertions(+), 0 deletions(-)
  create mode 100644 pdfs/Actividad 2.pdf
 farid@FaridMartinez MINGW64 ~/OneDrive/Escritorio/Proyectos Angular/Segunda-entrega (main)
$ git push origin main
 Enumerating objects: 5, done.
 Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
 Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 332.60 KiB | 23.76 MiB/s, done.
 Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
 To https://github.com/Wolf31H/Segunda-entrega.git
    18cc088..24607f8 main -> main
```

