



Technical Security Assessment Report


Project: PRJCT4 | Generated: 2025-11-11 15:31:02 | Target: http://localhost/vuln_test_app

Assessment Metadata

Project Name:	PRJCT4
Base URL:	http://localhost/vuln_test_app
Scan Date:	2025-11-11
Total Files:	6
Analyzed Files:	5
Risk Score:	30/100

TOTAL VULNERABILITIES

12



Vulnerability Severity Distribution (CVSS v3.1)

CRITICAL (9.0-10.0)
1 vulnerabilities

HIGH (7.0-8.9)

10 vulnerabilities

MEDIUM (4.0-6.9)

1 vulnerabilities

LOW (0.1-3.9)

0 vulnerabilities

Unvalidated Input Parameter:

REQUEST_METHOD

HIGH

ID: VULN-0001	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "REQUEST_METHOD" was found in source code without apparent validation.

Affected Parameter:	REQUEST_MET HOD	CVSS Vector: 3.1/AV:L/AC:L/ PR:N/UI:N/S:C/C:N/I:H/ A:H
------------------------	--------------------	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: REQUEST_METHOD

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter:

SERVER_SOFTWARE

HIGH

ID: VULN-0002	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "SERVER_SOFTWARE" was found in source code without apparent validation.

Affected Parameter:	SERVER_SOFTW ARE	CVSS Vector: CVSS: 3.1/AV:L/AC:L/ PR:N/UI:N/S:C/C:N/I:H/ A:H
------------------------	---------------------	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: SERVER_SOFTWARE

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: password CRITICAL

ID:
VULN-0003

Category:
Input
Validation

CVSS:
9.2/10

Timestamp:
2025-11-11T15:30:32

DESCRIPTION

The parameter "password" was found in source code without apparent validation.

Affected Parameter: password

CVSS Vector: CVSS:3.1/AV:L/AC:L/
PR:N/UI:N/S:C/C:H/I:H/
A:H

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: password

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: cmd

HIGH

ID: VULN-0004	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "cmd" was found in source code without apparent validation.

Affected Parameter:	cmd	CVSS Vector: CVSS: 3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
---------------------	-----	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: cmd

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: q

HIGH

ID: VULN-0005	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "q" was found in source code without apparent validation.

Affected Parameter:	q	CVSS Vector: CVSS: 3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
---------------------	---	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: q

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: username

HIGH

ID: VULN-0006	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "username" was found in source code without apparent validation.

Affected Parameter: username	CVSS Vector: CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
------------------------------	---

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: username

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: user_id

HIGH

ID: VULN-0007	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "user_id" was found in source code without apparent validation.

Affected Parameter: user_id	CVSS Vector: CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
-----------------------------	---

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: user_id

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: avatar

HIGH

ID: VULN-0008	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "avatar" was found in source code without apparent validation.

Affected Parameter: avatar	CVSS Vector: CVSS: 3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
----------------------------	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: avatar

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: debug

HIGH

ID: VULN-0009	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "debug" was found in source code without apparent validation.

Affected Parameter: debug	CVSS Vector: CVSS: 3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:H
---------------------------	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: debug

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unvalidated Input Parameter: action

HIGH

ID: VULN-0010	Category: Input Validation	CVSS: 8.9/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------------	-----------------	-----------------------------------

DESCRIPTION

The parameter "action" was found in source code without apparent validation.

Affected Parameter: action	CVSS Vector: CVSS: 3.1/AV:L/AC:L/ PR:N/UI:N/S:C/C:N/I:H/ A:H
---------------------------------	--

Remediation Guidance

Primary Fix: Implement proper input validation and sanitization for parameter: action

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Replace dangerous functions like eval(), exec(), system() with safer alternatives. (Priority: Critical, Effort: Medium)
- Validate and sanitize input used in command execution. (Priority: High, Effort: High)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unsafe Code Pattern Detected

HIGH

ID: VULN-0011	Category: Code Security	CVSS: 7.0/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------	-----------------	-----------------------------------

DESCRIPTION

Potentially dangerous code pattern: `exec_functions: exec\s*(\s*(\${?\w+}) (variable: $sql)`

CVSS Vector: CVSS: 3.1/AV:L/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:N

Remediation Guidance

Primary Fix: Review and secure the identified code pattern.

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Use prepared statements with parameterized queries to separate SQL code from data. (Priority: Critical, Effort: Low)
- Validate user input against whitelist of allowed characters for SQL queries. (Priority: High, Effort: Medium)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)

Unsafe Code Pattern Detected

MEDIUM

ID: VULN-0012	Category: Code Security	CVSS: 4.3/10	Timestamp: 2025-11-11T15:30:32
------------------	----------------------------	-----------------	-----------------------------------

DESCRIPTION

Potentially dangerous code pattern: exec_functions:
system\s*\(\s*(\\${?\w+}) (variable: \$_GET)

CVSS Vector: CVSS: 3.1/AV:L/AC:L/
PR:N/UI:N/S:C/C:N/I:L/
A:N

Remediation Guidance

Primary Fix: Review and secure the identified code pattern.

Additional Recommendations:

- Always validate and sanitize all user inputs before processing. (Priority: High, Effort: Medium)
- Prevent SQL injection by using parameterized queries. (Priority: Critical, Effort: Low)
- Implement security headers to enhance application security. (Priority: Medium, Effort: Low)