



# The Evolution of Rocket Engines and Their Role in Humanity's Quest for Interstellar Travel

---

Filip Rousek

*Consultant:* Morteza Kerachian

October 2025

## **0.1 Prohlášení**

Prohlašuji, že jsem svoji seminární práci vypracovala samostatně a veškeré použité zdroje a další podkladové materiály uvádím v seznamu použitých zdrojů.

Datum:

Podpis:

# Contents

|           |   |    |
|-----------|---|----|
| 0.1       | Prohlášení . . . . .  | 1  |
| 0.2       | Introduction . . . . .                                      | 4  |
| 0.2.1     | Objectives and Structure of the Work . . . . .              | 4  |
| 0.2.2     | Background and Motivation . . . . .                         | 4  |
| 0.3       | Theoretical Part . . . . .                                  | 4  |
| 0.3.1     | Early Concepts and the First Rocket Engine . . . . .        | 4  |
| 0.3.2     | Classification of Propulsion Systems . . . . .              | 4  |
| 0.3.2.1   | Duct Jet Propulsion . . . . .                               | 5  |
| 0.3.2.1.1 | Ramjet Engine . . . . .                                     | 7  |
| 0.3.2.1.2 | Scramjet Engine . . . . .                                   | 7  |
| 0.3.2.2   | Rocket Propulsion . . . . .                                 | 8  |
| 0.3.2.2.1 | Chemical Rocket Engines . . . . .                           | 8  |
| 0.3.2.2.2 | Non-Chemical Rocket Engines . . . . .                       | 10 |
| 0.3.3     | The First Rocket to Reach Space . . . . .                   | 11 |
| 0.3.4     | The Saturn V F-1 Engine . . . . .                           | 14 |
| 0.3.5     | Post-Saturn Developments . . . . .                          | 14 |
| 0.3.5.1   | Space Shuttle Main Engine (SSME) . . . . .                  | 14 |
| 0.3.5.2   | Soviet and Russian Advances . . . . .                       | 14 |
| 0.3.5.3   | Modern Developments: Merlin and Raptor . . . . .            | 15 |
| 0.3.6     | Emerging Propulsion Technologies . . . . .                  | 15 |
| 0.3.6.1   | Field Propulsion . . . . .                                  | 15 |
| 0.3.7     | Theoretical Framework for Interstellar Propulsion . . . . . | 16 |
| 0.3.7.1   | Project Daedalus . . . . .                                  | 16 |
| 0.3.7.2   | Breakthrough Starshot . . . . .                             | 16 |
| 0.3.7.3   | The Alcubierre Drive . . . . .                              | 16 |
| 0.4       | Practical Part . . . . .                                    | 17 |
| 0.4.1     | Hypothesis . . . . .  | 17 |
| 0.5       | Conclusion . . . . .  | 17 |
| .1        | Appendix A: Definitions . . . . .                           | 17 |
| .1.1      | Equations . . . . .   | 17 |
| .1.1.1    | Mach Number . . . . .                                       | 17 |

|        |  |    |
|--------|--|----|
| .1.1.2 | Specific Impulse . . . . .             | 17 |
| .1.1.3 | General Theory of Relativity . . . . . | 18 |

## **0.2 Introduction**

### **0.2.1 Objectives and Structure of the Work**

(Outline what this paper aims to achieve and how it is structured.)

### **0.2.2 Background and Motivation**

(Discuss why humanity strives for space and interstellar travel, and how propulsion technology is central to that goal.)

## **0.3 Theoretical Part**

### **0.3.1 Early Concepts and the First Rocket Engine**

(Briefly cover early gunpowder rockets and pioneers like Tsiolkovsky, Goddard, Oberth.)

### **0.3.2 Classification of Propulsion Systems**

Propulsion is defined as "*the action or process of propelling*" ("*to drive forward or onward by or as if by means of a force that imparts motion*"). By the Merriam-Webster Dictionary.

It can also be defined as "the act of changing the motion of a body with respect to an inertial reference frame."<sup>15</sup>

In engine propulsion, the most common way to achieve such thing is via *chemical combustion*. The energy can also be supplied by *solar radiation*, or a *nuclear reactor*. As such, the various types of propulsion can be generally divided up into three categories:

- chemical propulsion
- nuclear propulsion
- solar propulsion

| Propulsion Device          | Energy Source <sup>a</sup> |         |       | Propellant or Working Fluid              |
|----------------------------|----------------------------|---------|-------|--|
|                            | Chemical                   | Nuclear | Solar |  |
| Turbojet                   | D/P                        |         |       | Fuel + air                               |
| Turbo-ramjet               | TFD                        |         |       | Fuel + air                               |
| Ramjet (Hydrocarbon fuel)  | D/P                        | TFD     |       | Fuel + air                               |
| Ramjet ( $H_2$ cooled)     | TFD                        |         |       | Hydrogen + air                           |
| Rocket (chemical)          | D/P                        | TFD     |       | Stored propellant                        |
| Ducted rocket              | TFD                        |         |       | Stored solid fuel + surrounding air      |
| Electric rocket            | D/P                        |         | D/P   | Stored propellant                        |
| Nuclear fission rocket     |                            | TFD     |       | Stored $H_2$                             |
| Solar heated rocket        |                            |         | TFD   | Stored $H_2$                             |
| Photon rocket <sup>b</sup> |                            | TFND    |       | Photon ejection (no stored propellant)   |
| Solar sail                 |                            |         | TFD   | Photon reflection (no stored propellant) |

<sup>a</sup> **D/P** developed and/or considered practical; **TFD** technical feasibility has been demonstrated, but development is incomplete; **TFND** technical feasibility has not yet been demonstrated.

<sup>b</sup> Essentially a really big light bulb.

Table 1: Energy Sources and Propellants for Various Propulsion Concepts<sup>15</sup>

Input in rocket propulsion systems is either heat or electricity. Useful output thrust comes from the kinetic energy of the ejected matter and from the propellant pressure on inner chamber walls and at the nozzle exit; thus, rocket propulsion systems primarily convert input energies into the kinetic energy of the exhausted gas. The ejected mass can be in a solid, liquid or gaseous state. Often, combinations of two or more states are ejected. At high enough temperatures, the ejected mass can also be in a state of plasma.<sup>15</sup>

### 0.3.2.1 Duct Jet Propulsion

Duct jet engines, more commonly called "air breathing" engines, are engines which utilize airflow that is then energized inside a duct. They use atmospheric oxygen to burn fuel stored onboard. This class includes the following:<sup>15</sup>

- turbojets
- turbofans
- ramjets
- pulse jets
- scramjets<sup>14</sup>

They are mentioned here mainly as to provide a background and comparison to rocket propulsion engines.

| Feature                                | Chemical Rocket Engine or Rocket Motor | Turbojet Engine                                   | Ramjet Engine   |
|--|--|---|---|
| thrust to weight ratio, typical        | 75:1                                   | 5:1, turbojet and afterburner                     | 7:1 at Mach 3 at 9,144m (30,000ft)                          |
| Specific fuel consumption <sup>a</sup> | 8 - 14                                 | 0.5 - 1.5   | 2.3 - 3.5   |
| Specific thrust <sup>b</sup>           | 5,000 - 25,000                         | 2500 (low Mach <sup>c</sup> numbers at sea level) | 2700 (Mach 2 at sea level)                                  |
| Specific impulse <sup>d</sup>          | 270 sec                                | 1600 sec  | 1400 sec  |
| Thrust change with altitude            | Slight increase                        | Decrease  | Decrease  |
| Thrust vs. flight speed                | Nearly constant                        | Increases with speed                              | Increases with speed  |
| Thrust vs air temperature              | Constant                               | Decreases with temperature                        | Decreases with temperature                                  |
| Flight speed vs. exhaust velocity      | Unrelated, flight speed can be greater | Flight speed always less than exhaust velocity    | Flight speed always less than exhaust velocity              |
| Altitude limitation                    | None; suited for space travel          | 14,000 - 17,000 m                                 | 20,000 m at Mach 3, 30,000 m at Mach 5, 45,000 m at Mach 12 |

<sup>a</sup> Multiply by 0.102 to convert to  $kg/(hr - N)$ .

<sup>b</sup> Multiply by 47.9 to convert to  $N/m^2$

<sup>c</sup> Mach number is the ratio of gas speed to local speed of sound (See Equation 1(Appendix .1.1)).

<sup>d</sup> *Specific impulse* is a performance parameter (See Equation 2(Appendix .1.1))

Table 2: Comparison of Several Characteristics of a Typical Chemical Propulsion Rocket Propulsion System and Two-Duct Propulsion Systems<sup>15</sup>

Out of all of the ducted engines, the *turbojet engine* is the most widely used.

#### 0.3.2.1.1 Ramjet Engine

For supersonic flight in the speeds above Mach 2, the *ramjet engine* (which is a pure ducted engine) is the best suited within the earth's atmosphere. Its compression is purely gas dynamic and thrust is produced by increasing the momentum of the subsonic compressed air as it passes through the ramjet in a very similar manner to the functionality of *turbofan* and *turbojet* engines, just without any compressor or turbine hardware.<sup>15</sup>




Figure 1: Simplified schematic of a ramjet engine with a supersonic inlet (a converging/diverging flow passage)<sup>10</sup>

Ramjets with subsonic combustion and hydrocarbon fuels have an upper speed limit of approx. 5 Mach; Hydrogen fuel with hydrogen cooling raises this maximum to at least 16 Mach.

#### 0.3.2.1.2 Scramjet Engine

The Scramjet engine is a ramjet engine utilizing *super sonic combustion*. Which allows for much freer and faster air flow than *turbojet* or *ramjet* engines.




Figure 2: The compression, combustion, and expansion regions of: (a) turbojet, (b) ramjet, and (c) scramjet engines.<sup>5</sup>

So far, Scramjet engines have only been used in a few prototype vehicles and military experiments. A Scramjet relies on high vehicle speed to compress the incoming air forcefully before combustion (hence *sc (supersonic combustion) ram-jet*), but whereas a ramjet decelerates the air to subsonic velocities before combustion using shock cones, a Scramjet has no shock cone and slows the airflow using shockwaves produced by its ignition source in place of a shock cone.<sup>14;19</sup>

### 0.3.2.2 Rocket Propulsion

Rocket propulsion is based fundamentally on *Newton's Third Law of Motion* — for every action, there is an equal and opposite reaction. In a rocket engine, the “action” is the high-velocity expulsion of exhaust gases, while the “reaction” propels the vehicle forward. Unlike air-breathing engines, rockets carry both fuel and oxidizer, allowing them to function in the vacuum of space.<sup>15</sup>

#### 0.3.2.2.1 Chemical Rocket Engines

Chemical propulsion remains the most widely used method of achieving thrust in spaceflight. It relies on the combustion of chemical propellants that release large amounts of thermal energy, which is converted into kinetic energy of the exhaust gases. Two major types exist: *solid* and *liquid* rocket engines.<sup>15</sup>

### Solid Rocket Engines

Solid rocket motors use propellants in a single solid mixture, often consisting of a powdered oxidizer (such as ammonium perchlorate) combined with a binder that also acts as fuel. They are mechanically simple, capable of long storage, and deliver high thrust rapidly after ignition. However, they cannot be throttled or shut down once ignited, limiting flexibility.<sup>15</sup>




Figure 3: A simplified diagram of a solid-fuel rocket. (1) A solid fuel-oxidizer mixture (propellant) is packed into the rocket, with a cylindrical hole in the middle. (2) An igniter combusts the surface of the propellant. (3) The cylindrical hole in the propellant acts as a combustion chamber. (4) The hot exhaust is choked at the throat, which, among other things, dictates the amount of thrust produced. (5) Exhaust exits the rocket.<sup>13</sup>

### Liquid Rocket Engines

Liquid-propellant engines store the oxidizer and fuel in separate tanks and feed them into a combustion chamber using pumps or pressurization. The most common combinations are RP-1 (refined kerosene) with liquid oxygen (LOX), or liquid hydrogen (LH<sub>2</sub>) with LOX. They can be throttled, restarted, and provide high efficiency but require complex plumbing and cryogenic storage.<sup>15</sup>




Figure 4: A simplified diagram of a liquid-propellant rocket. (1) Liquid rocket fuel. (2) Oxidizer. (3) Pumps carry the fuel and oxidizer. (4) combustion chamber mixes and burns the two liquids. (5) Combustion product gasses enter the nozzle through a throat. (6) Exhaust exits the rocket.<sup>12</sup>

### Hybrid Rocket Engines

A hybrid rocket uses a combination of a liquid oxidizer and a solid fuel. This design offers a compromise between the safety of solid motors and the controllability of liquid systems. Notable examples include SpaceShipOne's nitrous oxide ( $\text{N}_2\text{O}$ ) and hydroxyl-terminated polybutadiene (HTPB) hybrid engine.<sup>15</sup>




Figure 5: Hybrid rocket motor detail of SpaceShipOne<sup>7</sup>

### 0.3.2.2.2 Non-Chemical Rocket Engines

Beyond chemical propulsion, various non-chemical systems have been developed to improve efficiency and endurance for deep-space missions.

#### Electric Propulsion

Electric propulsion systems, such as ion and Hall-effect thrusters, use electrical energy (from solar arrays or nuclear sources) to accelerate charged particles. They

produce low thrust but extremely high specific impulse, making them ideal for long-duration missions where gradual acceleration is acceptable.<sup>15</sup>

### **Nuclear Thermal Propulsion (NTP)**

In nuclear thermal systems, a nuclear reactor heats a propellant—typically hydrogen—to extremely high temperatures before expansion through a nozzle. This method can theoretically double the specific impulse compared to chemical rockets, offering a promising balance between power and efficiency for interplanetary travel.<sup>15</sup>

### **0.3.3 The First Rocket to Reach Space**

The German *Aggregat-4*, better known as the *V-2 rocket*, was the first human-made object to reach the edge of space. Developed under the direction of Wernher von Braun during World War II, the V-2 achieved suborbital altitudes exceeding 80 km in 1944 and was capable of carrying a 1-ton warhead to a range of about 320 km.<sup>11</sup>



Figure 6: Rocket engine used by V-2<sup>2</sup>




Figure 7: A U.S. Army cut-away diagram of the V-2<sup>4</sup>

The V-2 used a liquid-propellant engine burning ethanol and liquid oxygen in a gas-generator cycle, producing roughly 25 metric tons of thrust. Its innovations—including turbopumps, gyroscopic guidance, and regenerative cooling—formed the foundation of post-war rocket programs in both the United States and the Soviet Union. The American Redstone and Jupiter missiles, as well as the Soviet R-7 that launched *Sputnik*, directly descended from V-2 technology.<sup>11</sup>




Figure 8: A sectioned V-2 engine on display at the Deutsches Museum, Munich (2006)<sup>6</sup>




Figure 9: Layout of a V2 rocket<sup>8</sup>

### 0.3.4 The Saturn V F-1 Engine

### 0.3.5 Post-Saturn Developments

Following the success of the Saturn V, rocket propulsion entered a new era marked by reusability, efficiency, and high-performance engines.

#### 0.3.5.1 Space Shuttle Main Engine (SSME)

NASA's Space Shuttle Main Engine (RS-25) represented a leap in reusable liquid propulsion. It was a staged-combustion hydrogen–oxygen engine capable of being throttled between 65% and 109% thrust. Each RS-25 generated about 1.8 MN of thrust and could be reused up to 55 times.<sup>20</sup>

#### 0.3.5.2 Soviet and Russian Advances

In the Soviet Union, engineers developed the RD-170 and its derivatives, the world's most powerful liquid rocket engines by total thrust (7.9 MN). These en-

gines used a closed-cycle staged combustion process with kerosene and LOX, achieving exceptional efficiency and reliability, later adapted for Zenit and Atlas launch vehicles.<sup>3</sup>

### 0.3.5.3 Modern Developments: Merlin and Raptor

SpaceX's *Merlin* engines, used on the Falcon 9, utilize RP-1 and LOX in a gas-generator cycle optimized for reusability. The newer *Raptor* engine, employing methane and LOX in a full-flow staged combustion cycle, represents one of the most advanced chemical rocket engines ever built. Its design emphasizes reusability, efficiency, and adaptability for interplanetary missions, particularly SpaceX's Starship program aimed at Mars colonization.<sup>spacex2020</sup>

## 0.3.6 Emerging Propulsion Technologies

As mentioned at the beginning of this work, there still are ideas and possible engines that have yet to depart the zone of science fiction as either our technology isn't advanced enough to produce and test such engines or they have been demonstrated to not be technically effective for their complexity/price or we have no use for them yet. I shall talk about a select few of these in the following parts. Mainly the following:

- Nuclear Propulsion (both Fusion and Fission)
- Ion Engines
- Solar Sails
- Antimatter Engines
- Field Propulsion

### 0.3.6.1 Field Propulsion

Field propulsion, as defined by Yoshinari Minami is the act of propulsion not by usual means of momentum thrust, but instead by pressure thrust derived from an interaction of a spaceship with the physical structure of space-time. (Assuming that space as a vacuum possesses a substantial physical structure.)<sup>9</sup>

As the theory stands, field propulsion remains speculative and has not yet been experimentally demonstrated. It arises from the idea that spacetime itself may be manipulated to create a net force on a spacecraft without the expulsion of reaction

mass. Concepts such as the *Alcubierre warp drive*, derived from solutions to Einstein's field equations, suggest that spacetime could theoretically be contracted in front of and expanded behind a spacecraft, allowing apparent faster-than-light travel.<sup>9</sup>

However, the energy requirements are currently astronomical, exceeding the mass–energy of entire planets, and the feasibility of generating negative energy densities remains purely theoretical. Despite these limitations, research into quantum vacuum interactions and general relativistic field manipulation continues at a conceptual level, keeping the idea alive in advanced propulsion discussions.<sup>9</sup>

### **0.3.7 Theoretical Framework for Interstellar Propulsion**

Interstellar travel demands propulsion technologies far beyond current chemical or even nuclear capabilities. Several theoretical and conceptual projects have proposed methods to achieve fractions of the speed of light.

#### **0.3.7.1 Project Daedalus**

Conceived in the 1970s by the British Interplanetary Society, *Project Daedalus* proposed a two-stage fusion-powered spacecraft capable of reaching 12% the speed of light. It would use pellets of deuterium and helium-3 ignited by electron beams to produce thrust. Though technologically beyond current reach, Daedalus provided a credible engineering framework for interstellar flight.<sup>16</sup>

#### **0.3.7.2 Breakthrough Starshot**

A modern descendant of the Daedalus concept, *Breakthrough Starshot* envisions launching gram-scale probes accelerated by ground-based laser arrays to 20% the speed of light. The probes would use lightweight sails reflecting focused laser beams, allowing rapid travel to nearby stars like Proxima Centauri within a human lifetime.<sup>17</sup>

#### **0.3.7.3 The Alcubierre Drive**

Proposed by Miguel Alcubierre in 1994, the *warp drive* concept relies on the manipulation of spacetime geometry, compressing space ahead of the craft and expanding it behind. This would allow effective faster-than-light travel without violating local relativistic constraints. Nonetheless, it requires exotic matter with negative energy density, which has not been observed in usable quantities.<sup>1</sup>

These speculative frameworks demonstrate the profound link between physics and engineering in the pursuit of interstellar travel, emphasizing that humanity's ultimate propulsion systems may rely as much on breakthroughs in fundamental science as on technological advancement.

## **0.4 Practical Part**

### **0.4.1 Hypothesis**

## **0.5 Conclusion**

# **.1 Appendix A: Definitions**

## **.1.1 Equations**

### **.1.1.1 Mach Number**

The Mach number ( $M$  or  $Ma$ ), often only Mach, is a dimensionless quantity in fluid dynamics representing the ratio of flow velocity past a boundary to the local speed of sound.<sup>18</sup>

$$M = \frac{u}{c} \quad (1)$$

where:

- $M$  is the local Mach number,<sup>18</sup>
- $u$  is the local flow velocity with respect to the boundaries (either internal, such as an object immersed in the flow, or external, like a channel), and<sup>18</sup>
- $c$  is the speed of sound in the medium, which in air varies with the square root of the thermodynamic temperature.<sup>18</sup>

### **.1.1.2 Specific Impulse**

The *specific impulse*  $I_s$  represents the thrust per unit propellant "weight" flow rate. It is an important figure of merit of the performance of any rocket propulsion system, a concept similar to kilometers per liter or miles per hour as applied to an automobile. A higher number often indicates a better performance. If the total propellant mass flow rate is  $\dot{m}$  and the standard acceleration of gravity is  $g_0$  (with

an *average* value at the Earth's sea level of  $9.8066 \text{ m/sec}^2$  or  $32.174 \text{ ft/sec}^2$ ), then

$$I_s = \frac{\int_0^t F dt}{g_0 \int_0^t \dot{m} dt} \quad (2)$$

### **.1.1.3 General Theory of Relativity**

# Bibliography

- Alcubierre, Miguel. "The warp drive: hyper-fast travel within general relativity". *Classical and Quantum Gravity*, vol. 11, no. 5, May 1994, p. L73. <https://doi.org/10.1088/0264-9381/11/5/001>.
- Bairuiling. "Rocket engine used by V-2", 2014, License: CC BY-SA 4.0, en . [wikipedia.org/wiki/File:V-2\\_f%C3%B6rbr%C3%A4nningskammare.JPG](https://wikipedia.org/wiki/File:V-2_f%C3%B6rbr%C3%A4nningskammare.JPG).
- Chertok, Boris. *Rockets and People Volume IV: The Moon Race*. Vol. 4, NASA, 2012. Rockets and People.
- Force, U.S. Air. "A U.S. Army cut-away diagram of the V-2", 1945, Released into the Public domain, en . [wikipedia.org/wiki/File:Esquema\\_de\\_la\\_V-2.jpg](https://wikipedia.org/wiki/File:Esquema_de_la_V-2.jpg).
- GreyTrafalgar. "The compression, combustion, and expansion regions of: (a) turbojet, (b) ramjet, and (c) scramjet engines." 2011, en . [wikipedia.org/wiki/Scramjet#/media/File:Turbo\\_ram\\_scramjet\\_comparative\\_diagram.svg](https://wikipedia.org/wiki/Scramjet#/media/File:Turbo_ram_scramjet_comparative_diagram.svg).
- Jaypee. "A sectioned V-2 engine on display at the Deutsches Museum, Munich (2006)", 2006, License: GNU Free Documentation License, Version 1.2, commons . [wikimedia.org/wiki/File:Rocket\\_engine\\_A4\\_V2.jpg](https://wikimedia.org/wiki/File:Rocket_engine_A4_V2.jpg).
- jrockley. "Hybrid rocket motor detail of SpaceShipOne", 2007, Released into the Public Domain., [commons.wikimedia.org/wiki/File:SpaceShipOne\\_schematic.png](https://commons.wikimedia.org/wiki/File:SpaceShipOne_schematic.png).
- Marx, Eberhard. "Aggregat4-Schnitt-engl", 2014, License: CC BY-SA 4.0, en . [wikipedia.org/wiki/File:Aggregat4-Schnitt-engl.jpg](https://wikipedia.org/wiki/File:Aggregat4-Schnitt-engl.jpg).
- Minami, Yoshinari, and Herman David Froning. *Field Propulsion Physics and Intergalactic Exploration*. Nova Science Publishers, 2018.
- NASA. "LIQUID HYDROGEN AS A PROPULSION FUEL, 1945-1959", 2011, Originally published on the NASA website. Archived version accessed on 12.10.2025. Public domain., [web.archive.org/web/20110222032757/history.nasa.gov/SP-4404/app-b7.htm](https://web.archive.org/web/20110222032757/history.nasa.gov/SP-4404/app-b7.htm).
- Neufield, Michael J. *The rocket and the reich : Peenemünde and the coming of the ballistic missile era.* "Accessed via the Internet Archive on October

- 29th, 2025”, New York: The Free P, 1995, [archive.org/details/isbn\\_9780029228951](https://archive.org/details/isbn_9780029228951).
- Pbroks13. “Liquid-Fuel Rocket Diagram”, 2018, License: CC BY-SA 4.0, [commons.wikimedia.org/wiki/File:Liquid-Fuel\\_Rocket\\_Diagram.svg](https://commons.wikimedia.org/wiki/File:Liquid-Fuel_Rocket_Diagram.svg).
- . “Solid-Fuel Rocket Diagram”, 2018, License: CC BY-SA 4.0, [en.wikipedia.org/wiki/File:Solid-Fuel\\_Rocket\\_Diagram.svg](https://en.wikipedia.org/wiki/File:Solid-Fuel_Rocket_Diagram.svg).
- Segal, Corin. *The scramjet engine: processes and characteristics*. Cambridge : Cambridge UP, 2009.
- Sutton, George Paul, and Oscar Biblarz. *Rocket propulsion elements*. 9th, Wiley, 2017.
- Unknown Author. Project Daedalus: The Propulsion System Part 1; Theoretical considerations and calculations. 2. Review of Advanced Propulsion Systems. Microsoft Word Document (.doc). Originally available at <https://daedalus-zvezdolet.narod.ru/> (site defunct). Retrieved on October 29th, 2025 via the Internet Archive Wayback Machine. n.d.
- Wikipedia contributors. “Breakthrough Starshot — Wikipedia, The Free Encyclopedia”, 2025, Accessed October 30, 2025.
- . “Mach Number”, 2025, Accessed: 2025-10-09, [en.wikipedia.org/wiki/Mach\\_number](https://en.wikipedia.org/wiki/Mach_number).
- . “Scramjet”, 2025, Accessed: 2025-10-12, [en.wikipedia.org/wiki/Scramjet](https://en.wikipedia.org/wiki/Scramjet).
- Young, Anthony. *The Saturn V F-1 Engine : Powering Apollo into History*. Springer New York, 2008.