



APPLE HOLIDAYS · OPERATIONS PLATFORM

The Complete Capability Reference

Every module, workflow, automation, integration and control surface of the multi-country travel booking operations platform — documented end to end.

DOCUMENT

Capability Reference

RELEASE

v1.0 · Main_v7

ISSUED

11 August 2026

CLASSIFICATION

Internal

4

OPERATING COUNTRIES

9

ROLE SURFACES

20

LIFECYCLE STATES

285

API ENDPOINTS

NAVIGATE

Contents

Thirteen parts. Parts 1–3 describe what the system is and how work moves through it. Parts 4–8 catalogue every functional module. Parts 9–13 cover the automation, intelligence, integration and governance layers that sit underneath.

#	PART	WHAT IT COVERS	PAGE
01	System at a Glance	Scope, scale, operating model, the four country instances	4
02	Platform Architecture	Intake → extraction → core → operations → delivery	7
03	The Booking Lifecycle	20-state machine, role gates, readiness & QC checkpoints	10
04	Roles & Access Control	9 roles, 35 permissions, country scoping, the permission matrix	14
05	Booking Team Workspace	Intake, booking master, amendments, change requests	18
06	Travel Experience Workspace	Live board, review queue, contact log, reminders, feedback	22
07	Ground Operations	Agenda, assignments, drivers, vehicles, vendors, tickets, MC report	26
08	Accounts & Financial Control	P&L engine, payment gating, profit, credit agents, cancellations	31
09	Automation & Scheduling	15 scheduled jobs, mail & drive intake, kill switches	36
10	The AI Layer	Document extraction, classification, OPS_AI copilot, cost ledger	40
11	Communications	WhatsApp Cloud API, mail, message catalogue, portals	45
12	Integrations & Public APIs	Seven external systems and the two APIs the platform publishes	49
13	Data, Security & Governance	57-model schema, audit trails, operational safety controls	53
—	Appendix	API surface, reporting catalogue, documents, admin index	57

A note on the interface figures. Screens in this document are rendered *interface layouts* — faithful reproductions of each screen's real navigation, columns, controls and information hierarchy, populated with illustrative values. No live customer, financial or driver data appears anywhere in this document.

01

System at a Glance

A single operating system for outbound tour operations across four markets — from the moment a confirmation document arrives to the moment the guest's feedback is filed.

Scope & operating model

Platform scale

The four country instances

Who uses what

WHAT THIS PLATFORM IS

One system, four markets, the whole tour lifecycle.

The platform is a multi-role travel booking operations system covering tours in **Vietnam, Sri Lanka, Singapore and Malaysia**. A booking enters as an email or a document, is read by AI into structured records, passes through team review and financial sign-off, becomes an operational movement chart with drivers and tickets, opens as a live customer portal, and closes with quality checks and feedback. Every one of those steps is a guarded state transition with a named owner.

PLATFORM SCALE

285

API ENDPOINTS

Every one session-authenticated, permission-checked and country-scoped

90

APPLICATION SCREENS

Staff dashboard, client portal, partner portals, print views

57

DATA MODELS

Booking-centric relational schema on MySQL

15

SCHEDULED JOBS

Mail intake, drive sync, reports, messaging, imports

20

LIFECYCLE STATES

Draft through Completed, plus amendment and cancellation paths

35

DISCRETE PERMISSIONS

Mapped to 9 roles; never checked inline by role name

19

AI COPILOT ACTIONS

Read, navigate and confirm-gated write capabilities

2

PUBLIC APIS

Quotation API and File Handler API, JWT + API-key secured

THE OPERATING PREMISE

Tour operations fail in the gaps — between the agent who sold the trip, the team that confirms it, the accountant who pays the supplier, the ground crew who moves the guest, and the guest themselves. This platform closes those gaps by making every handover an explicit, permissioned state transition that leaves an audit record.

Three principles hold the design together:

- **One source of truth per fact.** Passenger counts live once, on the booking, and every P&L line, voucher and manifest reads them from there.
- **Money is computed, never typed.** P&L line totals are derived from rates and pax counts at read time, so a pax correction reprices the whole file instantly.
- **Automation is switchable.** Every background process has a code-level kill switch and a runtime toggle, so operations can always fall back to manual.

Reference prefixes

Country is detected from the booking reference and drives every downstream scoping rule.

VN...	Vietnam
IS...	Sri Lanka
SG...	Singapore
MY...	Malaysia

Identifiers carried

A booking simultaneously carries a booking reference, an **IS number** (the tour-confirmation identifier), a **CNTL number**, and the selling agent's own booking ID — so it can be found by whichever number the person searching happens to hold.

MULTI-COUNTRY OPERATING MODEL

Four markets, one codebase, four different team shapes.

Countries are not cosmetic filters. Each market runs a different team structure, and the platform models that directly: Vietnam splits Ground and Travel Experience into separate roles, while Sri Lanka, Singapore and Malaysia run a combined **Ground & Travel Experience** role. Users are pinned to a country and simply cannot see another market's files.

VN...

Vietnam

Separate **Ground Team** and **Travel Experience** roles, plus a locked-down **Vietnam Ground (Limited)** role restricted to the ops board. Customer daily briefings run on Asia/Ho Chi Minh time.

IS...

Sri Lanka

Combined **GT + TE** role. Adds the dedicated **Driver Allocation board**, the **Driver Log** advance-payment workflow, and country-specific agenda generation rules. Schedules run on Asia/Colombo.

SG...

Singapore

Combined **GT + TE** role, own SharePoint drive root and own mailbox routing. Shares the Singapore/Malaysia country grouping for reporting.

MY...

Malaysia

Combined **GT + TE** role, own drive root and mailbox. Grouped with Singapore for cross-market reporting and admin provisioning.

HOW COUNTRY SCOPING IS ENFORCED

LAYER	BEHAVIOUR
Detection	Country is derived from the booking reference prefix at creation, and stored on the booking as <code>operationCountry</code> .
Query scoping	Every list and detail query appends a country clause built from the signed-in user's assignment — it is not a UI filter that can be removed.
Role guardrails	Roles carry a permitted country set. Admin provisioning refuses to create, for example, a combined GT+TE user in Vietnam.
Cross-market access	Ultra Super Admin sees every market. A Country Admin can be granted ALL for group-level oversight. Accounts sees all markets by design, because the ledger is consolidated.
Sub-apps	Dedicated country route trees exist for market-specific tooling that has no equivalent elsewhere.

WHO USES WHAT

Internal staff

Booking Team, Ground Team, Travel Experience, Accounts, Country Admins and Ultra Super Admin all work inside the same dashboard shell. The sidebar is generated from the role, so two people at the same desk see two different applications.

Agents & clients

The selling agent and the travelling guest get a read-only portal showing the live trip — agenda, hotels, flights, driver contact — with a request-an-update channel back into the change-request queue.

Partners

Transport vendors, drivers, guides, tour vendors and external file handlers each have their own self-registration and login surface, separate from staff authentication.

02

Platform Architecture

Five layers: how documents become bookings, how bookings become operations, and how operations reach the people who need them.

The five layers

Intake & extraction pipeline

Runtime & deployment

Technology stack

HOW IT FITS TOGETHER

From an inbox to a driver's phone.

Work enters the platform through four independent intake channels, converges on a single extraction and upsert path, lands in one booking-centric core, and fans back out through operations tooling and six delivery channels.




Figure 2.1 — The five architectural layers. All four intake channels converge on a single extraction path, so a booking created from a mailbox is indistinguishable downstream from one created by hand or pulled from the quotation feed.

LAYER	OWNS	GUARANTEE IT PROVIDES
Intake	Four independent channels	No single point of failure in getting work into the system — if the mail path stalls, the drive path and the manual path still work.
Extraction	Parsing, AI reading, dedupe	The same document processed twice produces one booking, not two.
Core	The booking aggregate	One record is authoritative; agenda, ledger and audit all hang off it rather than duplicating it.
Operations	Four team workspaces	Each team's authority is explicit, and handovers are recorded transitions rather than conversations.
Delivery	Six outbound channels	Everything a guest, driver, vendor or manager receives is generated from live record state, never from a stale copy.

INTAKE IN DETAIL

The document-to-booking pipeline

Two document types drive the entire automated intake. A **Tour Confirmation** (`TC.docx`) creates or amends the booking; a **P&L workbook** (`.xlsx`) attaches the financial record to it. Both arrive by mail or by drive, and both land through the same idempotent upsert.

STAGE	MECHANISM	BEHAVIOUR
1 · Discovery	Graph mail poll · IMAP IDLE · SharePoint delta	Configured mailboxes are swept on a cycle; a push watcher supplements the accounts-payable mailbox; drive changes are pulled by delta token so only new files are examined.
2 · Deduplication	Persisted processed-message keys	Every processed message is recorded by its unique identifier. Re-delivery, re-polling and webhook replays cannot create a duplicate booking.
3 · Parsing	docx / xlsx / pdf / image readers	Attachments are converted to text; ticket images go through a vision model instead.
4 · Extraction	Structured AI extraction	Free-form documents become typed records: booking header, passengers, flights, accommodations, itinerary items, P&L lines.
5 · Classification	Category model	Each P&L line is classified into one of ten categories — hotel, tickets, guides, meals, cruise, water, transport, tax & fees, flight tickets, other.
6 · Upsert	Booking-reference match	An existing reference is amended and version-snapshotted; a new reference creates a draft. Country is resolved from the prefix.
7 · Deferral	Waiting queue	A P&L that arrives before its booking is parked as <i>waiting</i> and retried on the next cycle rather than discarded.

RUNTIME & DEPLOYMENT

The application is a single Next.js server. Background work runs in one of two modes, selected automatically by the hosting environment:

- **Self-hosted** — an in-process scheduler starts on server boot and drives every recurring job from inside the application.
- **Serverless** — the same jobs are exposed as authenticated HTTP cron routes and invoked by the platform's scheduler.

The job bodies are identical in both modes; only the trigger differs. Every job is individually switchable at runtime, and several carry permanent code-level kill switches that override the runtime toggles entirely.

TECHNOLOGY STACK

Application	Next.js 14 · React 18 · TypeScript
Data	MySQL via Prisma ORM · 57 models
Auth	NextAuth credentials · JWT sessions · bcrypt
AI	GPT-4o family — text, vision, realtime, transcription
Mail	Microsoft Graph · IMAP / IMAP IDLE fallback
Files	SharePoint / OneDrive · S3-compatible object storage
Messaging	WhatsApp Cloud API — templates + session messages
Documents	Headless-browser HTML→PDF · direct PDF composition
Spreadsheets	XLSX read/write · DOCX generation
UI	Tailwind · Radix primitives · Recharts · TanStack Table

Design decision — one downstream path

Because all intake converges before the upsert, there is exactly one place where a booking is created and exactly one place where it is amended. Adding a fifth intake channel means writing a new adapter, not a new pipeline.

03

The Booking Lifecycle

Twenty states, each with a named owner and an explicit gate. This is the spine of the platform — every other module hangs off it.

The state machine

Transition table & role gates

Readiness & QC checkpoints


Amendment & cancellation paths

THE SPINE


Twenty states. No shortcuts.

A booking's status is not a label someone types — it is a position in a machine. A transition exists only if it is declared, and it fires only if the person attempting it holds a role the declaration permits. Some transitions additionally demand a written note.


PHASE A — CONFIRMATION



PHASE B — OPERATIONS & PORTAL



PHASE C — POST-TRIP CHECKLIST



SIDE PATHS — AVAILABLE FROM ANY PRE-COMPLETION STATE



Figure 3.1 — The lifecycle. Phase A confirms the sale, Phase B runs the trip, Phase C closes the file. The dashed link marks the financial gate: Accounts confirming payment on the P&L lines is what releases ticket purchasing to the Ground Team.

Phase A — the sale is real

Extraction produces a draft; the Booking Team vouches for its accuracy; Travel Experience checks it against what was actually sold and either verifies it or bounces it back with a written reason. Nothing operational happens until this phase closes.

Phase B — the trip runs

Agenda, drivers and services are in place, the guest portal opens, and the tour goes live. This is the only phase where the customer sees the system directly.

Phase C — the file closes

An eight-step post-trip checklist with two quality gates. It exists because "the tour happened" and "the file is finished" are different facts, and only the second one can be reported on.

WHO MAY MOVE WHAT

The transition table

Each row below is a declared, executable transition. Anything not in this table cannot happen — there is no free-form status field, and no administrative back door that skips a gate. Every fired transition writes an immutable status event naming the actor, the time and any note.

FROM → TO	PERMITTED ROLES	MEANING
Draft → Booking Confirmed	BT · GT+TE · Admins	The Booking Team accepts the extracted file as correct.
Booking Confirmed → Need TE Review	BT · TE · GT+TE · Admins	Handed to Travel Experience for verification against the sale.
Need TE Review → Changes Requested	TE · GT+TE · Admins	Note required Sent back with a written reason.
Changes Requested → Booking Confirmed	BT · GT+TE · Admins	Note required Resubmitted after correction.
Need TE Review → Client Confirmed	BT · GT · GT-VN · TE · GT+TE · AC · Admins	The client has confirmed; the file is real.
Client Confirmed → Operations Ready	GT · GT-VN · TE · GT+TE · Admins	Agenda, drivers and services are in place.
Operations Ready → Client Portal Live	GT · GT-VN · TE · GT+TE · Admins	The guest-facing portal is opened.
Client Portal Live → In Progress	GT · GT-VN · TE · GT+TE · Admins	The tour is running.
In Progress → TE Reviewed	TE · GT+TE · Admins	Post-trip checklist begins.
TE Reviewed → Driver Allocated	GT · GT-VN · TE · GT+TE · Admins	Every serviced movement has a driver.
Driver Allocated → QC1 Pass	TE · GT+TE · Admins	First quality gate cleared.
QC1 Pass → Tickets Issued	TE · GT+TE · BT · Admins	Tickets and vouchers activated.
Tickets Issued → QC2 Pass	TE · GT+TE · Admins	Second quality gate cleared.
QC2 Pass → Message Sent	TE · GT+TE · BT · Admins	Customer has been messaged.
Message Sent → Feedback Done	TE · GT+TE · Admins	Feedback collected.
Feedback Done → Completed	TE · GT+TE · Admins	File closed.
Any pre-completion state → Cancellation	TE · GT+TE · Admins	Sixteen states are cancellable; the cancellation carries an itemised fee schedule.

■ Note-required gates

Two transitions refuse to fire without written justification — requesting changes and resubmitting after correction. This is what makes the amendment history readable six months later.

■ Version snapshots

Every amendment writes a full snapshot of the source document alongside the new record, so the file can always be compared against exactly what the agent sent.

■ Available-action UI

The buttons a user sees are generated from the same declaration table, so the interface can never offer an action the server would reject.

THE OPERATIONAL CHECKLIST

Four questions, asked every single morning.

Status tells you where a booking sits. **Readiness** tells you whether it will actually work when the guest lands. The readiness engine asks four questions of every upcoming booking, in the order operations asks them, and grades each one *done*, *partial*, *pending* or *not applicable*.

1 Client confirmed?

Has the booking reached **Client Confirmed** or beyond? A file already past QC still counts as confirmed — the check follows the lifecycle, not a hard-coded list.

2 Drivers allocated?

Does every serviced agenda row carry an assignment with a driver? A vendor counts as an allocated driver, as does Sri Lanka's booking-level chauffeur allocation.

3 Tickets issued?

Is every activated ticket purchased or paid? Partly-purchased files are reported as partial rather than failed.

4 QC stage?

Has the file cleared QC1, QC2, or neither? QC is reported but deliberately excluded from the blocking calculation.

Why "partial" is its own answer

A tour with three of five drivers booked is a completely different conversation from one with none. Collapsing the two would paint the whole morning report red and make it worthless. The engine therefore grades *partial* separately and reports counts — "3 of 5" — not just a pass or a fail.

HOTEL-ONLY BOOKINGS

Not every file needs a vehicle. Accommodation-only bookings are recognised and the driver check is marked *not applicable* rather than permanently pending — so they stop polluting the exception list.

ONE ENGINE, TWO CONSUMERS

The same pure calculation feeds both the on-screen QC panel on a booking page and the scheduled operations mail. The screen and the mail therefore cannot disagree, which is what makes the morning report trustworthy enough to act on.

BLOCKING REASONS

When a booking is not ready, the engine returns the specific reasons — not a red dot — so the report tells the reader what to do next rather than merely that something is wrong.

Readiness grades

Done	Every required item present
Partial	Some present — count reported
Pending	None present
N/A	Check does not apply to this file

Amendment path

A revised confirmation for an existing reference amends the original and snapshots the previous version — the reference a guest holds never changes underneath them.

Cancellation path

A two-step approval: the request enters the Accounts queue with an itemised fee schedule, and only an approval moves the file to cancelled.

04

Roles & Access Control

Nine role surfaces, thirty-five discrete permissions, and a country boundary that cannot be turned off from the interface.

The nine roles

The permission matrix

Country scope guardrails

Authentication & the second factor

ROLE SURFACES

Nine roles. Nine different applications.

The sidebar, the available actions and the reachable API routes are all generated from the signed-in role. Two people sitting side by side see genuinely different products — not the same product with greyed-out buttons.

ROLE	MARKETS	WHAT THEY OWN
BT Booking Team	All four	Intake and accuracy. Creates bookings, confirms extracted files, resubmits after corrections, maintains the P&L record, works the mail and drive queues, drives the quotation feed and the B2C import.
GT Ground Team	Vietnam	Movement. Builds the agenda, allocates drivers and vehicles, manages the vendor, driver, guide and tour-vendor directories, and purchases tickets once Accounts releases them.
GT-L Vietnam Ground (Limited)	Vietnam	The same ground work on a deliberately locked-down surface — dashboard, booking list, booking detail and the ops board only. No P&L, no vendors, no admin tooling.
TE Travel Experience	Vietnam	The guest relationship and quality. Reviews and verifies files, runs the live board, logs contacts, sets reminders, records customer payments, owns QC1 and QC2, collects feedback, and holds cancellation authority.
G+T Ground & Travel Experience	SL · SG · MY	Both of the above, combined — the shape those markets actually operate in. The single broadest non-admin role in the system.
AC Accounts Team	All markets	Money. Owns the P&L, confirms supplier payments (the gate that unlocks ticketing), sees profit, runs the credit-agent ledger and approves cancellation fee schedules.
CL Client / Agent	Own booking	Read-only portal access to a single trip: agenda, hotels, flights, driver contact and payment status, plus a request-an-update channel.
CA Country Admin	One market or all	Full operational authority inside the assigned market — every workflow permission plus user management, audit access and administrative override.
UA Ultra Super Admin	Every market	Everything, everywhere, including management of critical accounts. Protected by a second password beyond the normal credentials.

■ Permission, never role

Server code asks "does this role hold this permission?" — never "is this role X?". Adding a role is therefore a data change, not a hunt through conditionals.

■ Three checks per request

Every endpoint runs the same sequence: authenticate the session, check the permission, then apply the country clause to the query. All three, every time.

■ Partner identities

Vendors, drivers, guides, tour vendors and external file handlers authenticate on separate surfaces entirely — they are never staff accounts with fewer rights.

COMPLETE GRANT MAP

Thirty-five permissions across nine roles

The entire authorisation model on one page. A filled cell is a granted capability; an empty cell is a hard refusal at the API boundary, not a hidden button.

■ Granted ■ Not granted

	Booking Team	Ground Team	Ground VN (Ltd)	Travel Experience	Ground & TE	Accounts	Client / Agent	Country Admin	Ultra Admin
BOOKING LIFECYCLE									
Create booking	■	■	■	■	■	■	■	■	■
Read booking	■	■	■	■	■	■	■	■	■
Edit booking	■	■	■	■	■	■	■	■	■
Confirm booking	■	■	■	■	■	■	■	■	■
Submit for review	■	■	■	■	■	■	■	■	■
Review / request changes	■	■	■	■	■	■	■	■	■
Resubmit after change	■	■	■	■	■	■	■	■	■
Verify client confirmation	■	■	■	■	■	■	■	■	■
Cancel booking	■	■	■	■	■	■	■	■	■
Reassign country	■	■	■	■	■	■	■	■	■
AGENDA & OPERATIONS									
Create agenda	■	■	■	■	■	■	■	■	■
Read agenda	■	■	■	■	■	■	■	■	■
Edit agenda	■	■	■	■	■	■	■	■	■
Assign driver / vehicle	■	■	■	■	■	■	■	■	■
Edit assignment	■	■	■	■	■	■	■	■	■
TICKETS									
Create ticket	■	■	■	■	■	■	■	■	■
Read ticket	■	■	■	■	■	■	■	■	■
Purchase ticket	■	■	■	■	■	■	■	■	■
FINANCIAL									
Create P&L	■	■	■	■	■	■	■	■	■
Read P&L	■	■	■	■	■	■	■	■	■
Edit P&L	■	■	■	■	■	■	■	■	■
Confirm supplier payment	■	■	■	■	■	■	■	■	■
View profit	■	■	■	■	■	■	■	■	■
Record customer payment	■	■	■	■	■	■	■	■	■
Read payments	■	■	■	■	■	■	■	■	■
CUSTOMER CARE									
Log customer contact	■	■	■	■	■	■	■	■	■
Create reminder	■	■	■	■	■	■	■	■	■
Confirm re-check	■	■	■	■	■	■	■	■	■
PORTAL									
Portal — view trip	■	■	■	■	■	■	■	■	■
Portal — request update	■	■	■	■	■	■	■	■	■
Portal — contact driver	■	■	■	■	■	■	■	■	■
ADMINISTRATION									
Manage users	■	■	■	■	■	■	■	■	■
Manage critical accounts	■	■	■	■	■	■	■	■	■
Read audit log	■	■	■	■	■	■	■	■	■
Administrative override	■	■	■	■	■	■	■	■	■

Figure 4.1 — Two deliberate asymmetries: Accounts alone may confirm supplier payment and view profit; only the Ultra Super Admin may manage critical accounts.

BOUNDARIES

Country scope guardrails

Roles are not valid everywhere. Provisioning enforces a permitted country set per role, so an administrator cannot accidentally create a role shape that market does not operate.

ROLE	PERMITTED MARKETS
Booking Team	Vietnam Sri Lanka Singapore Malaysia
Ground Team · Vietnam Ground (Ltd) · Travel Experience	Vietnam only
Ground & Travel Experience	Sri Lanka Singapore Malaysia — never Vietnam
Accounts Team	All markets — the ledger is consolidated
Country Admin	Any single market, or All for group oversight
Ultra Super Admin	All markets , always

Authentication

Method	Email and password, hashed with bcrypt
Session	Signed JWT, 24-hour maximum age
Carried claims	User identity, role, assigned country
Second factor	Ultra Super Admin must additionally supply a critical-services password held only in server configuration
Deactivation	A correct password on a deactivated account is refused with a distinct reason, so the user is told the truth
Route enforcement	Middleware separates the staff dashboard from the client portal by role before any page renders

The critical-services password

The most powerful role in the system cannot be reached with a stolen password alone. The second secret is never stored in the user record — it lives only in server configuration, so compromising the database does not compromise the role.

Separate partner authentication

Vendor, driver, guide, tour-vendor and file-handler portals each run their own registration, login and session handling. A partner credential cannot be replayed against the staff dashboard, and a staff session grants nothing on a partner surface.

Token-addressed public surfaces

Guest-facing pages — the trip view, the feedback form, printable documents — are reached by signed, booking-scoped links rather than by logging in, so a guest never needs an account.

05

Booking Team Workspace

Where files enter the system and where their accuracy is owned — intake, the booking master record, amendments, and the change-request queue.

Dashboard & quick filters

Amendments & change requests

The booking master record

Quotation feed & B2C import

THE DAILY SURFACE

Seven questions, seven clicks.

The dashboard opens on the questions operations actually asks each morning. Each quick filter is a one-click pivot of the master list — and each carries its own sort, so the resulting screen reads naturally without further fiddling.

On Ground
Guests currently in-country. Sorted by departure — who leaves soonest.

Arriving Today & Tomorrow
The immediate landing window, sorted earliest first.

Arrivals & Departures — upcoming
The forward window, for planning rather than firefighting.

Completed Yesterday
Newest first — the post-trip checklist queue.




Figure 5.1 — The dashboard shell. The sidebar shown is the Booking Team's; each role receives a different one generated from its permission set.

Master list controls
Free-text search across reference, IS number, CNTL number, agent booking ID, lead passenger and agent · status filter · date filter switchable between arrival date and creation date · explicit from/to range · sortable on either date in either direction. The active filter is always shown as a removable chip, so nobody reads a filtered list believing it is the whole book.

Notification bell
A persistent header bell surfaces items needing this user's attention — review queue entries, open change requests, import alerts from the quotation feed — scoped by role and country like everything else.

ONE PAGE, THE WHOLE FILE

Sixteen sections on a single scrolling record.

The booking page is the system's centre of gravity. Rather than scattering a file across tabs, it presents every dimension of the booking as a section on one page with a sticky section navigator — so an operator can answer any question about a trip without leaving the screen.

Overview & Status

Header facts, current state, and the available lifecycle actions for this user.

Tour Confirmation

The source document, plus every prior version snapshot.

Contact Information

Guest and agent contact points, phone and email.

Emergency Contacts

Next-of-kin records held per passenger.

Passengers · Flights · Hotels

Extracted rosters — lead passenger flagged, flight legs, accommodation with nights, room and meal type.

Itinerary

Day-by-day agenda with service type, timings, from/to points and meal plan.

Package & Notes

Terms, exclusions, policy notes and the deal name.

Quality Control

Live readiness panel — client confirmed, drivers, tickets, QC stage.

P&L Summary

Computed line totals and payment state, read-only to non-Accounts roles.

Accounts P&L

The linked external accounting record, where one exists.

Driver Advances

Advance payment computation and dispatch for the allocated driver.

Customer WhatsApp

Embedded conversation thread with the guest, in context.

AI Voice Calls

Automated call jobs raised against this booking.

Call Transcripts

Transcribed call records attached to the file.

Customer Feedback

Survey response and rating once collected.

Activity Log

Append-only trail of every status event and edit.

AI autofill

A booking can be re-read from its source document at any time. The autofill modal proposes field-by-field changes against the current record, and the operator accepts or rejects each one — extraction never silently overwrites reviewed data.

Document generation

From the same page: a formatted booking PDF, the agenda PDF, ticket and voucher sheets, the driver log, and a print view — each produced from live record state rather than a stored file.

CHANGE CONTROL

Amendments & the change-request queue

Two different things are called "a change", and the platform keeps them apart. An **amendment** is a new version of the source document. A **change request** is a human asking for something to be different.

Amendment

A revised confirmation arrives for an existing reference. The platform snapshots the previous version, re-extracts, updates the booking in place and records the change. The reference the guest holds never changes. P&L amendments are reconciled against the existing lines rather than replacing them wholesale.

Change request

Raised by Travel Experience during review, or by the client from their portal. Carries a mandatory written reason, appears in a dedicated queue, and is resolved by a Booking Team resubmission — which itself demands a note. Nothing gets fixed silently.

The quotation feed

Bookings also arrive from the group's quotation system rather than from documents. Three surfaces cover this: a live feed of incoming quotations, a second-generation view with a richer reconciliation model, and a direct create form for raising one by hand.

CAPABILITY	BEHAVIOUR
Availability check	Query the quotation system for a reference before importing it.
Import	Pull a quotation into a full booking record, mapped onto the same schema documents produce.
Scheduled auto-import	A recurring job sweeps for new quotations without anyone watching the feed.
Import alerts	Failures surface as a persistent banner and a bell notification rather than a silent log line.
Confirmation HTML	A formatted confirmation is generated from the imported quotation for sending on.

B2C import

Direct-to-consumer bookings from the group's public booking site are imported on their own schedule into a dedicated dashboard. The import maps the consumer schema onto the operations schema — including flight records and country resolution — so a B2C sale becomes an operable file with the same lifecycle, agenda and P&L behaviour as an agent booking. The selling channel is preserved on the record rather than requiring a schema change.

06

Travel Experience Workspace

The guest relationship and the quality bar — live monitoring, the review queue, contact history, automated voice calls, and the feedback loop that closes every file.

Live overview & review queue

Contact log, reminders, payments

AI voice call subsystem

Quality control & feedback

WATCHING THE GUESTS WHO ARE HERE NOW

Live overview and the review queue.

Travel Experience works two clocks at once: the trips happening right now, and the files that need checking before they become trips. The workspace gives each its own surface.




Figure 6.1 — The live board. Note the sidebar differs entirely from Figure 5.1 — same application, different role.

Review queue

Files awaiting verification against the sale. From here a reviewer either confirms the client, or raises a change request with a mandatory written reason that routes back to the Booking Team.

Analytics

Volume, stage distribution, turnaround and outcome trends for the market — the management view of how the desk is actually performing.

Tickets & vouchers

Voucher tracking across every booking: what has been issued, what is outstanding, and what is blocked behind a payment confirmation.

THE RELATIONSHIP RECORD

Contact log, reminders and payments

Contact log

Every interaction with a guest or agent is recorded against the booking — who spoke to whom, when, through which channel and what was said. It is the answer to "what did we already tell them?"

Reminders

Time-based follow-ups attached to a booking and owned by a person, so a promise made on a Tuesday call is still visible the following Monday.

Customer payments

Payment records raised against the booking from the guest side, kept distinct from the supplier-side P&L that Accounts owns.

AUTOMATED OUTBOUND CALLING

The AI voice call subsystem

The platform runs a scheduled, campaign-driven voice-calling service that phones guests on defined occasions, holds a structured conversation, and files the transcript and outcome back onto the booking. It is operated from two screens — a call bot console and a call report — and is backed by ten dedicated tables.

CONCEPT	WHAT IT DOES
Campaign	A named calling purpose with its own approach, its opening line, and a definition of what the call must collect. Campaigns are activated and retired independently.
Call job	A scheduled call against a phone number and a booking, with a start time, a repeat interval, a run cap, an end date, and a live run counter.
Calling window	Jobs can be marked to respect a permitted calling window, so automated calls never land at an unreasonable local hour.
Schedules	Recurring definitions that raise call jobs automatically as bookings reach the relevant stage.
Purposes	Dedicated record types for reconfirmation calls, post-tour calls, feedback calls and quick calls — each with its own reporting.
Knowledge & alerts	A knowledge base the caller can draw on, and an important-alerts channel for anything a call surfaces that needs a human immediately.
Transcripts	Every conversation is transcribed and attached to the booking, visible in its own section on the booking page.
Approvals	Calls can be gated behind an approval step before they dial, so a campaign cannot go live by accident.
Scheduled reporting	A call report is composed and mailed on its own schedule, built server-side so it does not depend on anyone having a browser open.

Why calls, and not just messages

Reconfirmation and post-tour feedback are the two moments where a written message is most often ignored. Automating the call — with a transcript filed back onto the booking — converts an unreliable manual chore into a measurable one, without adding headcount.

THE QUALITY BAR

Two gates, one survey, and a closed file.

Quality control is not a review meeting — it is two mandatory lifecycle states that a file cannot pass without a named person clearing them. QC1 sits after driver allocation; QC2 sits after tickets are issued. Between them, the two gates catch the failure modes that actually hurt: a movement with no driver, and a guest holding a voucher that was never paid for.

QC1 After driver allocation

Checks that every serviced movement on the agenda carries an assignment, that the vehicle class matches the party size, and that the file's readiness checks are green before the guest is on the ground.

QC2 After tickets issued

Checks that every activated ticket is purchased or paid, that vouchers match the agenda, and that nothing was issued against an unconfirmed P&L line.

Feedback

Feedback is collected through a public, token-addressed form the guest reaches from a link — no account, no login. Responses are stored against the booking with a rating, and the file cannot reach **Completed** until feedback has been marked done.

Two automations support it: a scheduled feedback request that goes out on the right day after the tour, and a recurring summary that composes collected feedback into a report and mails it to the people who need to see it. Both run on their own schedules, independent of anyone remembering.

The system also holds a separate guest feedback form record, so a structured questionnaire can be evolved without disturbing historical responses.

Feedback pipeline

- 1 Tour completes
- 2 Scheduled request sent to the guest
- 3 Guest opens a token-addressed public form
- 4 Response stored with rating on the booking
- 5 Recurring summary composed and mailed
- 6 File may now be marked complete

Ratings are stored as a defined scale rather than free text, so the summary report can count them rather than merely quote them.

07

Ground Operations

Turning a confirmed booking into vehicles, drivers, tickets and a movement chart — and paying for it all correctly.

The movement chart

Partner directories

Tickets & the payment gate

Driver logs & allocation boards

THE OPERATIONAL SCHEDULE

The movement chart is the real itinerary.

A tour agenda is a dated sequence of agenda items, and each item is a movement with a **service type**. That type is what decides whether the item needs a vehicle, a driver, a guide, a ticket, or nothing at all — so it is the single most consequential field on the operational side of the system.

■ Internal tour

A full-day sightseeing tour. Needs a vehicle, a driver, usually entrance tickets and often a guide.

■ Private transfer

A dedicated point-to-point car movement for this party only.

■ Seat-in-coach transfer

A shared coach movement, typically supplied by a vendor rather than an own driver.

■ Flight

An air segment on the itinerary — timing matters for transfers either side of it.

■ Accommodation

A hotel night on the chart, with check-in and check-out, room type and meal plan.

■ Own arrangement

The guest is handling this themselves. Recorded so the day is not blank, but never driven.

AGENDA GENERATION

An agenda can be generated automatically from the booking's extracted itinerary, accommodations and flights — producing a day-by-day chart that ground staff then adjust rather than build from nothing. Sri Lanka runs its own additional generation rules, because its tours are structured differently.

Each agenda item carries a date, a day number, a location or activity, from and to points, timings, meal plan and the service type. **Day 1 is the arrival date** — throughout the system, day numbers are resolved to calendar dates from the booking rather than typed by hand, so a date change re-flows the whole chart.

DAYS THAT NEED NO DRIVER

Two conditions excuse a movement from needing a driver, and both are modelled explicitly rather than left to judgement:

- **Leisure day** — a free or at-leisure day.
- **Hotel only** — accommodation only, or the guest arranges their own transport. It may still be a busy day; the platform simply does not drive it.

Because these rules live in one shared place, the allocation board and the movement chart cannot disagree — a file whose every movement is leisure or hotel-only reads as *allocated*, not *pending*, and the chart hides its assign-driver controls on exactly the same rows.

Assignment

A driver, a vehicle and optionally a vendor, attached to one agenda item. One movement, one assignment — so a vehicle change on day four is represented honestly.

Deduplication

Agenda generation is guarded against producing duplicate days when a booking is amended and re-generated — a common failure mode in itinerary tooling.

Agenda delivery

Produced as a formatted PDF, published to the client portal, and mailed automatically on a daily schedule.

Assignments board

A cross-booking view of every driver and vehicle movement in the market, so double-bookings surface before the morning they would have happened.

THE SUPPLY SIDE

Five partner directories, each self-serve.

Ground operations depend on people and companies who are not staff. The platform holds each as a first-class directory with its own record shape, its own dashboard, its own public self-registration page, and — for several kinds — its own login portal.

DIRECTORY	RECORD HOLDS	SELF-SERVICE SURFACE
Drivers	Person, contact, licence, vehicle link, payment terms	Public driver registration page; drivers receive assignment messages by WhatsApp template.
Vehicles	Class, capacity, registration, owning vendor	Maintained by ground staff; linked to assignments and to allocation planning.
Vehicle vendors	Company, contact, bank details	Public vendor registration plus a vendor login portal with its own dashboard.
Guides	Person or company, country, contact, ID, photo, notes, bank, <i>languages</i>	Public guide registration; appears directly in the movement-chart picker.
Tour vendors	Same shape as guides, with <i>services</i> in place of <i>languages</i>	Public tour-vendor registration and directory management.

One descriptor, three surfaces

Guides and tour vendors share an identical record shape, so the directory page, the public registration form and the movement-chart picker are all driven by a single configuration descriptor rather than three near-identical implementations. Adding a sixth partner kind is a configuration entry, not a new subsystem.

COUNTRY ENABLEMENT

Each partner kind carries a runtime setting listing the countries where it is enabled, so a market that does not use freelance guides simply does not see the directory — without a code change or a special build.

DRIVER PAYMENTS

Drivers carry their own payment records, separate from the supplier P&L, covering the advances and settlements the ground team handles in cash.

PARTNER PORTALS

Vendors and external file handlers get a genuine portal — registration, login, and a dashboard scoped to their own work — rather than a shared spreadsheet or an email thread. These run on separate authentication from staff accounts, so a partner credential has no reach into the operations dashboard.


EMERGENCY CONTACTS

The platform maintains an emergency contact directory alongside the partner records, so the right number is reachable from the booking page during an incident.

WHERE MONEY MEETS OPERATIONS

Nobody buys a ticket before Accounts says so.

The single most important control in the platform is also the simplest: a ticket cannot be purchased until the Accounts team has confirmed the payment status of the P&L line it belongs to. That one gate is what prevents ground staff from spending against unfunded files.



Blocked path: an unconfirmed line leaves the purchase action absent — not merely disabled — for every ground role.

Figure 7.1 — The payment gate. Confirmation is granted line by line, so a booking with one unfunded component releases everything except that component.

Ticket record

Every ticket links to both the agenda item it services and the P&L line that funds it — so the operational and financial views of the same purchase can never drift apart.

Ticket states

Tickets move through their own status track — pending, purchased, paid — and the readiness engine counts activated tickets that have reached purchased or paid.

Image extraction

A photographed ticket can be read by a vision model to pull out the booking reference and driver details automatically, rather than being re-typed.

Ticket notes

Free-form operational notes attach to a ticket for the things that never fit a field — a collection point, a supplier's quirk, a time constraint.

Vouchers & print

Tickets and vouchers are produced as printable sheets from live record state, and tracked from the Travel Experience side as a separate queue.

CASH, BOARDS AND MANIFESTS

The driver advance sheet

Before a Sri Lanka tour starts, the ground team hands the driver cash. The Driver Log computes exactly how much, from the booking's linked accounting line items, and splits it into two advances so the driver and the office are arguing about the same numbers.

■

 Tour advance

Lunch + entrance tickets.

■

 Fuel advance

Driver accommodation + travel (kilometres × rate) + water bottles.

RULE	BEHAVIOUR
Explicit exclusions	Bata and guide fee are excluded from <i>both</i> advances — they are settled separately and never advanced to the driver.
Nothing disappears	Anything that is neither a tour nor a fuel component is surfaced in an "other" bucket. It is shown, counted and not advanced — never silently dropped.
Configurable percentage	Each advance total is multiplied by a percentage set per country in Settings, giving the actual cash figure.
Editable distance	The kilometre and rate behind a travel line can be corrected on the sheet, and the advance recomputes.
Automated dispatch	A daily scheduled job sends the driver log to the relevant drivers, on the market's own timezone.
Document output	The sheet is produced as a formatted PDF for handover and for the file.

Rates are never sent to drivers

Driver-facing messages deliberately exclude internal rate figures. What the driver receives is their movement, their guest and their advance — not the platform's cost basis.

Sri Lanka driver allocation board

Sri Lanka allocates a chauffeur at the *booking* level rather than per movement, so it gets a dedicated board. The board and the movement chart stay in step in both directions: allocating from the board pushes the driver down onto every agenda item, and assigning from the chart syncs back up to the board by taking the driver or vendor covering the most movements — with the earliest movement breaking ties.

Files that carry no transport at all are marked with a dedicated hotel-only vehicle type, so they read as allocated rather than sitting permanently in the pending column.

Movement control report

The MC Report is the cross-booking transport manifest: every movement in the market for a date range, on one filterable table. It carries the booking code, the IS number, the agent booking ID, the location, pax split, from and to points, timings, service type and the assigned driver or vendor — with leisure and hotel-only days marked so an empty driver column reads as intentional.

Filter

By date range, country, service type and free text.

Sort

Any column, either direction.

Export

Spreadsheet and document export.

Print

A dedicated print view for the operations desk.

08

Accounts & Financial Control

The P&L engine, the payment gate that governs operations, profit visibility, the credit-agent ledger and cancellation fees.

The computed P&L model

Categories & the ledger

Profit & credit agents

Cancellations & currency

THE FINANCIAL MODEL

Totals are computed. Always.

No P&L line total is ever stored. Every figure in the system is derived at read time from the rates on the line and the passenger counts on the booking. This is the reason a corrected pax count reprices an entire file instantly, and the reason two screens can never show two different totals for the same booking.



Figure 8.1 — The line-total formula. Per-person rates multiply by the whole party; entrance fees multiply by the adult and child counts separately, because entrance pricing is age-banded.

 **Single source of pax**

Adults, children and infants live on the booking and nowhere else. A P&L line has no pax field to fall out of step with.

 **Per-line payment state**

Payment is confirmed line by line, not per booking — so a partly-funded file releases exactly the components that are funded.

 **Accounts-owned**

Only the Accounts role may confirm payment or view profit. Every other role can read the ledger but cannot move the gate.

WHERE P&L RECORDS COME FROM

Spreadsheet by mail	A P&L workbook arriving as an attachment is parsed, extracted into typed line items and attached to its booking.
Spreadsheet on the drive	The same file appearing in a booking folder on SharePoint is picked up by delta sync and processed identically.
Manual entry	Lines can be created and edited directly in the P&L management screen.
External accounting link	A booking can be linked to the group's accounting system's own P&L record, whose line items are cached onto the booking and drive the driver advance calculation.
Amendment reconciliation	A revised P&L is reconciled against existing lines rather than replacing them wholesale, so confirmations already granted are not silently lost.

STRUCTURE OF THE LEDGER

Ten categories, classified automatically

Every P&L line carries a category. Because supplier descriptions arrive as free text — "entrance Ba Na Hills", "boat Halong overnight" — the platform classifies them with a language model rather than a keyword list, then lets Accounts correct anything it got wrong.

Hotel	Tickets	Guides	Meals
Cruise	Water	Transport	Tax & Fees
Flight Tickets	Other		

P&L management screen

Apple System

Dashboard

New Booking

All Bookings

AS Bookings

B2C

P&L Management

Profit Dashboard

Credit Agents

Cancellations

Ops Board

Driver Logs

AUTOMATION

Mail Inbox

OneDrive

Drive Bookings

/dashboard/accounts/pnl

P&L — VN-24-0912

Accounts Team

2 + 1
PAX ON BOOKING

12
LINES

8
CONFIRMED

4
AWAITING

CATEGORY	SERVICE	SIC	PVT / PAX	AD. ENTR.	CH. ENTR.	COMPUTED TOTAL	PAYMENT
Hotel	Sample Hotel — 3 nights	—	000.00	—	—	0,000.00	Confirmed
Tickets	Sample entrance	—	—	00.00	00.00	000.00	Confirmed
Transport	Private transfer — airport	—	000.00	—	—	000.00	Awaiting
Guides	English-speaking guide	00.00	—	—	—	000.00	Awaiting
Cruise	Overnight cruise	—	000.00	—	—	0,000.00	Confirmed

Totals recompute from booking pax — no total is stored.

Interface layout — Accounts P&L management. Navigation, columns and controls as built; figures masked.

Figure 8.2 — The P&L screen. The payment column is the operational gate: each confirmation there releases the corresponding ticket to the Ground Team.

MARGIN VISIBILITY

Profit dashboard

Profit is a restricted view. Only Accounts, Country Admins and the Ultra Super Admin hold the permission to see it — every other role can read the cost ledger without ever seeing the margin. The dashboard sets the quoted total on the booking against the computed cost of its P&L lines, across bookings, agents and time.

Per booking Quoted total against computed cost, with the shortfall or margin shown against the file.	Per agent Which selling agents produce profitable files and which consistently do not.	Per period Trend over time, scoped to the market the viewer is entitled to see.
---	---	--

Credit agents

Some agents trade on credit rather than paying per booking. The platform runs a dedicated ledger for them: a credit-agent record, and a stream of credit payments against it, each with its own payment status. It answers the two questions that matter — what does this agent owe, and what have they actually paid — without those numbers being tangled into the per-booking supplier P&L.

CAPABILITY	BEHAVIOUR
Agent register	Credit agents are held as their own records, distinct from the free-text agent name that appears on a booking.
Payment stream	Payments are recorded against the agent with their own status track, independent of booking lifecycle.
Ledger view	A dedicated dashboard shows position per agent, with drill-down to the underlying payments.
Access	Visible to Accounts, Country Admins and Ultra Super Admin, and to the combined Ground & TE role in the markets that operate it.


Operations board

Sitting alongside the financial screens is an operations board that reports readiness across the whole market — arrivals, departures, blocking reasons, driver and ticket coverage — with the ability to back-date a preview so a report can be checked against a day that has already passed. It reads the same readiness engine described in Part 3, so it agrees with the booking page and with the scheduled morning mail.

WHEN A TRIP DOES NOT HAPPEN

Cancellation is a financial event.

A cancelled booking is rarely a free cancellation. The platform treats it as a two-step approval carrying an itemised fee schedule, so the money is agreed before the status moves — and so the customer receives a notice that matches what was actually charged.



Sixteen pre-completion states are cancellable. A cancellation mail watcher also picks up cancellation notices arriving by email.

Figure 8.3 — The cancellation path. Fees are stored as itemised lines — a note and an amount each — rather than a single opaque figure, so the customer notice can explain itself.

CURRENCY

Bookings carry their own currency, and the platform maintains live exchange rates through an external rate service so cross-market reporting can be expressed on a common basis. Driver-log currency is picked from the underlying accounting lines rather than assumed, so a sheet never shows the wrong symbol.

CANCELLATION MAIL WATCHER

A recurring watcher monitors for cancellation notices arriving by email, so a cancellation initiated outside the platform still lands in the queue rather than being discovered when a driver turns up.

Fee schedule shape	
NOTE	AMOUNT
Non-refundable hotel night	000.00
Cruise deposit forfeited	000.00
Administration fee	00.00
Total charged	0,000.00
Structure as built; figures masked.	

09

Automation & Scheduling

Fifteen scheduled jobs, two intake watchers, timezone-aware daily runs, and a layered switch system that lets operations turn any of it off.

The job catalogue

Three layers of switch

Timezone-aware scheduling

Mail & drive intake control

WHAT RUNS WITHOUT ANYONE ASKING

Fifteen jobs, on a clock.

Every recurring behaviour in the platform is a named job with a declared cadence. They run in-process on a self-hosted deployment and as authenticated HTTP routes on a serverless one — same code, different trigger.

JOB	CADENCE	PURPOSE
Process mailboxes	5 min	Sweep configured mailboxes for confirmation and P&L attachments.
Quotation mail processor	5 min	Independent processor for the booking-confirmation mailbox, sharing dedupe keys so no message is read twice.
OneDrive poll	5 min	Pull SharePoint and OneDrive changes by delta token.
Cancellation mail watch	2 min	Detect cancellation notices arriving by email.
Auto-reports	10 min	Evaluate configured report schedules and send any that are due.
Query monitor	Hourly	Sweep the file-handler mailboxes into the query sheet.
Driver notify	Hourly + 23:00	Notify drivers of assignments and changes.
Webhook renewal	12 h	Renew mail subscriptions before they expire.
Feedback summary	6 h	Compose and mail the collected-feedback summary.
Auto booking create	Daily 04:00	Create bookings from the queue of ready sources.
Quotation auto-import	Daily 06:00	Import new quotations from the group quotation system.
Agenda auto-send	Daily 09:00 Colombo	Mail the day's agendas to the parties who need them.
Portal link message	Daily 10:00 Colombo	Send guests their portal link by WhatsApp template.
Customer daily briefing	Daily 11:00	Send each on-tour guest their day's movements.
Customer feedback request	Daily 11:00	Ask completed guests for feedback.
Driver log auto-send	Daily 18:00 Colombo	Send driver advance sheets for tomorrow's tours.
Customer WhatsApp	Daily 18:00 Ho Chi Minh	Vietnam customer messaging run.
B2C import	Daily 19:00	Import direct-to-consumer bookings.
Call report	Scheduled	Compose and mail the AI voice-call report.

Cadences shown are the configured defaults. Several jobs read their interval from a runtime setting and re-evaluate due-ness on each tick rather than baking the schedule into code — which is how a report time can be changed from the admin screen without a deployment.

TURNING IT OFF

Three layers of switch, deliberately unequal.

Automation that cannot be stopped is a liability. The platform therefore has three independent levels of control, and they are ranked — a lower level cannot override a higher one.

1 · Master switch

A single code-level flag that prevents the entire background scheduler from starting. Nothing runs beneath it.

HIGHEST**2 · Permanent kill switches**

Per-capability code flags. While one is set, the database toggle and the admin UI switch for that capability are powerless.

3 · Runtime toggles

Per-job settings changeable from the admin screen with no deployment — the day-to-day control operations actually uses.

EVERYDAY

Figure 9.1 — The control hierarchy. Layer 2 exists precisely so that a capability can be taken off the table without trusting that nobody will flip a UI switch back on.

AUTOMATIC MAIL READING

Automatic extraction of incoming mail into bookings currently sits behind a permanent kill switch. Mail is still fetched and cached, so it remains fully visible in the Mail Inbox screen — it simply is not auto-extracted. Manual processing of a specific message still works, and so does everything downstream of it.

AUTOMATIC DRIVE POLLING

Likewise, the unattended drive poll sits behind its own kill switch. Explicitly targeted scans from the admin OneDrive screen — scan a drive, a date, or a single booking reference — remain available, so staff retain the capability while the unattended sweep is off.

Why "fetch but don't act"

Splitting *fetching* from *acting* is what makes the kill switch usable. Turning off automation does not blind the team — the mail is still there to look at. Only the automatic write is suspended.

Timezone-aware daily runs

Daily jobs are scheduled against a named timezone — Colombo for Sri Lanka work, Ho Chi Minh for Vietnam — not against server time. They also perform a boot catch-up, so a restart at 18:05 does not silently skip the 18:00 run.

Run slots & run logs

Scheduled reports claim an exclusive run slot before executing, so two instances cannot double-send, and every run is appended to a visible run log with its outcome.

OPERATING THE INTAKE

Mail inbox

A first-class screen, not a log. Every message the platform has fetched is listed with its processing state — processed, waiting, failed, ignored — and can be acted on individually. A P&L that arrived before its booking sits visibly in *waiting* and is retried automatically; nothing is lost in a queue nobody can see.

Multiple mailboxes

Distinct mailboxes for confirmations, invoices and P&L, each with its own routing.

Push + poll

A push watcher supplements polling on the accounts-payable mailbox for near-real-time delivery.

Manual processing

Any message can be processed on demand, independent of the scheduler.

Subscription renewal

Mail subscriptions are renewed automatically before expiry.

OneDrive & drive bookings

Each market has its own drive root — user drives for some, SharePoint sites for others. The platform tracks a delta token per drive so each poll examines only what changed, records every drive event with its processing status, and maintains a job record per booking folder.

Drive explorer

Browse booking folders and their files directly from the dashboard, with a folder picker for linking a booking to its folder.

Targeted scan

Scan one drive, one date, or one booking reference on demand — the manual counterpart to the unattended poll.

Event log

Every detected file event is recorded with its type and outcome, so an unprocessed file is diagnosable.

Query monitor

A separate hourly subsystem watches the file-handler mailboxes, classifies incoming queries, extracts their substance, summarises them and writes them into a shared sheet — with its own sender rules, its own deduplication, its own run history and its own token-usage accounting. It exists so the Booking Team's inbound query load is measurable rather than anecdotal.

10

The AI Layer

Document reading, category classification, agenda drafting, vision extraction — and an operations copilot with nineteen registered capabilities and a hard boundary around every one.

Extraction & classification

The capability registry

OPS_AI — the operations copilot

Guardrails & the cost ledger

READING DOCUMENTS NOBODY STANDARDISED

Six AI functions, each with one job.

Tour confirmations and P&L workbooks arrive in whatever shape the sender's template happens to be. Rather than maintaining a parser per agent, the platform reads them with language models — and constrains each call to a single, narrow, checkable job.

FUNCTION	MODEL CLASS	WHAT IT PRODUCES
Booking extraction	Frontier text	A confirmation document becomes structured booking JSON — header, passengers, flights, accommodations, itinerary items.
P&L extraction	Frontier text	A spreadsheet becomes typed P&L line items with rates in the right columns.
Category classification	Efficient text	Free-text activity names become one of ten P&L categories. Deliberately runs on the smaller, cheaper model — it is a labelling task, not a reading task.
Agenda generation	Frontier text	A day-by-day tour agenda drafted from the booking's own data, for ground staff to adjust.
Ticket detail extraction	Frontier vision	A photographed ticket yields its reference and driver details without re-typing.
Booking Q&A	Frontier text	Free-form questions about a booking answered from its record.

WHY EXTRACTION IS NEVER TRUSTED BLINDLY

Extraction produces a **draft**. A draft is not a booking anyone can act on — it must be confirmed by the Booking Team and then verified by Travel Experience before any operational step becomes available. The AI's output is therefore always subject to two human reviews before it can cost money.

Re-extraction is equally guarded: the autofill flow proposes each field change side by side with the current value and requires acceptance. Nothing already reviewed is silently overwritten.

DATES AND YEARS

Date handling in flight and accommodation extraction is anchored to the current year context rather than left to the model's assumption — the classic source of a booking landing twelve months out.

Additional AI surfaces

Voice	Realtime conversational model for outbound calls
Transcription	Speech-to-text for call transcripts, with a configured language
Query classification	Classifies and summarises inbound mailbox queries
Destination imagery	Generated destination visuals for guest-facing surfaces

Model selection is deliberate

Reading a document and labelling a string are different problems with different costs. The platform assigns the frontier model to the first and the efficient model to the second, rather than defaulting everything to the most expensive option.

THE OPERATIONS COPILOT

It does not answer. It proposes actions.

OPS_AI is an embedded copilot that understands this system specifically — its reference prefixes, its lifecycle, its service types, its day-numbering convention. Rather than explaining what a user should click, it proposes the concrete action and lets them confirm it with one click.




Figure 10.1 — The copilot request flow. Proposing an action is the permission request — which is why the assistant never needs to ask "shall I?" in prose.

Context-aware

On a booking page, "this booking", "here" and "it" all resolve to that booking — the current record is supplied to the assistant with every turn.

Day numbers, not arithmetic

"The third day" is expressed as a day number and resolved to a calendar date by the system, never calculated by the model.

One field per call

Multi-field edits emit multiple discrete proposals, so a user can accept some and reject others rather than facing one all-or-nothing card.

EXACTLY WHAT IT CAN DO

The nineteen registered capabilities

The registry is the *only* place a capability can be granted. The executor refuses any tool name that is not a registry key — so extending the copilot is a deliberate, reviewable change, never something the model can talk its way into.

CAPABILITY	KIND	REQUIRED PERMISSION
Search bookings	READ	Read booking
Read booking	READ	Read booking
Check quotation availability	READ	Read booking
Run read-only query	READ	Read booking
Open booking	NAV	Read booking
Go to page	NAV	—
Open movement chart	NAV	Read booking
Generate booking PDF	NAV	Read booking
Update booking field	WRITE	Edit booking · or override
Add agenda item	WRITE	Create or edit agenda
Edit agenda item	WRITE	Edit agenda
Update accommodation	WRITE	Edit booking
Assign driver	WRITE	Create or edit assignment
Add passenger	WRITE	Edit or create booking · or override
Add flight	WRITE	Edit or create booking · or override
Add accommodation	WRITE	Edit or create booking · or override
Create reminder	WRITE	Create reminder
Log contact	WRITE	Create contact log
Import from quotation feed	WRITE	Create booking

Deliberate omissions

Booking deletion, bulk delete, cancellation, status transitions, user and role management, and payment confirmation are **absent by design**. They are destructive or financially binding, and they stay behind the human interface. The registry documents this refusal explicitly so it is not quietly reversed later.

Writable fields are enumerated

The copilot may only write to an explicit allowlist of booking columns — agent, file handler, the identifier numbers, deal name, destination, dates, pax counts, quoted total, currency, terms, exclusions and policy notes. Anything else is rejected server-side, not merely discouraged in the prompt.

Permission checked twice

A capability declares the permissions it needs, the model is only offered capabilities the current user can use, and the executor re-checks on the server before running. A prompt cannot grant itself authority the session does not hold.

THE READ-ONLY SQL GATE

Seven hard stops on one capability.

The copilot can answer aggregate questions by running a query — which is exactly the capability that would be dangerous if it were merely *asked nicely* to behave. Every constraint below is a hard stop enforced in code, not an instruction in a prompt.

One statement	Exactly one — a chained second query is rejected outright.
Read-only opening	Must begin with a select or a common-table expression.
No comments	Comments are the classic way to smuggle a payload past a check, so they are refused entirely.
Keyword blocklist	A whole-word blocklist of every write, schema-change and side-effecting keyword — over forty of them.
Forced row limit	A limit is imposed on the query, and the result set is capped again after it returns.
Execution time bound	A database-level execution-time hint stops a runaway scan.
Audited use	Because country scoping cannot be enforced on free-form SQL, every use is written to the activity log.

Defence in depth, stated plainly

The gate does not assume any single check will hold. It assumes each one might be circumvented, and stacks seven so that circumventing all of them at once is not a realistic outcome of a cleverly worded prompt.

Why read-only, specifically

Free-form SQL cannot carry the country clause the rest of the platform applies automatically. Rather than pretend otherwise, the capability is confined to reading and its use is logged — an honest trade rather than a hidden one.

Signed actions

Proposed write actions are signed before being handed to the interface, so a confirmation card cannot be tampered with between proposal and execution.

SPEND VISIBILITY

The AI usage ledger

Every model call in the platform — extraction, classification, agenda drafting, vision, query summarisation, the copilot — writes a usage record with its token counts and computed cost. AI spend is therefore a reported number rather than a monthly surprise, and it is attributable to the function that incurred it.

Per function Which capability is consuming the budget.	Per model Frontier versus efficient model split.	Per period Trend over time, so a regression in prompt size is visible.	Token controls An admin screen governs the token-consuming automations directly.
--	--	--	--

The query-monitor subsystem keeps its own separate usage accounting and writes it to a shared sheet, because its cost belongs to the Booking Team's inbound query load rather than to the booking pipeline.

11

Communications

WhatsApp templates and session messages, transactional mail, the client portal, and the partner-facing surfaces — everything the platform says to someone outside it.

WhatsApp Cloud API

The message catalogue

Email & the client portal

Partner & guest surfaces

REACHING PEOPLE WHO NEVER OPEN EMAIL

Templates, because the window is usually closed.

WhatsApp only permits free-form messages inside a 24-hour window opened by the recipient. Drivers never message the office first, and guests rarely do — so the platform's outbound messaging is built on **approved templates**, with free-form session messages used only where a live conversation genuinely exists.

■ Template messages

Pre-approved message shapes with variable slots. These deliver regardless of the 24-hour window, which is why every proactive notification — driver assignment, portal link, cancellation — is a template rather than plain text.

■ Session messages

Free-form text and media, valid only inside the window. Used for the two-way mini-chat embedded on the booking page, where the guest has already written in.

PLATFORM CAPABILITIES

Window detection	The platform checks whether a number is inside its 24-hour window before choosing between a session message and a template.
Template management	Approved templates are listed from the provider, and new templates — including ones with image headers — can be created and submitted from within the platform.
Media	Documents and images are uploaded to the provider and sent as media messages, so a voucher or an agenda PDF can be delivered in-thread.
Shared inbox sync	Inbound conversations are synchronised into a shared inbox so replies are visible to the team, not trapped on one handset.
Booking resolution	An inbound number is matched back to its booking automatically, so a message arrives with context attached.
Fallback routing	Configured fallback numbers catch messages that cannot be delivered to the intended recipient.
Delivery records	Every message sent or received is stored, so "did we tell them?" is answerable from the booking page.
Bootstrap	Dedicated routines create the portal and driver template sets from scratch on a new account.

A hard rule: never send rates to drivers

Driver-facing messages are composed to exclude internal rate figures entirely. A driver receives their movement, their guest and their advance. The platform's cost basis is internal, and the message builders enforce that rather than relying on whoever writes the template.

EVERYTHING THE PLATFORM SAYS

The outbound message catalogue

Each message below is a purpose-built composer, not a generic notifier. They differ in what they include, what they deliberately omit, and when they fire.

MESSAGE	AUDIENCE	CONTENTS & TIMING
Driver movement	Driver	The specific movement — date, time, from and to, guest party. No rate.
Driver briefing	Driver	The fuller pre-tour briefing covering the whole assignment. No rate.
Driver cancellation	Driver	A movement that is no longer happening, sent as its own template so it cannot be missed in a thread.
Customer daily briefing	Guest	Today's movements, sent on a daily schedule on the market's timezone while the guest is on tour.
Portal welcome	Guest	The live trip link, sent a configured number of days after booking.
Portal reminder	Guest	A second nudge a configured number of days before arrival.
Feedback request	Guest	The token-addressed feedback form, sent after the tour completes.
Agenda mail	Agent / internal	The formatted agenda, mailed daily at the market's morning hour.
Operations mail	Internal	Readiness and exception reporting on a configured schedule.
Cancellation notice	Guest / agent	Sent on approval, carrying the itemised fee schedule that was approved.
Feedback summary	Internal	Collected feedback composed into a recurring report.
Call report	Internal	AI voice-call outcomes, composed server-side on a schedule.
Agent email	Agent	Booking documents and confirmations sent to the selling agency.
Import alerts	Internal	Quotation-feed failures raised as a banner and a notification, not a silent log entry.

Email infrastructure

Sending

Transactional mail is sent through the corporate mail platform's API using an application identity, so messages come from the real business mailbox rather than a third-party relay.

Receiving

Mail is read both through the same API and, as a fallback for one mailbox, over a direct push connection — so a single API outage does not stop intake.

Composition

Reports and confirmations are composed as HTML server-side, then converted to PDF where a document is required — one composition path, two output formats.

WHAT PEOPLE OUTSIDE THE COMPANY SEE

Five external surfaces.

The platform does not stop at the office door. Guests, agents, vendors, drivers and external file handlers each get a surface built for them — and none of them is a staff account with fewer buttons.

SURFACE	REACHED BY	WHAT IT OFFERS
Client portal	Role login or signed link	The live trip: day-by-day agenda, hotels, flights, driver contact and payment status. Opens when the booking reaches <i>Client Portal Live</i> and updates as the record changes. Carries a request-an-update channel that routes into the change-request queue, and a contact-driver action.
Trip view	Signed link	A lightweight public view of the trip for sharing, with no account required.
Feedback form	Signed link	The post-tour questionnaire, addressed per booking, writing a rated response back onto the file.
Vendor portal	Own credentials	Registration, login and a dashboard scoped to the vendor's own work.
File handler portal	Own credentials	Registration, login and a dashboard for external file handlers, backed by a dedicated public API described in Part 12.

REGISTRATION WITHOUT AN ACCOUNT

Drivers, guides, vendors and tour vendors all have public registration pages. A partner submits their own details, photo and bank information, and the record lands in the relevant directory for staff review — rather than a staff member re-typing a WhatsApp message into a form.

PRINT SURFACES

Dedicated printable views exist for the booking, the agenda, the bookings list, the movement control report, tickets and the Travel Experience sheets. They are reached directly, formatted for paper, and generated from live state.

Portal link lifecycle

- 1 Booking reaches Client Portal Live
- 2 Welcome template sent with the link
- 3 Reminder template before arrival
- 4 Daily briefing while on tour
- 5 Feedback request after completion

Send hours and lead times for each step are configuration, not code — set per market with its own timezone.

12

Integrations & Public APIs

Seven external systems, two published APIs, and the authentication that governs both.

The integration map

File Handler API

Quotation API

API authentication

WHAT THE PLATFORM TALKS TO

Seven systems in, two APIs out.




Figure 12.1 — The integration map. Six inbound systems, five outbound services, and two APIs the platform itself publishes for other applications to call.

PUBLISHED API — ONE

The Quotation API.

The group's quotation application is a separate system that cannot carry a browser session. It authenticates once with machine credentials, receives a short-lived signed token, and sends that token on every subsequent call. Integration clients live in configuration, never in the user table — so adding one leaves the live database untouched.

METHOD	ENDPOINT	PURPOSE
POST	/auth/login	Exchange machine credentials for a signed bearer token.
GET	/auth/verify	Validate a token and read back its scopes.
POST	/quotation/create	Create a quotation-backed booking in the operations platform.
POST	/quotation/update	Push an amendment through to the existing record.
POST	/quotation/cancel	Cancel a quotation-backed booking.
GET	/quotation/status	Read the current lifecycle state of a quotation.
POST	/quotation/sync	Reconcile the two systems' views of a quotation.

Scoped tokens

Each client is issued explicit scopes — create, update, cancel, read — and a wildcard for full access. A token that can read quotations cannot cancel one unless it was issued that scope.

Constant-time comparison

Credential and key comparison is constant-time, so a caller cannot learn a secret by measuring how long a rejection takes.

Why clients live in configuration

An integration client is not a person. Keeping machine accounts out of the user table means the permission matrix in Part 4 remains a statement about humans, and adding a partner integration never requires a schema migration on a live database.

PUBLISHED API — TWO

The File Handler API.

External file handlers work inside their own portal, but partner applications need the same capabilities programmatically. This API grants them — with every action attributed to a named handler, exactly as if they had clicked it in the portal themselves.

■ Handler token

The external application logs in with a real file handler's own credentials — the same ones they use in the portal. Every action is attributed to that person in the handler activity log.

■ Service client

A configured machine account with no record of its own. It must declare which handler it is acting for on each request, or fall back to a configured default. This is the mode for partner apps that have their own user accounts and should never store handler passwords.

METHOD	ENDPOINT	PURPOSE
POST	/auth/login · /auth/register	Obtain a token; register a new handler.
GET	/auth/me · /auth/verify	Identify the caller and validate the token.
GET	/bookings/search	Search bookings within the handler's scope.
GET	/bookings/{ref}	Read a full booking record.
POST	/bookings/import	Import a booking into the platform.
POST	/bookings/{ref}/cancel	Cancel a booking through the standard path.
CRUD	/bookings/{ref}/flights[{id}]	Manage flight records on a booking.
POST	/bookings/{ref}/flights/extract	Extract flight details from a supplied document.
CRUD	/bookings/{ref}/accommodations[{id}]	Manage accommodation records.
GET	/bookings/{ref}/pdf	Generate the booking document.
POST	/bookings/{ref}/pdf/email	Generate and mail the booking document.
GET	/activity	Read the handler's own activity log.

ADDITIONAL PUBLIC SURFACES

Beyond the two authenticated APIs, the platform exposes a set of purpose-built public endpoints: partner self-registration for drivers, guides, vendors and tour vendors; the guest feedback submission; the portal and trip views; destination imagery; photo upload; a view-only dashboard; partner settings; and event and alert feeds for the file-handler and Travel Experience subsystems. Each is scoped to exactly one job rather than exposing a general read surface.

13

Data, Security & Governance

Fifty-seven models around one aggregate root, an append-only audit trail, and the operational safety rules that protect a live production system.

The booking aggregate

Model inventory

Audit & traceability

Operational safety

THE SHAPE OF THE DATA

One root. Everything else hangs off it.

The booking is the aggregate root. Nothing operational, financial or communicative exists independently of it — which is why "show me everything about this trip" is one query rather than a reconciliation exercise.




Figure 13.1 — The booking aggregate. A ticket deliberately links to both its agenda item and its P&L line, which is what keeps the operational and financial views of the same purchase from ever drifting apart.

FIFTY-SEVEN MODELS

The complete schema, by subsystem

Booking core — 12

Booking · Passenger · EmergencyContact · Flight ·
Accommodation · ItineraryItem · TourAgenda ·
AgendaItem · Assignment · Ticket · BookingVersion ·
StatusEvent

Financial — 8

PNL · PNLLineItem · Payment · ExternalPnlLink ·
CreditAgent · CreditAgentPayment · DriverPayment ·
DriverLog

Partners & supply — 6

Driver · Vehicle · VehicleVendor · Guide · TourVendor ·
SriLankaDriverAllocation

Customer care — 5

ContactLog · Reminder · ChangeRequest ·
CustomerFeedback · GuestFeedbackForm

Voice-call subsystem — 10

Call jobs · call schedules · campaigns · feedback ·
reconfirmation · post-tour · important alerts ·
knowledge · quick call · service

Intake & automation — 6

MailMessage · OneDriveEvent · OneDriveDeltaToken ·
OneDriveBookingJob · WhatsAppMessage ·
SystemSetting

Query monitor — 5

Monitored mailboxes · sender rules · entries · matches
· runs

Identity & audit — 3

User · ActivityLog · AiUsageLog

File handler — 2

FileHandler · FileHandlerLog

ENUMERATED VOCABULARIES

The schema defines its own controlled vocabularies rather than storing free strings: user roles, operation countries, booking statuses, service types, ticket statuses, payment statuses, change-request statuses, passenger types, P&L categories, partner sources, driver payment types, credit payment statuses, mailbox kinds, mail message statuses, drive event types and statuses, feedback ratings and feedback purposes. A misspelled status is a database error, not a silently orphaned record.

TRACEABILITY

Four independent audit trails

TRAIL	RECORDS
Status events	Append-only. Every lifecycle transition with its actor, timestamp and note. This is the trail that answers "who moved this file, and why".
Activity log	General system activity, including every use of the copilot's read-only query capability.
Booking versions	A snapshot of the source document at every amendment, so the record can always be compared against exactly what was received.
Handler log	Every action taken by an external file handler, whether through the portal or the API, attributed to the named person.

OPERATIONAL SAFETY

Rules for a live production system

This platform holds real bookings for guests who are travelling. The engineering discipline around it is documented and enforced rather than assumed.

Destructive operations are forbidden

Database reset, force-push and unqualified deletes are prohibited outright on any environment holding real records. Schema changes go through versioned migrations, never an ad-hoc push.

Secrets

Integration clients, the critical-services password and all provider credentials live in server configuration, never in the database. Compromising the data does not compromise the integrations.

Environment separation

Development and production run against separate databases, and the difference is treated as a known hazard rather than an inconvenience.

Idempotency

Message processing, drive events, report runs and imports are all deduplicated or slot-claimed, so a retry is safe and a restart does not double-send.

Danger zone is explicit

Administrative operations capable of losing data are quarantined into clearly marked screens — a cleanup tool and a danger zone — reachable only by the highest roles and visually flagged as hazardous in the navigation itself.

Fail loudly

Import failures surface as banners and notifications; report runs record their outcome; unprocessed drive events remain visible. The system prefers a visible failure to a silent one.

Timeouts

External calls carry explicit timeouts so a slow upstream fails a single scheduled tick rather than hanging the process.

APPENDIX

Reference Tables

The API surface by domain, the reporting catalogue, the document outputs, and the complete administrative index.

API surface by domain

Reporting catalogue

Document outputs

Administrative index

WHERE THE CODE IS

285 endpoints, twelve domains.

The distribution below is a fair picture of where the platform's weight actually sits. Booking records dominate, as they should for a booking system — but the second-largest domain is everything the platform exposes *outward*, to partners and guests.

AUTHENTICATED API ENDPOINTS BY DOMAIN




Figure A.1 — Endpoint count by functional domain, summing to the platform's 285 routes. Every endpoint runs the same three checks described in Part 4.

90

APPLICATION SCREENS

Across the dashboard, portals, print views and country sub-apps

57

DATA MODELS

Booking core, financial, partners, care, voice, intake, audit

18

ENUMERATED VOCABULARIES

Controlled values enforced at the schema level

SCHEDULED REPORTING

The auto-report engine

Reports are configured, not coded. A schedule names its recipients, its market scope, its window and its send time; the engine ticks frequently, works out what is due, claims an exclusive run slot, composes the report server-side and mails it — then appends the outcome to a visible run log.

CONFIGURABLE	BEHAVIOUR
Recipients	A normalised address list per schedule, editable without a deployment.
Market scope	Vietnam, Sri Lanka, Singapore, Malaysia, the Singapore/Malaysia grouping, or unassigned.
Window	Which days the report covers — arrivals, departures, the day's operations.
Send time	Evaluated on each tick against the configured time rather than baked into a fixed cron expression.
Master switch	A single setting suspends all auto-reports without deleting any schedule.
Back-dated preview	A report can be previewed for a date that has already passed, to check it against a known day.
Run log	Every run is appended with its outcome; slot claiming prevents a duplicate send.

REPORT CONTENT

Operations day

The day's movements, arrivals and departures with readiness state and blocking reasons per booking.

Feedback summary

Collected guest feedback composed into a recurring digest.

Voice-call report

Call outcomes by campaign, composed on its own schedule.

DOCUMENTS

Generated outputs

OUTPUT	PRODUCED FROM
Booking document (PDF)	Live booking state — passengers, flights, hotels, agenda, drivers, notes.
Agenda (PDF)	The tour agenda, formatted for the guest and the agent.
Driver log (PDF)	The computed advance sheet for handover.
File handler booking (PDF)	The same record composed for the external handler surface, mailable via the API.
Confirmation (HTML)	Quotation-derived confirmation for sending on to the agent.
Word document	Document generation for formats that must be editable downstream.
Spreadsheet export	Movement control report and list exports.
Print views	Booking, agenda, bookings list, movement control report, tickets and Travel Experience sheets.

Two generation paths exist — a headless browser rendering composed HTML, and direct PDF composition — so heavyweight formatted documents and lightweight operational sheets each use the approach that suits them.

CONTROL SURFACES

The administrative screens

SCREEN	PURPOSE
Users	Provision accounts, assign roles and markets, activate and deactivate. Enforces the role-country guardrails from Part 4.
Settings	Runtime configuration — automation toggles, advance percentages, partner country enablement, token controls.
Schedules	Automation schedule management and visibility of what is due.
Auto reports	Report schedule configuration, master switch and run history.
Mail inbox	Every fetched message with its processing state; manual processing.
OneDrive	Drive sync status, targeted scans, delta state per drive.
Drive bookings	Booking-folder explorer and folder linking.
Query monitor	Monitored mailboxes, sender rules, entries, matches and run history.
File handlers	External handler accounts and their activity.
Audit log	System-wide activity trail.
Bookings cleanup	Marked hazardous — restricted, data-removing operations.
Danger zone	Marked hazardous — the highest-privilege destructive tooling.

Country sub-applications

Alongside the shared dashboard, dedicated route trees exist for market-specific tooling that has no equivalent elsewhere — most notably the Sri Lanka driver allocation board. An ultra-admin tooling area sits separately again, reachable only by the highest role.

In summary

A booking enters as a document or a feed record, is read by AI into structured data, is confirmed by one team and verified by another, is funded line by line by Accounts, becomes a movement chart with drivers and tickets, opens as a live portal for the guest, is messaged daily while it runs, passes two quality gates, collects feedback, and closes — with every one of those steps a permissioned transition that left a record behind. That is the whole system.



END OF DOCUMENT

The Complete Capability Reference

Apple Holidays Operations Platform · v1.0 · Main_v7 · Issued 11 August
2026 · Internal.

13
PARTS

60
PAGES

14
FIGURES

4
MARKETS