

Generated by Talend Cloud API Services Platform

| Projektname | Woho_Workspace | GENERATION DATE | 10.02.2023, 09:56:23 |
|-------------|----------------|-------------------------|---------------------------|
| AUTHOR | Holz, Wolfgang | Talend Cloud VERSION | 8.0.1.20230117_1223-patch |

Summary

Projektbeschreibung
Beschreibung
Preview Picture
Einstellungen
Context List
Komponenten Liste
Components Description

Projektbeschreibung


| Eigenschaften | Values |
|---------------|----------------|
| Name | Woho_Workspace |
| Sprache | java |

| Beschreibung |
|--------------|
|--------------|

Beschreibung

| Eigenschaften | Values |
|------------------|----------------------|
| Name | CDB2SAP_01 |
| Autor | Holz, Wolfgang |
| Version | 0.1 |
| Verwendungszweck | |
| Status | DEV |
| Beschreibung | |
| Anlegen | 08.02.2023, 16:46:48 |
| Änderung | 08.02.2023, 18:12:51 |

Preview Picture



Einstellungen

Extra settings

| Name | Wert |
|-------------------------|-------|
| COMP_DEFAULT_FILE_DIR | |
| Multi-Thread Ausführung | false |
| Implizites tContextLoad | false |

Status & Logs

| Name | Wert |
|-------------------------------------|-------|
| Verwende Statistiken (tStatCatcher) | false |
| Verwende Logs (tLogCatcher) | false |
| Use volumetrics (tFlowMeterCatcher) | false |

| Auf Konsole | false |
|--------------------------------|-------|
| In Datei | false |
| In Datenbank | false |
| Komponenten-Statistik erfassen | false |
| Runtime Fehler abfangen | true |
| Benutzer Fehler abfangen | true |
| Benutzerwarnungen abfangen | true |

Context List

ContextRED

| Name | Aufforderung | Need Prompt? | Тур | Wert | Quelle |
|---------------------|----------------------|-----------------|-------------|-------------|-----------|
| Sap_01_UserName | Sap_01_UserName? | false | id_String | CON_MIWA_01 | Context_S |
| Sap_01_SystemNumber | Sap_01_SystemNumber? | false | id_String | 00 | Context_S |
| Sap_01_Host | Sap_01_Host? | false | id_String | 10.252.9.1 | Context_S |
| Sap_01_Language | Sap_01_Language? | false | id_String | EN | Context_S |
| Sap_01_Password | Sap_01_Password? | false | id_Password | ***** | Context_S |
| Sap_01_Client | Sap_01_Client? | false | id_String | 100 | Context_S |

| CDB_Schema | CDB_Schema? | false | id_String | dbo | Context_C |
|----------------------|-----------------------|-------|-------------|--------------|-----------|
| CDB_Port | CDB_Port? | false | id_String | 1433 | Context_C |
| CDB_Login | CDB_Login? | false | id_String | CDBInterface | Context_C |
| CDB_Server | CDB_Server? | false | id_String | C00SCAS3 | Context_C |
| CDB_AdditionalParams | CDB_AdditionalParams? | false | id_String | | Context_C |
| CDB_Database | CDB_Database? | false | id_String | | Context_C |
| CDB_Password | CDB_Password? | false | id_Password | ****** | Context_C |

ContextREP

| Name | Aufforderung | Need Prompt? | Тур | Wert | Quelle |
|---------------------|----------------------|-----------------|-------------|-------------|-----------|
| Sap_01_UserName | Sap_01_UserName? | false | id_String | CON_MIWA_01 | Context_S |
| Sap_01_SystemNumber | Sap_01_SystemNumber? | false | id_String | 00 | Context_S |
| Sap_01_Host | Sap_01_Host? | false | id_String | 10.252.9.1 | Context_S |
| Sap_01_Language | Sap_01_Language? | false | id_String | EN | Context_S |
| Sap_01_Password | Sap_01_Password? | false | id_Password | ***** | Context_S |
| Sap_01_Client | Sap_01_Client? | false | id_String | 100 | Context_S |
| CDB_Schema | CDB_Schema? | false | id_String | dbo | Context_C |

| CDB_Port | CDB_Port? | false | id_String | 1433 | Context_C |
|----------------------|-----------------------|-------|-------------|--------------|-----------|
| CDB_Login | CDB_Login? | false | id_String | CDBInterface | Context_C |
| CDB_Server | CDB_Server? | false | id_String | R00SSQLCLU1 | Context_C |
| CDB_AdditionalParams | CDB_AdditionalParams? | false | id_String | | Context_C |
| CDB_Database | CDB_Database? | false | id_String | | Context_C |
| CDB_Password | CDB_Password? | false | id_Password | ******* | Context_C |

ContextREQ

| Name | Aufforderung | Need Prompt? | Тур | Wert | Quelle |
|---------------------|----------------------|-----------------|-------------|-------------|-----------|
| Sap_01_UserName | Sap_01_UserName? | false | id_String | CON_MIWA_01 | Context_S |
| Sap_01_SystemNumber | Sap_01_SystemNumber? | false | id_String | 00 | Context_S |
| Sap_01_Host | Sap_01_Host? | false | id_String | 10.252.9.1 | Context_S |
| Sap_01_Language | Sap_01_Language? | false | id_String | EN | Context_S |
| Sap_01_Password | Sap_01_Password? | false | id_Password | ***** | Context_S |
| Sap_01_Client | Sap_01_Client? | false | id_String | 100 | Context_S |
| CDB_Schema | CDB_Schema? | false | id_String | dbo | Context_C |
| CDB_Port | CDB_Port? | false | id_String | 1433 | Context_C |

| CDB_Login | CDB_Login? | false | id_String | CDBInterface | Context_C |
|----------------------|-----------------------|-------|-------------|--------------|-----------|
| CDB_Server | CDB_Server? | false | id_String | C00SCAS3 | Context_C |
| CDB_AdditionalParams | CDB_AdditionalParams? | false | id_String | | Context_C |
| CDB_Database | CDB_Database? | false | id_String | | Context_C |
| CDB_Password | CDB_Password? | false | id_Password | ****** | Context_C |

Komponenten Liste

| Komponentenname | Component Type |
|------------------|------------------|
| tDBConnection_1 | tMSSqlConnection |
| tDBInput_1 | tMSSqlInput |
| tHMap_1 | tHMap |
| tSAPIDocOutput_1 | tSAPIDocOutput |
| tXMLMap_1 | tXMLMap |

Components Description

Komponente tMSSqlConnection

| Eindeutiger Name | tDBConnection_1 | INPUT(S) | none |
|---------------------|-----------------|----------|------|
| | | | |

| Beschriftung | tDBC_01 | OUTPUT(S) | tDBInput_1 |
|--------------|---------|-----------|------------|
| | | | |

Component Parameters:

| Component Parameters: | | | |
|---------------------------------|--|--|--|
| Eigenschaften | Values | | |
| Database | tMSSqlConnection | | |
| Eindeutiger Name | tDBConnection_1 | | |
| Komponentenname | tMSSqlConnection | | |
| Version | 0.102 (ALPHA) | | |
| Familie | Databases/DB Specifics/MS_SQL_Server ELT/Connections | | |
| Start | true | | |
| Ausführbar | true | | |
| SUBTREE_START | true | | |
| END_OF_FLOW | true | | |
| Aktivieren | true | | |
| DUMMY | false | | |
| tStatCatcher Statistik | false | | |
| Hilfe | org.talend.help.tMSSqlConnection | | |
| Update components | true | | |
| IREPORT_PATH | | | |
| JAVA_LIBRARY_PATH | C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java | | |
| Subjob Farbe: | | | |
| Überschriftsfarbe | | | |
| Parallele Ausführung aktivieren | false | | |

| Anzahl an parallelen Ausführungen | 2 |
|---|------------------------------|
| PARALLELIZE_KEEP_EMPTY | false |
| Eigenschaftstyp | Built-In |
| JDBC Provider | MSSQL_PROP |
| Host | context.CDB_Server |
| Datenbanktreiber | MSSQL |
| Port | context.CDB_Port |
| Schema | context.CDB_Schema |
| Database | context.CDB_Database |
| Benutzername | context.CDB_Login |
| Passwort | context.CDB_Password |
| Encoding | "ISO-8859-15" |
| Zusätzliche JDBC Parameter | context.CDB_AdditionalParams |
| Verwende oder melde eine geteilte DB Verbindung an | false |
| Gemeinsam verwendeter DB Verbindungsname | |
| Specify a data source alias | false |
| Data source alias | n.n |
| Authenticate using Azure Active Directory | false |
| Autocommit | false |
| Share identity insert in multi table | false |
| Bezeichnungsformat | tDBC_01 |

| Hinweisformat | UNIQUE_NAME COMMENT |
|---------------------------------|---|
| Verbindungsformat | row |
| Informationen anzeigen | true |
| Kommentar | establishes a connection to the MS SQL Server, connection paramaters are handled by context group (RED> database development system, REQ> database quality system, REP> database productiv system), standart context is RED if is no connection to the source database possible, job stop after this step |
| Use an existing validation rule | false |
| Validation Rule Type | |

Original Function Parameters: Komponente tMSSqlInput

| Eindeutiger Name | tDBInput_1 | INPUT(S) | tDBConnection_1 |
|---------------------|------------|-----------|-----------------|
| Beschriftung | tMSSQL_01 | OUTPUT(S) | tXMLMap_1 |

Component Parameters:

| oumponding a aramotoror | |
|-------------------------|--------------------------------------|
| Eigenschaften | Values |
| Database | tMSSqlInput |
| Eindeutiger Name | tDBInput_1 |
| Komponentenname | tMSSqlInput |
| Version | 0.102 (ALPHA) |
| Familie | Databases/DB Specifics/MS_SQL_Server |
| Start | false |
| Ausführbar | true |
| SUBTREE_START | true |

| END_OF_FLOW | false |
|---|--|
| Aktivieren | true |
| DUMMY | false |
| tStatCatcher Statistik | false |
| Hilfe | org.talend.help.tMSSqlInput |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java |
| Subjob Farbe: | |
| Überschriftsfarbe | |
| Parallele Ausführung aktivieren | false |
| Anzahl an parallelen Ausführungen | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| eine bestehende Verbindung verwenden | true |
| Komponenten Liste | tDBConnection_1 |
| Eigenschaftstyp | Built-In |
| Host | "C00SCAS3" |
| JDBC Provider | MSSQL_PROP |
| Datenbanktreiber | MSSQL |
| Port | "1433" |
| Schema | "dbo" |
| Database | "" |

| Benutzername | "CDBInterface" | |
|-----------------------------|--|--|
| Passwort | ******* | |
| REPOSITORY_ALLOW_AUTO_ | _SWHTEH | |
| Schema | repository: GENERIC:CDB_INP_01 - metadata | |
| Tabellenname | "metadata" | |
| Abfragetyp | Built-In | |
| Errate Schema | *** | |
| Abfrage | "SELECT part_v.ron_design, part_v.ron_dim_width_str, part_v.ron_dim_diameter_str, part_v.ron_hc_count, part_v.ron_dim_offset_str, part_v.ron_hc_diameter_str, part_v.ron_hc_count, part_v.ron_dim_offset_str, part_v.ron_hc_diameter, part_v.ron_customer, cdbpcs_project.ron_hersteller AS ron_map_marke_2_part, part_v.ron_variante, part_v.ron_befestigung, part_v.ron_hub_cap, part_v.ron_radlast_str, part_v.ron_steigerbohrer, part_v.cdb_t_project_id, part_v.ron_package, part_v.ron_strace_cond, part_v.ron_oberfl_schutz, part_v.ron_marking, part_v.ron_matchen, part_v.ron_buchsen, part_v.ron_ispremium, part_v.ron_herstellungsart, part_v.ron_logpart_to_tnr, part_v.ron_print_rim_bed, part_v.ron_sticker, part_v.ron_style_dep_apps, ron_pps_contractdata_v.ron_t_werk_kunde AS ron_mapped_t_werk_kunde, part_v.ron_ece_no, ron_pps_contractdata_v.ron_t_werk_ist AS ron_mapped_t_werk_ist, part_v.ron_colour_id_str, ron_pps_klarlack_v.description AS ron_mapped_klarlack_art, ron_pps_grundierung_v.description AS ron_mapped_grundierung, ron_pps_hornologation_v.release_type AS ron_pps_release_type, part_v.cdb_status_tx, part_v.STATUS, part_v.ron_wheelclass, part_v.ron_edb_sap_materialtype, part_v.t_kategorie, part_v.ron_idx, part_v.cdb_mdate, angestellter.name AS mapped_mpersno_name, part_v.ron_phased_out, part_v.ron_cust_no1, part_v.ron_cust_no2, part_v.benennung, part_v.techdaten, part_v.ron_wheelclass7, part_v.ron_pto_category, cdb_org.ron_product_class AS ron_mapped_prod_class, part_v.teilenummer, part_v.ron_mengenbasis, cdb_units.ron_xpps_id_AS ron_mapped_mat_grp, part_v.ron_wheelclass7, part_v.ron_pho, part_v.ron_prod_category, cdb_org.ron_product_class AS ron_mapped_prod_class, part_v.teilenummer, part_v.werkstoff_nr, part_v.ron_xpps_contractdata_v.dob_object_id_left_TJOIN ron_pps_klarlack_v.ON part_v.cdb_object_id_eron_pps_contractdata_v.dob_object_id_left_TJOIN ron_pps_klarlack_v.ON part_v.cdb_object_id_eron_pps_homologation_v.ON part_v.teilenummer is ron_pps_homologation_v.teilenummer LEFT_JOIN woerter.ON part_v.teilenummer is ron_ | |
| Specify a data source alias | false | |
| Data source alias | "" | |

| Mapping | id_MSSQL |
|--|---------------|
| Zusätzliche JDBC Parameter | пп |
| Authenticate using Azure Active Directory | false |
| Encoding | "ISO-8859-15" |
| Trimme alle Zeichenketten/Zeichen-Spalten | true |

| Trimmt Spalte | (SCHEMA_COLUMN=ron_dim_width_str, TRIM=false), (SCHEMA_COLUMN=ron_dim_width_str, TRIM=false), (SCHEMA_COLUMN=ron_dim_diameter_str, TRIM=false), (SCHEMA_COLUMN=ron_hc_diameter_str, TRIM=false), (SCHEMA_COLUMN=ron_hc_count, TRIM=false), (SCHEMA_COLUMN=ron_hc_count, TRIM=false), (SCHEMA_COLUMN=ron_hc_count, TRIM=false), (SCHEMA_COLUMN=ron_bc_dim_offset_str, TRIM=false), (SCHEMA_COLUMN=ron_bc_dim_arrixe_part, TRIM=false), (SCHEMA_COLUMN=ron_bdiameter, TRIM=false), (SCHEMA_COLUMN=ron_bdiameter, TRIM=false), (SCHEMA_COLUMN=ron_bdiestigung, TRIM=false), (SCHEMA_COLUMN=ron_bdiestigung, TRIM=false), (SCHEMA_COLUMN=ron_bdiestigung, TRIM=false), (SCHEMA_COLUMN=ron_radiast_str, TRIM=false), (SCHEMA_COLUMN=ron_radiast_str, TRIM=false), (SCHEMA_COLUMN=ron_package, TRIM=false), (SCHEMA_COLUMN=ron_surface_cond, TRIM=false), (SCHEMA_COLUMN=ron_surface_cond, TRIM=false), (SCHEMA_COLUMN=ron_surface_cond, TRIM=false), (SCHEMA_COLUMN=ron_surface_cond, TRIM=false), (SCHEMA_COLUMN=ron_surface_cond, TRIM=false), (SCHEMA_COLUMN=ron_surface, TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_bed_TRIM=false), (SCHEMA_COLUMN=ron_print_rim_trim_false), (SCHEMA_COLUMN=ron_print_rim_trim_false), (SCHEMA_COLUMN=ron_pr |
|--------------------|--|
| | {SCHEMA_COLUMN=ron_mapped_prod_class, TRIM=false}, {SCHEMA_COLUMN=teilenummer, TRIM=false}, |
| Set Query Timeout | false |
| Timeout (seconds) | 30 |
| Bezeichnungsformat | tMSSQL_01 |

| Hinweisformat | UNIQUE_NAME COMMENT |
|---------------------------------|-------------------------------|
| Verbindungsformat | row |
| Informationen anzeigen | true |
| Kommentar | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata:

| ochema for metadata. | | | | | | |
|----------------------|---------------|--------|-------|-------------|------------------|-----------|
| Spalte | Schlüsselwert | Тур | Länge | Genauigkeit | Null zulässig | Kommentar |
| ron_design | false | String | 20 | | true | |
| ron_dim_width_str | false | String | 4000 | | true | |
| ron_dim_diameter_str | false | String | 4000 | | true | |
| ron_hc_diameter_str | false | String | 4000 | | true | |
| ron_hc_count | false | String | 19 | | true | |
| ron_dim_offset_str | false | String | 4000 | | true | |
| ron_hubdiameter | false | String | 15 | | true | |
| ron_customer | false | String | 40 | | true | |
| ron_map_marke_2_part | false | String | 20 | | true | |
| ron_variante | false | String | 20 | | true | |

| ron_befestigung | false | String | 20 | true |
|---------------------|-------|--------|------|------|
| ron_hub_cap | false | String | 20 | true |
| ron_radlast_str | false | String | 4000 | true |
| ron_steigerbohrer | false | String | 15 | true |
| cdb_t_project_id | false | String | 20 | true |
| ron_package | false | String | 20 | true |
| ron_surface_cond | false | String | 50 | true |
| ron_oberfl_schutz | false | String | 20 | true |
| ron_marking | false | String | 40 | true |
| ron_matchen | false | String | 5 | true |
| ron_buchsen | false | String | 5 | true |
| ron_ispremium | false | String | 19 | true |
| ron_herstellungsart | false | String | 20 | true |
| ron_logpart_to_tnr | false | String | 20 | true |
| ron_print_rim_bed | false | String | 20 | true |
| ron_sticker | false | String | 5 | true |
| ron_style_dep_apps | false | String | 5 | true |

| ron_mapped_t_werk_kunde | false | String | 20 | | true |
|----------------------------|-------|--------|------|---|-------|
| ron_ece_no | false | String | 20 | | true |
| ron_mapped_t_werk_ist | false | String | 20 | | true |
| ron_colour_id_str | false | String | 4000 | | true |
| ron_mapped_klarlack_art | false | String | 271 | | true |
| ron_mapped_grundierung | false | String | 271 | | true |
| ron_pps_release_type | false | String | 30 | | true |
| cdb_status_txt | false | String | 64 | | true |
| status | false | String | 19 | | true |
| ron_wheelno | false | String | 15 | | true |
| ron_undercut | false | String | 20 | | true |
| ron_mapped_proj_wheelclass | false | String | 10 | | true |
| ron_cdb_sap_materialtype | false | String | 3 | | false |
| t_kategorie | false | String | 20 | | true |
| ron_idx | false | String | 10 | | true |
| cdb_mdate | false | String | 23 | 3 | true |
| mapped_mpersno_name | false | String | 64 | | true |

| ron_phased_out | false | String | 1 | true | |
|-------------------------|-------|--------|----|-------|--|
| ron_cust_no1 | false | String | 40 | true | |
| ron_cust_no2 | false | String | 26 | true | |
| benennung | false | String | 40 | true | |
| techdaten | false | String | 80 | true | |
| ron_weight | false | String | 15 | true | |
| ron_mapped_mat_grp | false | String | 5 | true | |
| ron_mengenbasis | false | String | 1 | true | |
| ron_mapped_xxps_unit_id | false | String | 1 | true | |
| ron_wheelclass7 | false | String | 10 | true | |
| ron_plno | false | String | 10 | true | |
| ron_prod_category | false | String | 40 | true | |
| ron_mapped_prod_class | false | String | 5 | true | |
| teilenummer | false | String | 20 | false | |
| werkstoff_nr | false | String | 40 | true | |
| ron_xpps_znum | false | String | 20 | true | |

Original Function Parameters: Komponente tSAPIDocOutput

| | Eindeutiger Name | tSAPIDocOutput_1 | INPUT(S) | tHMap_1 | |
|--|---------------------|------------------|-----------|---------|--|
| | Beschriftung | tSDO_01 | OUTPUT(S) | none | |

Component Parameters:

| Component Parameters: | Component Parameters: | | | | | |
|---------------------------------|--|--|--|--|--|--|
| Eigenschaften | Values | | | | | |
| Eindeutiger Name | tSAPIDocOutput_1 | | | | | |
| Komponentenname | tSAPIDocOutput | | | | | |
| Version | 0.101 (ALPHA) | | | | | |
| Familie | Business/SAP | | | | | |
| Start | false | | | | | |
| Ausführbar | true | | | | | |
| SUBTREE_START | false | | | | | |
| END_OF_FLOW | true | | | | | |
| Aktivieren | true | | | | | |
| DUMMY | false | | | | | |
| tStatCatcher Statistik | false | | | | | |
| Hilfe | org.talend.help.tSAPIDocOutput | | | | | |
| Update components | true | | | | | |
| IREPORT_PATH | | | | | | |
| JAVA_LIBRARY_PATH | C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java | | | | | |
| Subjob Farbe: | | | | | | |
| Überschriftsfarbe | | | | | | |
| Parallele Ausführung aktivieren | false | | | | | |

| Anzahl an parallelen Ausführungen | 2 | | | |
|-----------------------------------|-------------------------------|--|--|--|
| PARALLELIZE_KEEP_EMPTY | false | | | |
| Eigenschaftstyp | Built-In | | | |
| Use an existing connection | false | | | |
| Verbindungskonfiguration | | | | |
| Client | context.Sap_01_Client | | | |
| Benutzerld | context.Sap_01_UserName | | | |
| Passwort | context.Sap_01_Password | | | |
| Sprache | context.Sap_01_Language | | | |
| Host name | context.Sap_01_Host | | | |
| Systemnummer | context.Sap_01_SystemNumber | | | |
| REPOSITORY_ALLOW_AUTO_SV | инен Интен | | | |
| Schema | Built-In | | | |
| IDoc column | newColumn | | | |
| From XML file | false | | | |
| XML-IDoc file | пп | | | |
| Abbrechen bei Fehler | false | | | |
| SAP Properties | 0 | | | |
| Bezeichnungsformat | tSDO_01 | | | |
| Hinweisformat | UNIQUE_NAME COMMENT | | | |
| Verbindungsformat | row | | | |
| Informationen anzeigen | false | | | |

| Kommentar | |
|---------------------------------|-------|
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tSAPIDocOutput_1 :

| oonoma ror | 10/11 150000 | <u> </u> | | | | |
|-----------------------|---------------|----------|-------|-------------|---------------|-----------|
| Spalte | Schlüsselwert | Тур | Länge | Genauigkeit | Null zulässig | Kommentar |
| newColumn | false | Object | | | true | |

Original Function Parameters: Komponente tHMap

| Eindeutiger Name | tHMap_1 | INPUT(S) | tXMLMap_1 |
|---------------------|---------|-----------|------------------|
| Beschriftung | tHM_01 | OUTPUT(S) | tSAPIDocOutput_1 |

| tStatCatcher Statistik | false |
|--|---------------------------|
| To create a new map based on the input and output of tHMap, use Open Map Editor below. To use an existing map, select the Map Path below and then use Open Map Editor. | |
| Open Map Editor | |
| Synchronize map with schema connections | false |
| Map Path | "Jobs/CDB2SAP_02/tHMap_1" |

| Single column | true |
|--|---------|
| String (single column) | true |
| Byte array (single column) | false |
| InputStream (single column) | false |
| Map Variable | пп |
| Alternate contextual Map(s) | п п |
| Map each row (disable virtual component) | false |
| Emit empty payload | true |
| Exception Threshold | 64 |
| Informationen anzeigen | true |
| Kommentar | Mapping |
| Use an existing validation rule | false |

Komponente tXMLMap

| - XX | Eindeutiger Name | tXMLMap_1 | INPUT(S) | tDBInput_1 |
|------|---------------------|-----------|-----------|------------|
| | Beschriftung | tXMLM_01 | OUTPUT(S) | tHMap_1 |

Component Parameters:

| Properties | Values | |
|---------------------------------|--------|--|
| tStatCatcher Statistik | false | |
| Keep order for document | false | |
| Informationen anzeigen | false | |
| Kommentar | | |
| Use an existing validation rule | false | |

Mapper table for tXMLMap_1 (input):

Mapper table Properties(tMSSQL_01TtXMLM_01):

| | 5(tinooqe_011t/timein_01). |
|-------------------|------------------------------|
| Properties | Values |
| Name | tMSSQL_01TtXMLM_01 |
| Matching-mode | ALL_ROWS |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(tMSSQL_01TtXMLM_01):

| Name | Туре | Expression | isNullable |
|------|------|------------|------------|
| | | | |

| tMSSQL_01TtXMLM ron_design | String | true |
|--|-----------------------|------|
| tMSSQL_01TtXMLM ron_dim_width_str | 01/ String | true |
| tMSSQL_01TtXMLM ron_dim_diameter_s | 01/ String tr | true |
| tMSSQL_01TtXMLM ron_hc_diameter_str | 01/ String | true |
| tMSSQL_01TtXMLM ron_hc_count | 01/ String | true |
| tMSSQL_01TtXMLM ron_dim_offset_str | 01/ String | true |
| tMSSQL_01TtXMLM ron_hubdiameter | 01/ String | true |
| tMSSQL_01TtXMLM ron_customer | 01/ String | true |
| tMSSQL_01TtXMLM ron_map_marke_2_p | 01/ String part | true |
| tMSSQL_01TtXMLM ron_variante | 01/ String | true |
| tMSSQL_01TtXMLM ron_befestigung | 01/ String | true |
| tMSSQL_01TtXMLM ron_hub_cap | 01/ String | true |
| tMSSQL_01TtXMLM ron_radlast_str | 01/ String | true |

| tMSSQL_01TtXMLM ron_steigerbohrer | String | true |
|--|---------------|------|
| tMSSQL_01TtXMLM cdb_t_project_id | 01/ String | true |
| tMSSQL_01TtXMLM ron_package | 01/ String | true |
| tMSSQL_01TtXMLM ron_surface_cond | 01/ String | true |
| tMSSQL_01TtXMLM ron_oberfl_schutz | 01/ String | true |
| tMSSQL_01TtXMLM ron_marking | 01/ String | true |
| tMSSQL_01TtXMLM ron_matchen | 01/ String | true |
| tMSSQL_01TtXMLM ron_buchsen | 01/ String | true |
| tMSSQL_01TtXMLM ron_ispremium | 01/ String | true |
| tMSSQL_01TtXMLM ron_herstellungsart | 01/ String | true |
| tMSSQL_01TtXMLM ron_logpart_to_tnr | 01/ String | true |
| tMSSQL_01TtXMLM ron_print_rim_bed | 01/ String | true |
| tMSSQL_01TtXMLM ron_sticker | 01/ String | true |

| tMSSQL_01TtXMLM ron_style_dep_apps | String | true |
|--|-----------------------------|------|
| tMSSQL_01TtXMLM ron_mapped_t_werk | 01/ String kunde | true |
| tMSSQL_01TtXMLM ron_ece_no | 01/ String | true |
| tMSSQL_01TtXMLM ron_mapped_t_werk | 01/ String Ist | true |
| tMSSQL_01TtXMLM ron_colour_id_str | 01/ String | true |
| tMSSQL_01TtXMLM ron_mapped_klarlacl | 01/ String k_art | true |
| tMSSQL_01TtXMLM ron_mapped_grundie | 01/ String Frung | true |
| tMSSQL_01TtXMLM ron_pps_release_typ | String | true |
| tMSSQL_01TtXMLM cdb_status_txt | 01/ String | true |
| tMSSQL_01TtXMLM status | 01/ String | true |
| tMSSQL_01TtXMLM ron_wheelno | 01/ String | true |
| tMSSQL_01TtXMLM ron_undercut | 01/ String | true |
| tMSSQL_01TtXMLM ron_mapped_proj_w | .01/ String neelclass | true |

| tMSSQL_01TtXMLM ron_cdb_sap_materi | 01/ String altype | false |
|---------------------------------------|-------------------------|-------|
| tMSSQL_01TtXMLM t_kategorie | 01/ String | true |
| tMSSQL_01TtXMLM ron_idx | String | true |
| tMSSQL_01TtXMLM cdb_mdate | 01/ String | true |
| tMSSQL_01TtXMLM mapped_mpersno_n | 01/ String ame | true |
| tMSSQL_01TtXMLM ron_phased_out | String | true |
| tMSSQL_01TtXMLM ron_cust_no1 | 01/ String | true |
| tMSSQL_01TtXMLM ron_cust_no2 | String | true |
| tMSSQL_01TtXMLM benennung | 01/ String | true |
| tMSSQL_01TtXMLM techdaten | String | true |
| tMSSQL_01TtXMLM ron_weight | String | true |
| tMSSQL_01TtXMLM ron_mapped_mat_gr | 01/ String p | true |
| tMSSQL_01TtXMLM ron_mengenbasis | 01/ String | true |

| tMSSQL_01TtXMLM ron_mapped_xxps_u | 01/ String Init_id | true |
|--------------------------------------|--------------------------|-------|
| tMSSQL_01TtXMLM ron_wheelclass7 | 01/ String | true |
| tMSSQL_01TtXMLM ron_plno | 01/ String | true |
| tMSSQL_01TtXMLM ron_prod_category | 01/ String | true |
| tMSSQL_01TtXMLM ron_mapped_prod_c | 01/ String lass | true |
| tMSSQL_01TtXMLM teilenummer | 01/ String | false |
| tMSSQL_01TtXMLM werkstoff_nr | 01/ String | true |
| tMSSQL_01TtXMLM ron_xpps_znum | 01/ String | true |

Mapper table for tXMLMap_1 (output):
Mapper table Properties(tXMLM_01TtHM_01):

| Properties | Values |
|-------------------|-----------------|
| Name | tXMLM_01TtHM_01 |
| Matching-mode | |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(tXMLM_01TtHM_01):

| Metadata Table Entres (txMEM_011tHM_01). | | | | | |
|---|---------------------|-----------------|---------------------------|--|--|
| Name | Туре | Expression | isNullable | | |
| tXMLM_01TtHM_01/ payload | Document | | true | | |
| tXMLM_01TtHM_01. root | payload:/ String | | true | | |
| tXMLM_01TtHM_01. root/ ron_design | payload:/ String | tMSSQL_01TtXMLM | tr @re .ron_design | | |
| tXMLM_01TtHM_01. root/ ron_dim_width_str | , - | tMSSQL_01TtXMLM | tr@re.ron_dim_width_str | | |
| tXMLM_01TtHM_01. root/ ron_dim_diameter_s | String | tMSSQL_01TtXMLM | tr@re.ron_dim_diameter_st | | |

| tXMLM_01TtHM_01. root/ ron_hc_diameter_str | String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_hc_diameter_str |
|--|---------------------|---|
| tXMLM_01TtHM_01. root/ ron_hc_count | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_hc_count |
| tXMLM_01TtHM_01. root/ ron_dim_offset_str | payload:/ String | tMSSQL_01TtXMLM <u>tr0re.ron_dim_offset_</u> str |
| tXMLM_01TtHM_01. root/ ron_hubdiameter | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_hubdiameter |
| tXMLM_01TtHM_01. root/ ron_customer | payload:/ String | tMSSQL_01TtXMLM <u>tr@</u> te.ron_customer |
| tXMLM_01TtHM_01. root/ ron_map_marke_2_ _l | String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_map_marke_2_part |
| tXMLM_01TtHM_01. root/ ron_variante | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_variante |
| tXMLM_01TtHM_01. root/ ron_befestigung | payload:/ String | tMSSQL_01TtXMLM <u>tr@</u> te.ron_befestigung |
| tXMLM_01TtHM_01. root/ ron_hub_cap | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_hub_cap |
| tXMLM_01TtHM_01. root/ ron_radlast_str | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_radlast_str |
| tXMLM_01TtHM_01. root/ ron_steigerbohrer | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_steigerbohrer |

| tXMLM_01TtHM_01. root/ cdb_t_project_id | payload:/ String | tMSSQL_01TtXMLMtr@re.cdb_t_project_id |
|--|---------------------|---|
| tXMLM_01TtHM_01. root/ ron_package | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_package |
| tXMLM_01TtHM_01. root/ ron_surface_cond | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_surface_cond |
| tXMLM_01TtHM_01. root/ ron_oberfl_schutz | payload:/ String | tMSSQL_01TtXMLMtr@re.ron_oberfl_schutz |
| tXMLM_01TtHM_01. root/ ron_marking | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_marking |
| tXMLM_01TtHM_01. root/ ron_matchen | payload:/ String | tMSSQL_01TtXMLMtr@fe.ron_matchen |
| tXMLM_01TtHM_01. root/ ron_buchsen | payload:/ String | tMSSQL_01TtXMLMtr@ne.ron_buchsen |
| tXMLM_01TtHM_01. root/ ron_ispremium | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_ispremium |
| tXMLM_01TtHM_01. root/ ron_herstellungsart | payload:/ String | tMSSQL_01TtXMLM <u>tr</u> @re.ron_herstellungsart |
| tXMLM_01TtHM_01. root/ ron_logpart_to_tnr | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_logpart_to_tnr |
| tXMLM_01TtHM_01. root/ ron_print_rim_bed | payload:/ String | tMSSQL_01TtXMLMtr@te.ron_print_rim_bed |

| tXMLM_01TtHM_01.payload:/ root/ ron_sticker | tMSSQL_01TtXMLM <u>tr0rte.ron_sticker</u> |
|--|---|
| tXMLM_01TtHM_01.payload:/ root/ String ron_style_dep_apps | tMSSQL_01TtXMLM <u>trûrte</u> .ron_style_dep_apps |
| tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_t_werk_kunde | tMSSQL_01TtXMLM <u>trûrte</u> .ron_mapped_t_werk_kunde |
| tXMLM_01TtHM_01.payload:/ root/ ron_ece_no | tMSSQL_01TtXMLM <u>trûrte.ron_ece_no</u> |
| tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_t_werk_ist | tMSSQL_01TtXMLM <u>tr0re.</u> ron_mapped_t_werk_ist |
| tXMLM_01TtHM_01.payload:/ root/ String ron_colour_id_str | tMSSQL_01TtXMLM <u>tr@fe.ron_colour_id_str</u> |
| tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_klarlack_art | tMSSQL_01TtXMLM <u>trûrte</u> .ron_mapped_klarlack_art |
| tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_grundierung | tMSSQL_01TtXMLM <u>trûte.ron_mapped_grundierung</u> |
| tXMLM_01TtHM_01.payload:/ root/ String ron_pps_release_type | tMSSQL_01TtXMLM <u>trû/te</u> .ron_pps_release_type |
| tXMLM_01TtHM_01.payload:/ root/ cdb_status_txt | tMSSQL_01TtXMLM <u>trûrte.cdb_status_txt</u> |
| tXMLM_01TtHM_01.payload:/ root/ status | tMSSQL_01TtXMLM <u>tr</u> @re.status |

| tXMLM_01TtHM_01. root/ ron_wheelno | payload:/ String | tMSSQL_01TtXMLM | tr @ re.ron_wheelno | |
|---|---------------------|-----------------|-------------------------------|---------------|
| tXMLM_01TtHM_01. root/ ron_undercut | payload:/ String | tMSSQL_01TtXMLM | tr@e.ron_undercut | |
| tXMLM_01TtHM_01. root/ ron_mapped_proj_w | String | tMSSQL_01TtXMLM | tr ure .ron_mapped_pro | oj_wheelclass |
| tXMLM_01TtHM_01. root/ ron_cdb_sap_materi | String | tMSSQL_01TtXMLM | tr@re.ron_cdb_sap_ma | aterialtype |
| tXMLM_01TtHM_01. root/ t_kategorie | payload:/ String | tMSSQL_01TtXMLM | tr ûre .t_kategorie | |
| tXMLM_01TtHM_01. root/ ron_idx | payload:/ String | tMSSQL_01TtXMLM | tr@re.ron_idx | |
| tXMLM_01TtHM_01. root/ cdb_mdate | payload:/ String | tMSSQL_01TtXMLM | tr ûre .cdb_mdate | |
| tXMLM_01TtHM_01. root/ mapped_mpersno_n | String | tMSSQL_01TtXMLM | tr@re.mapped_mpersr | o_name |
| tXMLM_01TtHM_01. root/ ron_phased_out | , - | tMSSQL_01TtXMLM | tr@re.ron_phased_out | |
| tXMLM_01TtHM_01. root/ ron_cust_no1 | payload:/ String | tMSSQL_01TtXMLM | tr@fe.ron_cust_no1 | |
| tXMLM_01TtHM_01. root/ ron_cust_no2 | payload:/ String | tMSSQL_01TtXMLM | tr@fe.ron_cust_no2 | |
| tXMLM_01TtHM_01. root/ benennung | payload:/ String | tMSSQL_01TtXMLM | <u>tr</u> @fe.benennung | |

| tXMLM_01TtHM_01. root/ techdaten | payload:/ String | tMSSQL_01TtXMLM | <u>trûre.</u> techdaten |
|--|---------------------|-----------------|--|
| tXMLM_01TtHM_01. root/ ron_weight | payload:/ String | tMSSQL_01TtXMLM | tr @e .ron_weight |
| tXMLM_01TtHM_01. root/ ron_mapped_mat_gr | String | tMSSQL_01TtXMLM | tɪ @t e.ron_mapped_mat_grp |
| tXMLM_01TtHM_01. root/ ron_mengenbasis | | tMSSQL_01TtXMLM | tr 0/e .ron_mengenbasis |
| tXMLM_01TtHM_01. root/ ron_mapped_xxps_u | String | tMSSQL_01TtXMLM | tr @fe .ron_mapped_xxps_unit_id |
| tXMLM_01TtHM_01. root/ ron_wheelclass7 | | tMSSQL_01TtXMLM | tr 0/e .ron_wheelclass7 |
| tXMLM_01TtHM_01. root/ ron_plno | payload:/ String | tMSSQL_01TtXMLM | l <u>trûre.ron_plno</u> |
| tXMLM_01TtHM_01. root/ ron_prod_category | , , | tMSSQL_01TtXMLM | tr @re .ron_prod_category |
| tXMLM_01TtHM_01. root/ ron_mapped_prod_c | String | tMSSQL_01TtXMLM | tr ute .ron_mapped_prod_class |
| tXMLM_01TtHM_01. root/ teilenummer | payload:/ String | tMSSQL_01TtXMLM | <u>trû</u> te.teilenummer |
| tXMLM_01TtHM_01. root/ werkstoff_nr | payload:/ String | tMSSQL_01TtXMLM | tr @1e .werkstoff_nr |

| tXMLM_01TtHM_01. | payload:/ | | | |
|------------------|-----------|-----------------|---------------------|--|
| | r - | tMSSQL_01TtXMLM | tr@re.ron_xpps_znum | |
| ron_xpps_znum | _ | | | |
| | | | | |

Mapper table for tXMLMap_1 (var):

Mapper table Properties (Var):

| Mapper table Properties(Var): | | |
|---------------------------------|--------|--|
| Properties | Values | |
| Name | Var | |
| Matching-mode | | |
| isMinimized | false | |
| isReject | false | |
| isRejectInnerJoin | false | |
| isInnerJoin | false | |
| expressionFilter | | |

| Metadata Table Entries(Var): | | | |
|--------------------------------|------|------------|------------|
| Name | Туре | Expression | isNullable |