



App Service Microsoft Authentication



Agenda



-
1. App Service Authentication
 2. Demo

App Service Authentication

Use App Registration to log into App Service

Credentials need to be configured

Avoid passwords, use Managed Identities

Using IaC is "hard"

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Microsoft Defender for Cloud
- Events (preview)
- Log stream
- AI (preview)
- Resource visualizer
- Deployment
 - Deployment slots
 - Deployment Center
- Settings
 - Environment variables
 - Configuration
 - Instances



Add an identity provider

Choose an identity provider to manage the user identities and authentication flow for your application. Providers include Microsoft, Facebook, Google, and Twitter.

[Learn more about identity providers](#)

Add identity provider

Add an identity provider ...



Basics Permissions

Identity provider *

Microsoft

Choose a tenant for your application and its users

A tenant contains applications and a directory for user accounts. Choose a tenant based on whether it's configured for workforce users (employees and business guests) or external users. [Learn more](#)

- ☒ Workforce configuration (current tenant)
Manage employees and business guests
- ☐ External configuration
Manage external users

App registration

An app registration associates your identity provider with your app. Enter the app registration information here, or go to your provider to create a new one. [Learn more](#)

- App registration type *
- ☒ Create new app registration
- ☐ Pick an existing app registration in this directory
- ☐ Provide the details of an existing app registration

Name *

my-secure-app-wolfgang

Client secret expiration *

Demo

Configure App Registration by hand

Deploy App Service with Bicep

Demo