


ZGSZ/SZ
BAOAN

22 NOV 24 10-2B

SHENZHEN, PR OF CHINA
RNAV STAR




ZGSZ/SZ
BAOAN

22 NOV 24 10-2C

SHENZHEN, PR OF CHINA

RNAV STAR




SHENZHEN, PR OF CHINA

ZGSZ/SZX
BAOAN

JEPPESSEN
22 NOV 24 10-2D

CHANGES: ATIS.



D-ATIS	127.45 (Chinese)
BAOAN Tower	West (RWY 16/34) 118.45
	*East (RWY 15/33) 130.35

*APP01	120.35	*APP02	119.55	*APP03	123.85	*APP04	119.025	*APP05	127.95
ZHUHAI Tower									
Alt Set: hPa	FL118 below 980 hPa								
Trans level:	FL108 980 hPa or above								

RNP 1 GNSS

1. RADAR vectoring direct to NLG is available when acft in fanwise sequence.

2. If unable to comply with RNP 1 operation requirements, inform BAOAN Tower or ZHUHAI Approach on first contact.

LAN 8XA, LOV 8XA, SAR 8XA

RNP ARRIVALS


(RWYS 15, 16)

BY ATC

SPEED: MAX 250 KT BELOW FL108

STAR	ROUTING
LAN 8XA	LANDA - GURIN (8860+) - SZ312 - SZ313 - SZ301 (K230; 8860 or by ATC) - SZ302 - SZ303 - SZ304 (K230; 8860 or by ATC) - NLG (K205; 4930+ or by ATC) - SZ462 (3940+).
LOV 8XA	LOVTA - GURIN (8860+) - SZ312 - SZ313 - SZ301 (K230; 8860 or by ATC) - SZ302 - SZ303 - SZ304 (K230; 8860 or by ATC) - NLG (K205; 4930+ or by ATC) - SZ462 (3940+).
SAR 8XA	SAREX - SZ305 (8860+) - SZ306 (K230; 7880 or by ATC) - SZ307 - SZ308 - SZ309 - SZ310 (K230; 7880 or by ATC) - NLG (K205; 4930+ or by ATC) - SZ462 (3940+).

FL CONVERSION		
FL118	FL3600m	
FL108	FL3300m	
FT/METER CONVERSION		
QNH		
8860	-	2700m
7880	-	2400m
4930	-	1500m
3940	-	1200m





SHENZHEN, PR OF CHINA

ZGSZ/SZX
BAOAN
22 NOV 24 (10-2F)
JEPPESEN

RNAV STAR

D-ATIS 127.45 (Chinese) 126.85)	BAOAN Tower West (RWY 16/34) 118.45 East (RWY 15/33) 130.35	
ZHUHAI Approach		
*APP01 120.35	APP02 119.55	*APP03 123.85
		*APP04 119.025
		*APP05 127.95
Apt Elev 13	Alt Set: hPa Trans level: FL118 below 980 hPa FL108 980 hPa or above	
RNP 1 GNSS		
If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zuhai Approach on first contact.		
LAN 7ZA, LAN 9ZA LOV 7ZA, LOV 9ZA, SAR 9ZA RNP ARRIVALS (RWYS 33, 34) SPEED: MAX 250 KT BELOW FL108		
STAR	ROUTING	
LAN 7ZA	LANDA - UJ - ZUH - SZ062 (K205-; 4930+);	
LAN 9ZA	LANDA - UJ - ZUH - SZ161 (6890+ or by ATC) - NLG (K205-; 4930+);	
LOV 7ZA	LOVTA - GURIN - UJ - ZUH - SZ062 (K205-; 4930+);	
LOV 9ZA	LOVTA - GURIN - UJ - ZUH - SZ161 (6890+ or by ATC) - NLG (K205-; 4930+);	
SAR 9ZA	SAREX - SZ305 (8860+) - NLG (K205-; 4930+);	

