

ZGSZ/SZX
BAOAN

JEPPESSEN
27 OCT 23 10-3

SHENZHEN, PR OF CHINA
Eff 1 Nov 1600Z

RNAV SID

*BAOAN Tower
130.35

ZHUHAI Approach

*APP01	APP02	*APP03	*APP04	*APP05
120.35	119.55	123.85	119.025	127.95

Trans alt: 8860


RNP 1 GNSS

Apt Elev
13

1. If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zhuhai Approach on first contact.
2. No other noise abatement measures required during noise abatement procedures.
3. Turn before DER is prohibited.

IDU 8WD, MIP 8WD
RNP DEPARTURES
(RWY 15)

ONLY USED FOR NOISE ABATEMENT PROCEDURES FOR SINGLE RWY AT NIGHT AND BY ATC



Gnd speed-KT	75	100	150	200	250	300
4.5% V/V (fpm)	342	456	684	911	1139	1367

FT/METER CONVERSION	
QNH	
600'	- 180m
5910'	- 1800m
8860'	- 2700m

SID	ROUTING
IDU 8WD	(600) - SZ416 - SZ417 (K230-; 5910+ or by ATC) - SZ418 (8860+ or by ATC) - IDUMA.
MIP 8WD	(600) - SZ416 - SZ417 (K230-; 5910+ or by ATC) - SZ418 (8860+ or by ATC) - MIPAG.

ZGSZ/SZX
BAOAN

JEPPESSEN
27 OCT 23 10-3A

SHENZHEN, PR OF CHINA

Eff 1 Nov 1600Z

RNAV SID

BAOAN Tower
118.45

ZHUHAI Approach

*APP01	APP02	*APP03	*APP04	*APP05
120.35	119.55	123.85	119.025	127.95

Trans alt: 8860


RNP 1 GNSS

Apt Elev
13

1. If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zhuhai Approach on first contact.
2. No other noise abatement measures required during noise abatement procedures.
3. Turn before DER is prohibited.

IDU 8XD, MIP 7XD
RNP DEPARTURES
(RWY 16)

ONLY USED FOR NOISE ABATEMENT PROCEDURES FOR SINGLE RWY AT NIGHT AND BY ATC



Gnd speed-KT	75	100	150	200	250	300
4.5% V/V (fpm)	342	456	684	911	1139	1367

FT/METER CONVERSION	
QNH	
600'	- 180m
5910'	- 1800m
8860'	- 2700m


SID	ROUTING
IDU 8XD	(600) - SZ416 - SZ417 (K230-; 5910+ or by ATC) - SZ418 (8860+ or by ATC) - IDUMA.
MIP 7XD	(600) - SZ416 - SZ417 (K230-; 5910+ or by ATC) - SZ418 (8860+ or by ATC) - MIPAG.

ZGSZ/SZX
BAOAN

JEPPESSEN SHENZHEN, PR OF CHINA
5 JUL 24 **(10-3A1)** Eff 10 Jul 1600Z **RNAV SID**

*BAOAN Tower 130.35		ZHUHAI Approach				
		*APP01	APP02	*APP03	*APP04	*APP05
		120.35	119.55	123.85	119.025	127.95
Apt Elev 13	Trans alt: 8860					
	RNP 1 GNSS					
	If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zhuhai Approach on first contact.					

IDU 9WD, MIP 9WD
RNP DEPARTURES
(RWY 15)
DEVIATION TO SOUTH OF SZ101-SZ102 IS FORBIDDEN



Gnd speed-KT	75	100	150	200	250	300
3.5% V/V (fpm)	266	354	532	709	886	1063

FT/METER CONVERSION	
QNH	
400'	120m
2960'	900m
4930'	1500m
6890'	2100m
8860'	2700m

SID	ROUTING
IDU 9WD	(400) - SZ101 (K230-; 2960+ or by ATC) - SZ102 (4930+ or by ATC) - GUBLO (6890+ or by ATC) - IDUMA.
MIP 9WD	(400) - SZ101 (K230-; 2960+ or by ATC) - SZ102 (4930+ or by ATC) - GUBLO (6890+ or by ATC) - MIPAG.

ZGSZ/SZX
BAOAN

JEPPESSEN
5 JUL 24 10-3A2

SHENZHEN, PR OF CHINA

Eff 10 Jul 1600Z

RNAV SID

BAOAN Tower
118.45

ZHUHAI Approach

*APP01
120.35

APP02
119.55

*APP03
123.85

*APP04
119.025

*APP05
127.95

Trans alt: 8860


Apt Elev
13

RNP 1 GNSS

1. If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zhuhai Approach on first contact.
2. Turn before DER is prohibited.

IDU 9XD, MIP 8XD, MIP 9XD
RNP DEPARTURES
(RWY 16)

DEVIATION TO SOUTH OF SZ111-SZ102 IS FORBIDDEN



SID	ROUTING
IDU 9XD ①	(400) - SZ111 (K230-; 3940+ or by ATC) - SZ102 (5910+ or by ATC) - GUBLO (6890+ or by ATC) - IDUMA.
MIP 8XD By ATC	(400) - SZ415 - SZ414 (K230-) - SZ413 (5910+ or by ATC) - MIPAG.
MIP 9XD ①	(400) - SZ111 (K230-; 3940+ or by ATC) - SZ102 (5910+ or by ATC) - MIPAG.


① When two RWYs are used for independent departure, RNAV SIDs need ATC clearance.

ZGSZ/SZX
BAOAN

JEPPESSEN SHENZHEN, PR OF CHINA
23 JUN 23 10-3B RNAV SID

BAOAN Tower		ZHUHAI Approach				
West (RWY 16/34)	*East (RWY 15/33)	*APP01	APP02	*APP03	*APP04	*APP05
118.45	130.35	120.35	119.55	123.85	119.025	127.95
Apt Elev 13	RNP 1 GNSS	Trans alt: 8860 If unable to comply with RNP 1 operation requirements, inform Baotan Tower or Zhuhai Approach on first contact.				

IDU 9YD, MIP 9YD
RNP DEPARTURES
(RWY 33)



SID	ROUTING
IDU 9YD	(400) - SZ001 (K230-) - SZ003 - SZ004 (K250-) - IDUMA.
MIP 9YD	(400) - SZ001 (K230-) - MIPAG.


ZGSZ/SZX
BAOAN

JEPPESSEN
23 JUN 23 10-3C

SHENZHEN, PR OF CHINA
RNAV SID

BAOAN Tower		ZHUHAI Approach				
West (RWY 16/34)	*East (RWY 15/33)	*APP01	APP02	*APP03	*APP04	*APP05
118.45	130.35	120.35	119.55	123.85	119.025	127.95
Apt Elev 13	RNP 1 GNSS	Trans alt: 8860 1. No turn before DER. 2. If unable to comply with RNP 1 operation requirements, inform Baoan Tower or Zhuhai Approach on first contact.				

IDU 9ZD, MIP 9ZD
RNP DEPARTURES
(RWY 34)
WHEN TWO RUNWAYS ARE USED FOR INDEPENDENT DEPARTURE, RNAV SIDS NEED ATC CLEARANCE




SID	ROUTING
IDU 9ZD	(400) - SZ011 (K230-; 2960+) - SZ005 (4930+) - IDUMA.
MIP 9ZD	(400) - SZ011 (K230-; 2960+) - MIPAG.

ZGSZ/SZX
BAOAN

JEPPESEN
27 OCT 23 (10-3D) **E**


SHENZHEN, PR OF CHINA

Eff 1 Nov 1600Z**RNAV SID**

ZGSZ/SZX
BAOAN

JEPPESEN
27 OCT 23 (10-3E) **E**

SHENZHEN, PR OF CHINA

Eff 1 Nov 1600Z**RNAV SID**

CHANGES: New procedures.

© JEPPESEN, 2017, 2023. ALL RIGHTS RESERVED.


ZGSZ/SZ
BAOAN

JEPPESSEN
5 JUL 24 10-3E1

SHENZHEN, PR OF CHINA

Eff 10 Jul 1600Z

RNAV SID




ZGSZ/SZX
BAOAN

5 JUL 24

10-3E2

Eff 10 Jul 1600Z


RNAV SID



ZGSZ/SZ
BAOAN

JEPPESSEN
22 SEP 23 10-3G

SHENZHEN, PR OF CHINA
Eff 4 Oct 1600Z
RNAV SID




CHANGES: Waypoint GLN renamed GUBLO.

© JEPPESSEN, 2017, 2023. ALL RIGHTS RESERVED.

SHENZHEN, PR OF CHINA
RNAV SID

ZGSZ/SZX
BAOAN
JEPPesen
27 OCT 23 (10-3H)
Eff 1 Nov 1600Z






Gnd speed-KT	75	100	150	200	250	300
4.5% V/V (fpm)	342	456	684	911	1139	1367

© JEPPESEN, 2017, 2023. ALL RIGHTS RESERVED.








ZGSZ/SZX
BAOAN

JEPPESSEN SHENZHEN, PR OF CHINA
5 JUL 24 10-3M Eff 10 Jul 1600Z SID



ZGSZ/SZX
BAOAN


JEPPESSEN SHENZHEN, PR OF CHINA
5 JUL 24 10-3N Eff 10 Jul 1600Z SID

Apt Elev
13

Trans alt: 8860
No turn before DER.

IDU 1XD, MIP 1XD
DEPARTURES
(RWY 16)

DEVIATION TO SOUTH OF SHK R065 IS FORBIDDEN
WHEN TWO RUNWAYS ARE USED FOR INDEPENDENT
DEPARTURE, ATC CLEARANCE IS NEEDED



FT/METER CONVERSION



QNH

1150' - 350m

8860' - 2700m



CENCUN
114.6 CEN



CHANGES: None.

© JEPPESSEN, 2017, 2023. ALL RIGHTS RESERVED.

ZGSZ/SZX
BAOAN

JEPPESSEN
17 MAR 23 10-3P

SHENZHEN, PR OF CHINA



Eff 22 Mar 1600Z

SID

Apt Elev
13

Trans alt: 8860

IDU 1YD, MIP 1YD
DEPARTURES
(RWY 33)



CHANGES: SIDs revised, MSA.

© JEPPESSEN, 2017, 2023. ALL RIGHTS RESERVED.

ZGSZ/SZX
BAOAN

JEPPESEN
17 MAR 23 10-3Q



SHENZHEN, PR OF CHINA

Eff 22 Mar 1600Z

SID

Apt Elev
13
Trans alt: 8860
No turn before DER.

IDU 1ZD
WHEN TWO RUNWAYS ARE USED FOR INDEPENDENT
DEPARTURE, ATC CLEARANCE IS NEEDED
MIP 1ZD
DEPARTURES
(RWY 34)




FT/METER CONVERSION	
QNH	
830'	250m
8860'	2700m

ZGSZ/SZX
BAOAN

JEPPESEN
5 JUL 24 (10-3S) E

SHENZHEN, PR OF CHINA

SID


CHANGES: Climb gradient established.

© JEPPESEN, 2017, 2024. ALL RIGHTS RESERVED.

ZGSZ/SZX
BAOAN

JEPPESEN
17 MAR 23 (10-3U) E


SHENZHEN, PR OF CHINA

SID

ZGSZ/SZX
BAOAN

JEPPesen
17 MAR 23 (10-3V) E

SHENZHEN, PR OF CHINA


SID

SHENZHEN, PR OF CHINA

SID

ZGSZ/SZX
BAOAN

JEPPESSEN
12 JUL 24
10-3W



Apt Elev
13

Trans alt: 8860

LKC 1WD

TOM 2WD

BY ATC

SIE 1WD

TOM 1WD

DEPARTURES
(RWY 15)

When two RWYs are used for independent departure, ATC clearance is needed. Deviation to SOUTH of SHK R245 is forbidden.

Gnd speed-KT	75	100	150	200	250	300
3.5% V/V (fpm)	266	354	532	709	886	1063

3800

5300

265°

065°

MSA

NLG VOR

FT/METER CONVERSION

QNH

990' - 300m

1150' - 350m


5910' - 1800m

8860' - 2700m

SHENZHEN, PR OF CHINA

SID

ZGSZ/SZX
BAOAN
JEPPesen
17 MAR 23
Eff 22 Mar 1600Z
10-3X1



FT/METER CONVERSION

QNH	500'	150m
830'	250m	
3940'	1200m	
5910'	1800m	
8860'	2700m	

3800 5300

065° 265°

MSA NLG VOR

