

EGLL/LHR
HEATHROW


JEPPESSEN
25 AUG 23 10-3 Eff 7 Sep

LONDON, UK
SID

LONDON Control 118.825	Apt Elev 83	Trans alt: 6000 1. When instructed contact LONDON Control after take-off, report C/S, SID designator, current altitude and initial cleared altitude. 2. SIDs include noise preferential routes (refer to 10-4). 3. Cruising levels will be issued after take-off by LONDON Control. 4. Do not climb above SID levels until instructed by ATC. 5. EXPECT close-in obstacles.
---------------------------	----------------	--

BPK 7F
BPK 7G
DEPARTURES

SPEED: MAX 250 KT BELOW FL100 UNLESS OTHERWISE AUTHORISED



Cross appropriate Noise Monitoring Terminal (refer to chart 10-4) at or above 1090, thereafter maintain a minimum climb gradient of 4.0% up to 4000 for ATM purposes.		<table><tr><td>Gnd speed-KT</td><td>75</td><td>100</td><td>150</td><td>200</td><td>250</td><td>300</td></tr><tr><td>4.0% V/V (fpm)</td><td>304</td><td>405</td><td>608</td><td>810</td><td>1013</td><td>1215</td></tr></table>						Gnd speed-KT	75	100	150	200	250	300	4.0% V/V (fpm)	304	405	608	810	1013	1215
		Gnd speed-KT	75	100	150	200	250	300													
4.0% V/V (fpm)	304	405	608	810	1013	1215															
		If unable to comply with SID altitudes or climb gradient inform ATC prior to departure.																			
SID	RWY	ROUTING / ALTITUDE																			
BPK 7F	27R	Climb straight ahead, intercept 297° bearing towards BUR NDB by D4.0 LON, at D6.0 LON turn RIGHT, intercept 053° bearing towards CHT NDB, cross LON R304 at or above 4000 (MAX 6000), LON R325 at or above 5000 (MAX 6000), to CHT NDB at 6000, turn RIGHT, intercept BPK R243 inbound to BPK VOR.																			
BPK 7G	27L	Climb straight ahead, intercept 297° bearing towards BUR NDB by D3.0 LON, at D6.0 LON turn RIGHT, intercept 053° bearing towards CHT NDB, cross LON R304 at or above 4000 (MAX 6000), LON R325 at or above 5000 (MAX 6000), to CHT NDB at 6000 turn RIGHT, intercept BPK R243 inbound to BPK VOR.																			

SID

© JEPPESEN, 2017, 2023. ALL RIGHTS RESERVED.

EGLL/LHR
HEATHROW


25 AUG 23

10-3B

Eff 7 Sep

LONDON, UK


SID





EGLL/LHR
HEATHROW

JEPPESSEN
25 AUG 23 10-3C Eff 7 Sep


LONDON, UK
SID








LONDON, UK
SID






EGLL/LHR
HEATHROW

JEPPESSEN
30 MAY 25 10-3K Eff 12 Jun


LONDON, UK
SID



EGLL/LHR
HEATHROW

JEPPESSEN
30 MAY 25 10-3L Eff 12 Jun

LONDON, UK
SID




EGLL/LHR
HEATHROW

JEPPESSEN
30 MAY 25 10-3M Eff 12 Jun

LONDON, UK
SID

LONDON Control 119.780	Apt Elev 83	Trans alt: 6000 1. When instructed contact LONDON Control after take-off, report C/S, SID designator, current altitude and initial cleared altitude. 2. SIDs include noise preferential routes (refer to 10-4). 3. Cruising levels will be issued after take-off by LONDON Control. 4. Do not climb above SID levels until instructed by ATC. 5. EXPECT first CPDLC Data Link Authority to be EGTG. 6. EXPECT close-in obstacles.
---------------------------	----------------	---




Cross appropriate Noise Monitoring Terminal (refer to chart 10-4) at or above 1090, thereafter maintain a minimum climb gradient of 4.0% up to 4000 for ATM purposes.

Gnd speed-KT	75	100	150	200	250	300
4.0% V/V (fpm)	304	405	608	810	1013	1215

If unable to comply with SID altitudes or climb gradient inform ATC prior to departure.

SID	RWY	ROUTING / ALTITUDE
ULTIB 1J	09R	Climb straight ahead, at D2.0 LON turn LEFT, 050° track, intercept LON R070, cross D10.0 LON at or above 3000 (MAX 6000), turn LEFT, intercept BIG R328, cross D20.0 BIG at or above 5000 (MAX 6000), to ULTIB at 6000.
ULTIB 1K	09L	Climb straight ahead, at D1.5 LON turn LEFT, 050° track, intercept LON R070, cross D10.0 LON at or above 3000 (MAX 6000), turn LEFT, intercept BIG R328, cross D20.0 BIG at or above 5000 (MAX 6000), to ULTIB at 6000.



NOISE MONITORING TERMINAL/LOCATION/NAME	ELEVATION ABOVE AERODROME	ADJUSTMENT db(A)
6 N51 27.9 W000 31.9 Thames Water, Wraysbury	- 6m	- 0.3
A N51 28.9 W000 31.4 Colnbrook	- 4m	+ 2.3
B N51 28.7 W000 31.3 Poyle	- 4m	+ 4.8
C N51 28.3 W000 31.8 Horton	- 6m	- 0.3
D N51 27.8 W000 32.0 Coppermill	- 7m	- 0.6
E N51 27.4 W000 32.2 Wraysbury Reservoir (South)	- 7m	- 1.0
F N51 28.4 W000 23.8 Hounslow West	- 3m	+ 0.9
G N51 28.1 W000 23.6 Hounslow Cavalry Barracks	- 3m	- 0.1
H N51 27.8 W000 23.7 Hounslow Heath	- 3m	+ 1.2
I N51 27.2 W000 23.6 East Feltham	- 4m	- 0.3
J N51 28.2 W000 23.6 Hounslow Cavalry Barracks North	- 3m	- 0.2
K N51 27.6 W000 23.8 Hobbledown	- 1m	+ 1.5

Tailwind component	≤ 1 KT	≤ 2 KT	≤ 3 KT	≤ 4 KT	> 4 KT
Amount to be disregarded	0.4 dB	0.8 dB	1.2 dB	1.6 dB	2.0 dB