



OASIS Security Report

Open Redirect Security Analysis

Date: 2026-06-11 10:34:31 — **Model:** mistral:latest

Vulnerability: Open Redirect

Project: clean_contracts

Analysis root: ../clean

Table of contents

□ Summary

□ Statistics

□ Files

□ Detailed analysis

□ Assistant

△ Errors & notes

Summary

Analyzed **1** file(s) for Open Redirect.

[Return to table of contents](#)

Statistics

Files analyzed: 1 **Total findings:** 1

Critical		0
High		0

Medium

1

Low

0

[Return to table of contents](#)

Files

File	Similarity
/work/project/dataset/clean/simple_dao_fixed.sol	0.637

[Return to table of contents](#)

Detailed analysis

File 1: /work/project/dataset/clean/simple_dao_fixed.sol

Similarity score: 0.637

Source lines: 1-34

► Finding 1.1: Vulnerability found (Medium)

Vulnerable code

```
function queryCredit(address to) view public returns (uint){ return  
credit[to]; }
```

Explanation

The function `queryCredit` uses the user input `to` in the URL without proper validation, potentially allowing an attacker to redirect users to a malicious site.

Impact

Phishing attacks, credential theft, or reputation damage

Entry point

queryCredit function

Execution path

```
***  
user -> Solidity contract -> queryCredit function (with user input) ->  
redirect to malicious site  
***
```

HTTP methods

GET

Parameters

to

Exploitation steps

- Provide a crafted input `to` for queryCredit function
- Redirect user to malicious site through unvalidated URL

Example payloads

- `0xMaliciousSite.com`

Conditions

None

Remediation

Validate redirect URLs against allowlists, use relative URLs, or implement proper URL validation in the contract.

Secure example

```
function queryCredit(address to) view public returns (uint){ require(to != address(0x0)); return credit[to]; }
```

[Return to table of contents](#)

Assistant (triage / codebase)

In the OASIS dashboard (JSON report preview), use the chat below to triage findings, exploitation paths, and remediation. Select file, chunk, and finding to narrow context when needed.

[Return to table of contents](#)

Errors & Notes

No file-level errors were recorded.

[Return to table of contents](#)