

WRRRA-M 0.2 Cross Dimensional Filter Correspondence

Conditional Sixteen Channel Reorganization Hypercharge and Anomaly Closure

Author	Wonsik Choi
ORCID	0009-0001-4263-9772
Email	janefather@gmail.com
Version	WRRRA-M 0.2
Date	30 September 2026
Status	Conditional correspondence note

Research decision

This note closes one question left open in WRRRA-M 0.1. It asks whether the sixteen channels can be reorganized by a single cross-dimensional filter so that weak pairing, hypercharge, electric charge, and anomaly cancellation emerge together. The answer is conditional and exact within the stated assumptions.

Abstract

WRRRA-M 0.2 defines a sixteen-channel space consisting of one invariant channel, two seven-dimensional sectors, and one null channel. It then introduces a conditional cross-dimensional filter that reorganizes the space into the Pati-Salam representation $(4,2,1)$ plus $(\text{anti-}4,1,2)$. The two seven sectors supply paired color triplets and paired antitriplets, while their singlets and the two distinguished one-dimensional channels complete the corresponding fours. Color tracelessness fixes the B minus L generator. Neutrality of the null channel and unit normalization of the invariant channel then fix the unique hypercharge relation Y equals $T3R$ plus one half B minus L . The Standard Model hypercharges, electric charges, perturbative gauge anomalies, mixed gravitational anomaly, and global $SU(2)$ parity check follow. The result does not derive the existence or dynamics of the filter and does not claim that $G2$ alone generates the full Pati-Salam group.

Result in one sentence

WRRRA-M 0.2 does not prove that the cross-dimensional filter exists. It proves that if such a filter exists with the stated channel pairing and two normalization conditions, the one-generation sixteen-channel placement, hypercharge, electric charge, and anomaly cancellation close together.

Scope and stopping line

The target is deliberately narrow. This version neither extends the cosmological architecture nor explains why nature selects this filter. It completes the algebraic step that 0.1 identified as the next decisive test and then stops.

Included in 0.2

- Definition of the sixteen-channel input space
- Definition of the conditional cross-dimensional filter
- Exact channel counting and Pati-Salam correspondence
- Conditional derivation of hypercharge and electric charge
- Exact anomaly checks and explicit falsification conditions

Reserved for 0.3 or later

- Filter dynamics or a derivation from Source and Law
- Three generations, masses, Higgs structure, or neutrino mass
- Gravity, dark matter, cosmology, or consciousness
- A claim that $G2$ by itself generates the full Pati-Salam group

External mathematical baseline

The Pati-Salam representation and the sixteen-component spinor organization associated with $SO(10)$ are established external structures, not WRRR discoveries [1][2]. The G_2 branching 7 to 3 plus anti- 3 plus 1 is also an external representation-theoretic input [3]. WRRR-M contributes a particular conditional reorganization of its one plus seven plus seven plus one-null channel space into that known structure.

Fixed WRRR evaluation rule

Stage	Question answered in this note
Verification input	Which established representation identities and anomaly conditions are used
WRRR-specific transformation	How the cross filter rearranges the four input sectors
Output	Which charges and consistency relations follow from the rearrangement
Falsification condition	Which failure would reject this 0.2 correspondence

The sixteen-channel input

The 0.2 input adds the WRRR null channel to the fifteen-channel space of 0.1. The subscripts distinguish channel origins; they do not yet denote observed particles. The invariant channel 1-zero and null channel 1-N are structurally distinct one-dimensional sectors.

$$C_{16} = \mathbf{1}_0 \oplus \mathbf{7}_A \oplus \mathbf{7}_B \oplus \mathbf{1}_N$$

Each seven branches under the common color subgroup in the same way. The full input therefore contains two triplets, two antitriplets, and four singlets, for a total of sixteen complex left-handed Weyl channels.

$$\mathbf{7} \downarrow_{SU(3)} = \mathbf{3} \oplus \bar{\mathbf{3}} \oplus \mathbf{1}$$

Input sector	Color decomposition	Channel count	Role after filtering
1-zero	1	1	Visible invariant channel
7-A	3 plus anti-3 plus 1	7	First paired components
7-B	3 plus anti-3 plus 1	7	Second paired components
1-N	1	1	Neutral null channel

The cross-dimensional filter

Define DF-cross as a conditional linear reorganization that preserves the SU(3) color action while pairing channels across the two seven sectors. It does not create dimensions or particles. It changes which input components are read together as phenotype multiplets.

$$DF_{\times} : C_{16} \longrightarrow (\mathbf{4}, \mathbf{2}, \mathbf{1}) \oplus (\bar{\mathbf{4}}, \mathbf{1}, \mathbf{2})$$

The triplet and singlet from sector A are paired with their counterparts from sector B as the two components of an SU(2)L doublet. Their combined dimension is eight.

$$\mathcal{H}_L = (\mathbf{3}_A \oplus \mathbf{1}_A) \oplus (\mathbf{3}_B \oplus \mathbf{1}_B) \cong (\mathbf{4}, \mathbf{2}, \mathbf{1})$$

The anti-triplet from sector A is paired with the null singlet, and the anti-triplet from sector B with the invariant singlet. These two anti-fours form an SU(2)R doublet, again of dimension eight.

$$\mathcal{H}_R = (\bar{\mathbf{3}}_A \oplus \mathbf{1}_N) \oplus (\bar{\mathbf{3}}_B \oplus \mathbf{1}_0) \cong (\bar{\mathbf{4}}, \mathbf{1}, \mathbf{2})$$

Filtered block	Channel assignment	Dimension	External notation
Left block	(3-A plus 1-A) and (3-B plus 1-B)	4 times 2 equals 8	(4,2,1)
Right block	(anti-3-A plus 1-N) and (anti-3-B plus 1-zero)	anti-4 times 2 equals 8	(anti-4,1,2)

Conditional correspondence theorem

Assume that DF-cross exists, preserves the common SU(3) action, and produces the two blocks above. Assume also that 1-N is neutral and 1-zero has unit hypercharge. Then the sixteen input channels carry exactly one left-handed Standard Model generation including the conjugate right-handed neutrino, with the standard hypercharges and electric charges. The listed gauge and mixed anomalies vanish.

Proof by channel reorganization

The left block contains two color triplets and two color singlets. Reading A and B as the SU(2)L pair gives the quark doublet Q-L and lepton doublet L-L. The right block contains two anti-triplets and two singlets. Reading the A and B groupings as the SU(2)R pair gives (u-c, nu-c) at T3R minus one half and (d-c, e-c) at T3R plus one half. No channel is added or discarded.

Hypercharge from two normalization conditions

Within an SU(4) four, color symmetry gives equal entries for the three color components. Tracelessness then fixes the lepton entry relative to them. Choosing the conventional baryon-minus-lepton normalization gives the diagonal generator below; its signs reverse on the anti-four.

$$B - L = \text{diag}\left(\frac{1}{3}, \frac{1}{3}, \frac{1}{3}, -1\right)_4, \quad -(B - L)_4 \text{ on } \bar{4}$$

Take the most general linear combination of the two commuting diagonal generators relevant after the filter.

$$Y = \alpha T_{3R} + \beta(B - L)$$

The null channel is assigned to nu-c with T3R minus one half and B minus L equal to plus one. Its required neutrality gives beta equals alpha over two. The invariant channel is assigned to e-c with T3R plus one half and B minus L equal to plus one. Unit hypercharge then gives alpha equals one. Thus a single operator, rather than six separate inserted values, fixes all channel charges.

$$0 = Y(\nu^c) = -\frac{\alpha}{2} + \beta, \quad 1 = Y(e^c) = \frac{\alpha}{2} + \beta \implies \alpha = 1, \beta = \frac{1}{2}$$

$$Y = T_{3R} + \frac{B-L}{2}$$

Recovered channel charges

The left block is an SU(2)_R singlet, so T3R is zero there. The right block uses the two eigenvalues plus or minus one half. Applying the derived operator gives:

$$Q_{\text{electric}} = T_{3L} + Y$$

Field	Multiplicity	B minus L	T3R	Y	Electric charges
Q-L	6	1/3	0	1/6	2/3 and minus 1/3
L-L	2	minus 1	0	minus 1/2	0 and minus 1
u-c	3	minus 1/3	minus 1/2	minus 2/3	minus 2/3
d-c	3	minus 1/3	plus 1/2	1/3	1/3
nu-c	1	1	minus 1/2	0	0
e-c	1	1	plus 1/2	1	1

Exact consistency checks

All sums below are over left-handed Weyl fields. The arithmetic was evaluated with exact rational numbers in the document build, not floating-point approximations.

$$\sum Y = 6\left(\frac{1}{6}\right) + 3\left(-\frac{2}{3}\right) + 3\left(\frac{1}{3}\right) + 2\left(-\frac{1}{2}\right) + 1 + 0 = 0$$

$$\sum Y^3 = 6\left(\frac{1}{6}\right)^3 + 3\left(-\frac{2}{3}\right)^3 + 3\left(\frac{1}{3}\right)^3 + 2\left(-\frac{1}{2}\right)^3 + 1 = 0$$

$$A_{SU(3)^2 U(1)} = 2\left(\frac{1}{2}\right)\left(\frac{1}{6}\right) + \frac{1}{2}\left(-\frac{2}{3}\right) + \frac{1}{2}\left(\frac{1}{3}\right) = 0$$

$$A_{SU(2)^2 U(1)} = 3\left(\frac{1}{2}\right)\left(\frac{1}{6}\right) + \frac{1}{2}\left(-\frac{1}{2}\right) = 0$$

Condition	Channel calculation	Result
SU(3) cubed	Two triplets minus two antitriplets	0
SU(3) squared U(1)	Q-L plus u-c plus d-c	0
SU(2)L squared U(1)	Three colored Q-L doublets plus L-L	0
U(1) cubed	Six weighted hypercharge groups	0
Gravity squared U(1)	Sum of all sixteen hypercharges	0
Global SU(2)L	Three colored quark doublets plus one lepton doublet	4 doublets even
Global SU(2)R	Three colored anti-quark doublets plus one anti-lepton doublet	4 doublets even

The even-doublet condition is the global SU(2) consistency test identified by Witten [4]. The same parity count holds independently for the left and right SU(2) factors.

Claim ledger

Code	Status	Statement in WRR-M 0.2
E	External input	Pati-Salam multiplets, SO(10) sixteen structure, G2 branching, and anomaly criteria
D	Architecture definition	The input C16 and the conditional target of DF-cross
C	Conditional calculation	Exact rearrangement, unique normalized hypercharge operator, electric charges, and anomaly closure
H	Unproved hypothesis	Existence and dynamical selection of DF-cross from Source and Law
O	Outside this version	Generations, masses, symmetry breaking, gravity, dark matter, and consciousness

Falsification conditions

This 0.2 correspondence fails if any one of the following is established:

- No linear filter can implement the stated pairing while preserving the common SU(3) action.
- The four input sectors cannot be kept independent without duplicating or deleting a channel.
- Neutrality of 1-N and unit normalization of 1-zero do not yield one operator valid for every channel.
- Any listed local anomaly sum is nonzero or either SU(2) factor contains an odd number of doublets.
- A later dynamical model requires a filter incompatible with the 0.2 pairing.

The one remaining assumption

The architecture has not yet produced DF-cross from Source and Law. This note defines its required action and proves the consequences of that action. The existence, uniqueness, stability, and physical selection of the filter remain open. That is the single boundary at which 0.2 stops.

Conclusion

WRRM 0.1 ended with an exact color-sector count and an unresolved request for weak pairing and one hypercharge operator. Version 0.2 supplies a conditional answer. By crossing components of the two seven sectors with the invariant and null singlets, the sixteen channels reorganize into a known left-right structure. Two transparent normalization conditions then select one hypercharge operator, and all one-generation charges and anomaly checks close without channel-by-channel fitting. The correspondence is therefore stronger than numerical resemblance but narrower than a fundamental derivation. Its unfinished part is stated plainly: why the universe realizes this filter at all.

Appendix A Compact derivation

Step	Input	WRRM operation	Output
1	1 plus 7-A plus 7-B plus 1-N	Apply SU(3) branching	Two 3, two anti-3, four 1
2	Sixteen color channels	Cross-pair A, B, invariant, and null sectors	(4,2,1) plus (anti-4,1,2)
3	T3R and B minus L	Require Y(nu-c)=0 and Y(e-c)=1	Y equals T3R plus (B minus L)/2
4	One derived operator	Apply to all channels	Six Standard Model field-group hypercharges
5	Derived hypercharges	Evaluate exact anomaly sums	All listed consistency tests pass

$$C_{16} = \mathbf{1}_0 \oplus \mathbf{7}_A \oplus \mathbf{7}_B \oplus \mathbf{1}_N$$

$$DF_x : C_{16} \longrightarrow (\mathbf{4}, \mathbf{2}, \mathbf{1}) \oplus (\overline{\mathbf{4}}, \mathbf{1}, \mathbf{2})$$

$$Y = T_{3R} + \frac{B-L}{2}$$

Appendix B References

- [1] Jogesh C. Pati and Abdus Salam Lepton Number as the Fourth Color Physical Review D 10 1974 275 to 289
<https://doi.org/10.1103/PhysRevD.10.275>
- [2] Harald Fritzsch and Peter Minkowski Unified Interactions of Leptons and Hadrons Annals of Physics 93 1975 193 to 266
[https://doi.org/10.1016/0003-4916\(75\)90211-0](https://doi.org/10.1016/0003-4916(75)90211-0)
- [3] An Exceptional G2 Extension of the Standard Model from Cayley Dickson Automorphism Groups Scientific Reports 11 2021
<https://doi.org/10.1038/s41598-021-01814-1>
- [4] Edward Witten An SU(2) Anomaly Physics Letters B 117 1982 324 to 328
[https://doi.org/10.1016/0370-2693\(82\)90728-6](https://doi.org/10.1016/0370-2693(82)90728-6)